

Apprenticeship Curriculum Standard

Truck and Coach Technician

Level 3

310T

2010




Table of Contents

Preface			1
ntroduction			2
_evel 3			5
Reportable \$	Subject Sur	mmary-Level 3	6
S1292	Trade Pra	actice and Auxiliary Systems	7
	S1292.1	Truck and Coach Heating and Ventilation Air Conditioning	8
	S1292.2	Regulatory Requirements	12
S1293	Engine Sy	ystems	14
	1293.1	Heavy Duty Intake Systems	16
	1293.2	Heavy Duty Exhaust Systems	19
	1293.3	Turbocharging	22
	1293.4	Advanced Heavy Duty Cooling Systems and Coolants	25
	1293.5	Heavy Duty Lubricating Systems and Oils	29
	1293.6	Diesel Engine Brakes and Retarders	32
	1293.7	Diesel Engine Component Failure Analysis	34
	1293.8	Diesel Engine Diagnostic Procedure and Practices	37
	1293.9	Diesel Engine Run-in and Testing	40
S1294	Electricity	and Electronics	42
	S1294.1	Heavy Duty Charging Circuits	43
	S1294.2	Heavy Duty Electronic Ignition Systems	46
	S1294.3	Electrical Component Reconditioning	50
S1295	Fuel Syste	ems	52
	S1295.1	Hydraulically Actuated, Electronic Unit Injector (HEUI) Systems	53
	S1295.2	Electronic Unit Pump (EUP) Systems	56
	S1295.3	Time Pressure (TP), Electronic Common Rail Fuel Systems	59
	S1295.4	Common Rail Fuel Systems	

Truck & Coach Technician

S1296	Vehicle E	cle Electronic Management and Emissions Systems64		
	S1296.1	Customer and Proprietary Data Programming	66	
	S1296.2	Multiplexing	69	
	S1296.3	Emission Controls and Testing	72	
	S1296.4	Hybrid Drive Systems	75	
	S1296.5	Collision Avoidance Systems	78	
S1297	Drive Trai	ns	80	
	S1297.1	Torque Converters	81	
	S1297.2	Automatic Transmissions and Vehicle Retarders	84	
	S1297.3	Electronically Controlled Automatic Transmissions	88	
	S1297.4	Transfer Case, Drop Box and Power Take-Off Assemblies	91	
S1298	Steering,	Suspension and Brake Systems	94	
	S1298.1	Pneumatic Circuit Interpretation and Analysis	96	
	S1298.2	Brake System Troubleshooting	98	
	S1298.3	Anti-lock Braking Systems (ABS), Automatic Traction Control (ATC) and Roll and Directional Stability (RDS)	400	
	04000.4	Systems		
	S1298.4	Medium and Heavy Duty Steering Axle Systems		
	S1298.5	Medium and Heavy Duty Vehicle Alignment		
	S1298.6	Mechanical Steering Gear	108	
	S1298.7	Hydraulic Power Assist Steering Gear	110	
	S1298.8	Truck, Coach, Bus and Trailer Frames and Bodies	113	
	S1298.9	Truck and Coach Coupling Devices	116	
APPENDIX	A: Acronym	ns List	119	
APPENDIX	B: Glossan	y of Trade Specific Terms	127	

<u>Please Note:</u> This Standard has been revised to reflect the visual identity of Skilled Trades Ontario (STO) which replaced the Ontario College of Trades on January 1, 2022. The content of this Standard may refer to the former organization; however, all trade specific information or content remains relevant and accurate based on the original date of publishing.

Please refer to STO's website: <u>skilledtradesontario.ca</u> for the most accurate and up to date information. For information about BOSTA and its regulations, please visit <u>Building</u> Opportunities in the Skilled Trades Act, 2021 (BOSTA).

Any updates to this publication are available on-line; to download this document in PDF format, please follow the link: <u>Skilled Trades Ontario.ca.</u>

© 2022, Skilled Trades Ontario. All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission from Skilled Trades Ontario.

Maintained with transfer to Skilled Trades Ontario 2010 (V100)

Preface

This curriculum standard for the Truck & Coach Technician trade program is based upon the on-the-job performance objectives, located in the industry-approved training standard.

The curriculum is organized into 3 levels of training. The Reportable Subjects Summary chart (located on page 6) summarizes the training hours for each reportable subject.

The curriculum identifies the learning that takes place in-school. The in-school program focuses primarily on the theoretical knowledge and the essential skills required to support the performance objectives of the Apprenticeship Training Standards.

Employers/Sponsors are expected to extend the apprentice's knowledge and skills through practical training on a work site. Regular evaluations of the apprentice's knowledge and skills are conducted throughout training to verify that all apprentices have achieved the learning outcomes identified in the curriculum standard.

It is not the intent of the in-school curriculum to perfect on-the-job skills. The practical portion of the in-school program is used to reinforce theoretical knowledge. Skill training is provided on the job.

Please refer to Skilled Trades Ontario website (<u>www.skilledtradesontario.ca</u>) for the most accurate and up-to-date information about Skilled Trades Ontario. For information on *Building Opportunities in the Skilled Trades Act, 2021 (BOSTA)*) and its regulations, please visit <u>Building Opportunities in the Skilled Trades Act, 2021, S.O. 2021, c. 28 - Bill 288 (ontario.ca)</u>

Pre-requisites

In order to advance to Level 2 of the apprenticeship program, an individual must have completed all of the units outlined in Level 1. Similarly, in order to advance to Level 3 of the program, an individual must have completed all of the units outlined in Level 1 and 2.

Hours Disclaimer (if applicable)

It is agreed that Training Delivery Agents (TDAs) may need to make slight adjustments (with cause) according to particular apprentice needs and may deviate from the unit sequencing and the prescribed practical and theoretical hours shown within the standard. However, all TDAs will comply with the hours at the reportable subject level.

Personal and Safety Equipment: Personal protective equipment is at the discretion of the TDA who must conform to Ontario Provincial Health and Safety Regulations.

Introduction

The Truck and Coach curriculum (T&C) level 3 has been developed in keeping with the prescribed Ministry of Labour, Immigration, Training and Skills Development (MLITSD) Training Standards, which apply to the Truck and Coach Technician apprenticeship. The curriculum layout used provides an opportunity to cross-reference the in-school learning outcomes and content to the specific workplace Training Standards.

For easy reference, a time allocation has been included for each reportable subject, along with the Theory/Practical breakdown for the delivery of the Learning Content. More detailed time allocations for the instructor have been provided for each topic area to assure consistency for each apprentice intake.

The continual introduction of innovative techniques and more complex equipment is resulting in increasing demands for tradespersons who are not only skilled in the practical aspects of the trade, but who also have a sound theoretical knowledge of the inspecting, diagnosing, repair, and servicing requirements. The curriculum has been developed to provide this theoretical knowledge and to offer some practical applications to complement the on-the-job work experiences of the Truck and Coach apprentice.

The objective of the curriculum, therefore, is to provide a basis for:

- a. Sound theoretical training that meet the challenges presented by the increasingly more complex equipment designs and testing techniques.
- b. A reinforcement of fundamental skills of the trade through the exposure to practical applications.
- c. Developing in the apprentices high standards of craftsmanship, problem-solving skills, and personal pride in their trade.
- d. Developing desirable work attitudes and a keen sense of responsibility, particularly concerning public and personal safety.

The curriculum has been designed to give the instructor every reasonable opportunity for flexibility and innovation without deviating to any significant degree from the subject requirements, as determined by the Industry Committees and as prescribed in the Regulations for the Trades. Since the scope of the prescribed curriculum is quite extensive, the apprentices must be expected to reinforce the acquired knowledge through regular independent out-of- classroom assignments. The curriculum has been presented in a chronological sequence in keeping with sound teaching methodologies. However, the actual application of the sequence may differ somewhat between colleges because of scheduling, staffing, and facilities utilization.

The curriculum includes specific references to the Ministry of Training, Colleges and Universities Apprenticeship Training Standards. While these references to various performance objectives in the Training Standards have been linked to the respective inschool outcomes, employers should not assume complete coverage to a journeyperson level. The in-school delivery focuses primarily on the knowledge required to master the respective objectives outlined in the Training Standards. Employers, therefore, are expected to complete the training of these respective objectives by applying the prescribed in-school knowledge to the required practical learning experienced in the work setting.

To ensure that apprentices will be able to successfully demonstrate the learning outcomes according to performance criteria, specific times have been allocated in the respective areas to allow for some applications enhancement. It is of utmost importance that all application assignments relate to prescribed experiences only. Time constraints will not permit engaging apprentices in tasks of limited learning benefit that are unrelated to the curriculum outcomes. In the Learning Content section, whenever an assigned operation for an applied test or repair procedure indicates that a demonstration should be performed, there is only enough time allocated for the instructor to perform the activity.

Regular evaluations of the apprentices' learning achievements must be performed in both theory and practical applications throughout the program to ensure consistency with learning outcome expectations. Testing of apprentice knowledge and skills will take place during the allotted delivery hours for each unit. In addition to providing an evaluation of apprentice competency, the review of test question answers is considered to be a valuable learning opportunity.

In all practical activities, the apprentices will observe the Occupational Health and Safety Act and the applicable regulations including use of personal protective equipment. Institutional regulations and policies may also apply.

Participation by Stakeholders

A consortium of six colleges of applied arts and technology, working in collaboration with the Ministry of Training, Colleges and Universities and industry stakeholders, participated in the development of this document. The development and subsequent revisions were based on the training standards that were previously revised by the MTCU in consultation with industry advisory groups. The development was completed using a process and format approved by MTCU.

Participating Colleges

- Cambrian College of Applied Arts and Technology (Project Lead)
- Algonquin College of Applied Arts and Technology
- Centennial College of Applied Arts and Technology (T&C Level 2 Lead)
- Fanshawe College of Applied Arts and Technology
- Mohawk College of Applied Arts and Technology
- Sault College of Applied Arts and Technology

Industry Representatives:

Equipment World Ltd Elmira Farm Service Ltd

Sudbury Truck & Trailer Ltd Liftow Inc.

Toromont CAT Ltd Vale Inco Ltd

Nortrax Ltd Volvo Canada Ltd

Xstrata Nickel Ltd Atlas Copco Construction & Mining Canada Ltd

McGavin Farm Equipment Ltd.

The first step in the development process was to assemble a Project Steering Committee (PSC), consisting of both industry representatives and apprenticeship in-school deliverers. The PSC initiated the plan for the project development that followed. The PSC established six working teams, each responsible for the development of in-school apprenticeship curriculum documents for the specific motive power trades listed below:

- Level 1 common to Agricultural Equipment, Heavy Duty Equipment, Powered Lift Truck, and Truck and Coach
- Level 2 common to Agricultural Equipment and Heavy Duty Equipment
- Level 3 specific to Agricultural Equipment
- Level 3 specific to Heavy Duty Equipment
- Level 2 and 3 specific to Powered Lift Truck
- Level 2 and 3 specific to Truck and Coach

The six teams worked with advisory groups during the development of the curriculum. The advisory groups were industry representatives who ensured content validity. During various stages of the process, the PSC and participating industry advisory groups evaluated the draft curriculum documents and provided feedback and recommendations for revisions.

Truck & Coach Technician Level 3

Reportable Subject Summary-Level 3

Number	Reportable Subjects	Hours Total	Hours Theory	Hours Practical
S1292.0	Trade Practices and Auxiliary Systems	24	14	10
S1293.0	Engine Systems	40	24	16
S1294.0	Electricity and Electronics	32	17	15
S1295.0	Fuel Systems	24	18	6
S1296.0	Vehicle electronic Management and Emission Systems	32	21	11
S1297.0	Drive Trains	40	22	18
S1298.0	Steering, Suspension and Brake Systems	48	25	23
	Total	240	144	96

Number: S1292

Title: Trade Practice and Auxiliary Systems

Duration: Total Hours: 24 Theory: 14 Practical: 10

Prerequisites: T.C. Level 2

Co-requisites: None

1.1 Truck and Coach Heating and Ventilation Air Conditioning

22 Total Hours Theory: 12 hours Practical: 10 hours

1.2 Regulatory Requirements

2 Total Hours Theory: 2 hours Practical: 0 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Trucks or buses equipped with functional AC systems Specialized safety equipment Reefer equipped with functional climate control Access to CVSA and TMC regulations Refrigerant recovery equipment OEM data hub access Ventilating equipment Personal safety equipment Refrigerant evacuation and recharging equipment ESTs (Electronic Service Tools)

Number: S1292.1

Title: Truck and Coach Heating and Ventilation Air Conditioning

Duration: Total Hours: 22 Theory: 12 Practical: 10

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5139, 5151

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair truck and coach heating, ventilation and air conditioning systems to manufacturer and environmental safety standards.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

1.1.1 Explain the purpose and fundamentals of truck and coach HVAC theory.

[4/0]

- thermodynamics
- heat transfer
- climate control systems
- temperature and relative humidity relationship
- change of state, latent and sensible heat
- properties of refrigerants
- gas laws, temperature, pressure and volume
 - storage
 - purchasing
 - recovery
 - disposal
 - legal Issues
- environmental effects of refrigerant

- 1.1.2 Identify the functions, construction, composition, types, styles and application of truck and coach HVAC theory and reefer systems.
- [4/0] climate control systems
 - reefer circuit components
 - heating and ventilation
 - electronic
 - mechanical
 - cycling clutch systems
 - orifice tube
 - expansion valve
 - identify types of refrigerants
 - OEM Recommended
 - alternate
 - lubricants
 - system control devices
 - zone control
 - data bus communication
 - flow control valves
 - system protection devices
 - APADS
 - low temperature / pressure
 - high temperature / pressure
 - expansion valves and orifice tubes
 - clutch controls
 - condensers
 - receiver dryer
 - accumulator-dryer
 - evaporator
 - heater cores compressors
 - axial recirculating
 - radial
 - variable displacement
 - hoses, lines and fittings
 - van insulation requirements

- 1.1.3 Describe the principle(s) of operation of truck and coach HVAC systems.
- [4/0] heating system operation
 - AC system operation
 - climate control
 - temperature controls
 - airflow management
 - characteristics of refrigerants
 - characteristics of lubricants
 - system protection devices
 - low and high-pressure cutout
 - low charge protection
 - low pressure cycling control
 - compressor cycle
 - cycling clutch
 - variable displacement
 - reefer system operation
 - cryogenic systems
- 1.1.4 Perform inspection, testing and diagnostic procedures on truck and coach HVAC systems.
- [0/6] identify the location of system components and controls
 - performance test
 - heating system
 - AC system
 - climate control
 - test for refrigerant and coolant leaks
 - test system for operating pressure and control functions
 - outline service requirements of various refrigerants
- 1.1.5 Recommend reconditioning or repairs following manufacturers' procedures on truck and coach HVAC systems.
- [0/4] outline procedures required removing and replacing HVAC system components
 - perform drive belt adjustments
 - demonstrate recovery, recycling, evacuation
 - recharging procedures

- safety precautions
 - potential lifting hazards
 - eye, hearing and skin protection
 - refrigerants
 - · green house gas and ozone depletion potential
 - open flame contact precautions, handling, inhalation, skin and eye contact, system pressures and handling of refrigerant cylinders
 - prevention of leakage to the atmosphere
- communications
 - · information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1292.2

Title: Regulatory Requirements

Duration: Total Hours: 2 Theory: 2 Practical: 0

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5135

General Learning Outcomes

Upon successful completion, the apprentice is able to describe the legal responsibilities of employers and employees for safety, environment and equipment practices according to Government Safety and Environmental Legislation.

Learning Outcomes and Content

- 1.2.1 Explain the legal responsibilities as applied to Government Legislation for relevant workplace activities.
- [2/0] Highway Traffic Act
 - CVOR (Commercial Vehicle Operator's Registration)
 - vehicle safety inspection
 - legal liability
 - Out of Service Criteria (OOS)
 - Commercial Vehicle Safety Alliance (CVSA)
 - Federal Motor Vehicle Safety Standards (FMVSS)
 - Canadian Motor Vehicle Safety Act (MVSA)
 - technical standard documents
 - American Trucking Association
 - recommended practices (R.P)
 - Technical and Maintenance Council (TMC)
 - Society of Automotive Engineers (SAE)
 - J-standards
 - consumer protection legislation

- safety precautions
 - interpretation of regulatory information
 - data base of government and industry resources
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention Systems
 - paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure		
Theory Testing	Practical Application Testing	
70%	30%	

Number: S1293

Title: Engine Systems

Duration: Total Hours: 40 Theory: 24 Practical: 16

Prerequisites: T.C. Level 2

Co-requisites: None

2.1 Heavy Duty Intake Systems

4 Total Hours Theory: 2 hours Practical: 2 hours

2.2 Heavy Duty Exhaust Systems

4 Total Hours Theory: 2 hours Practical: 2 hours

2.3 Turbochargers and Roots Blowers

4 Total Hours Theory: 3 hours Practical: 1 hour

2.4 Advanced Heavy Duty Cooling Systems and Coolants

4 Total Hours Theory: 3 hours Practical: 1 hour

2.5 Heavy Duty Lubricating Systems and Oils

4 Total Hours Theory: 3 hours Practical: 1 hour

2.6 Diesel Engine Brakes and Retarders

3 Total Hours Theory: 2 hours Practical: 1 hour

2.7 Diesel Engine Component Failure Analysis

6 Total Hours Theory: 4 hours Practical: 2 hours

2.8 Diesel Engine Diagnostic Procedure and Practices

8 Total Hours Theory: 5 hours Practical: 3 hours

2.9 Diesel Engine Run-in and Testing

3 Total Hours Theory: 1 hour Practical: 2 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Functional electronically managed diesel engines

Precision measuring tools

Full range of disassembled engine components

Chassis or engine dynamometer

Assortment of failed engine components for failure analysis

OEM diagnostic software

Ventilating equipment

OEM data access including online service information systems (SIS)

Specialty engine tools

(EST's) Electronic Service Tools and CAs

Number: 1293.1

Title: Heavy Duty Intake Systems

Duration: Total Hours: 4 Theory: 2 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5139, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair heavy duty, diesel engine intake systems.

Learning Outcomes and Content

- 2.1.1 Explain the purpose and fundamentals of heavy-duty intake systems.
- [0.5/0] diesel engine theory
 - thermodynamics
 - volumetric efficiency
 - air charge temperature
 - manifold boost
 - heat exchanger
 - positive filtration principle
- 2.1.2 Identify the functions, construction, types, styles and application of heavy-duty intake systems.
- [0.5/0] pre-cleaners
 - positive dry air cleaners
 - intake manifold design
 - valve configuration
 - inlet restriction sensor
 - mass airflow sensor
 - change air coolers
 - exhaust gas recirculation (EGR)
 - venture / pressure differential
 - intake manifold temperature sensor
 - intake air heaters

- 2.1.3 Describe the principle(s) of operation of heavy-duty intake systems.
- [1/0] positive principle dry air filters
 - cyclonic precleaners
 - volumetric efficiency
 - lean burn technology
 - engine breathing
 - thermal efficiency
 - gas dynamics
 - intake Air Heaters
- 2.1.4 Perform inspection, testing and diagnostic procedures on diesel intake systems.
- [0/1] air induction inlet restriction test
 - outline methods of tracing boost side and charge air cooler leakage
 - analyze filter element conditions
 - outline requirements for servicing air filters
 - charge air cooler restrictions / leaks
- 2.1.5 Recommend reconditioning or repairs following manufacturers' procedures on diesel intake systems.
- [0/1] verify the readings of an in-dash, inlet restriction gauge with a water manometer
 - outline method of locating manifold boost leakage
 - outline method of replacing charge air coolers
 - outline OEM method for determining air filter serviceability

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and skin protection
 - rotating components
 - hazards of spring tension
 - wire and grinding wheels
 - cleaning agents

- communication
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: 1293.2

Title: Heavy Duty Exhaust Systems

Duration: Total Hours: 4 Theory: 2 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair heavy duty, diesel engine exhaust systems.

Learning Outcomes and Content

- 2.2.1 Explain the purpose and fundamentals of heavy duty exhaust systems.
- [0.5/0] engine theory
 - thermodynamics
 - volumetric efficiency
 - air change temperature
 - manifold boost
 - heat exchanger
 - air charge density
 - exhaust backpressure factors
- 2.2.2 Identify the functions, construction, composition, types, styles and application of heavy duty exhaust systems.
- [0.5/0] exhaust manifold
 - exhaust piping
 - pyrometers
 - engine silencers
 - catalytic converters
 - exhaust stacks
 - rain caps
 - particulate traps
 - diesel particulate filters
 - aqueous urea
 - dosing injectors

2.2.3 Describe the principle(s) of operation of heavy duty exhaust systems.

[0.5/0]

- exhaust gas dynamics
- sound analysis energy and noise suppression
 - sound absorption principles
 - resonator principles
- particulate traps
- diesel particulate filters
- oxidation catalytic converters
- exhaust gas chemical characteristics
- dosing requirements of reduction catalysts
- 2.2.4 Perform inspection, testing and diagnostic procedures on diesel engine exhaust systems.
- [0.5/1]
- test exhaust gas backpressure
- outline procedure for analyzing exhaust gas chemistry
- demonstrate opacity meter smoke analysis
- 2.2.5 Recommend reconditioning or repairs following manufacturers' procedures on diesel engine exhaust systems.
- [0/1]
- outline procedure for replacing engine silencers
- outline procedure for replacing exhaust piping
- outline procedure for replacing a pyrometer
- outline procedure for replacing a catalytic converter

- safety precautions
 - eye, hearing, breathing and skin protection
 - rotating components
 - hazards of spring tension
 - · wire and grinding wheels
 - cleaning agents
 - potential lifting hazards

- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: 1293.3

Title: Turbocharging

Duration: Total Hours: 4 Theory: 3 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5139, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair turbochargers.

Learning Outcomes and Content

- 2.3.1 Explain the purpose and fundamentals of turbocharging.
- [1/0] turbine theory
 - thermodynamics
 - volumetric efficiency
 - air charge temperature
 - manifold boost
 - heat exchanger
 - air charge density
- 2.3.2 Identify the functions, construction, composition, types, styles and application of turbocharging.
- [1/0] pulse air manifolds
 - turbine housing
 - divided chamber
 - ceramic turbine wheels
 - high alloy steel turbine wheels
 - volute
 - constant geometry
 - variable geometry
 - waste gate
 - variable volute
 - variable nozzle
 - methods of control

- compressor housing
 - impellers
 - volute
- compounding
 - viscous coupling
 - gear train
- series turbocharging
 - primary
 - secondary
- parallel turbocharging
- exhaust pressure governor (EPG)
- discharge recirculation valve
- 2.3.3 Describe the principle(s) of operation of turbochargers.
- [1/0] tuned exhaust manifolds
 - pulse exhaust manifolds
 - 4-stroke cycle boost requirements
 - turbine theory
 - hydrodynamic suspension
 - turbocharger lubrication and cooling
 - constant geometry turbocharger principles
 - variable geometry turbocharger principles
 - compound
 - series
 - turbocharger efficiency and torque rise
- 2.3.4 Perform inspection, testing and diagnostic procedures on turbochargers.
- [0/0.5] test manifold boost pressure
 - test manifold boost temperature
 - check for manifold boost leaks
 - measure exhaust gas temperature
 - visually inspect a turbocharger
 - test axial and radial run-out
 - verify wastegate operation

2.3.5 Recommend reconditioning or repairs following manufacturers' procedures on turbochargers.

[0/0.5]

- outline procedure for replacing a turbocharger
- outline procedure for replacing a boost sensor
- outline procedure for recoring a turbocharger
- outline procedure for reconditioning and balancing a turbocharger
- outline procedure for replacing a defective wastegate assembly

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and skin protection
 - rotating components
 - wire and grinding wheels
 - cleaning agents
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: 1293.4

Title: Advanced Heavy Duty Cooling Systems and Coolants

Duration: Total Hours: 4 Theory: 3 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5139, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair heavy duty cooling systems.

Learning Outcomes and Content

- 2.4.1 Explain the purpose and fundamentals of heavy duty cooling systems and components.
- [1/0] thermodynamics
 - heat rejection and transfer
- 2.4.2 Identify the functions, construction, composition, types, styles and application of heavy duty cooling systems and coolants.
- [1/0] heavy-duty radiators
 - down flow
 - cross flow
 - up flow
 - double pass
 - expansion tanks
 - conventional
 - multi chamber
 - controlled fans
 - variable pitch
 - thermatic
 - electronic
 - heat exchangers
 - air to air

- intercooler
- tip turbine
- coolants
 - properties coolant mixture characteristics
 - EG (ethylene glycol)
 - PG (propylene glycol)
 - ELC (extended life coolant)
- coolant filters
- coolant pumps
 - high capacity coach engine coolant pumps
 - centrifugal
- thermostats
- actively pressurized cooling systems
- coolant temperature sensor
- radiator coolant level switches
- EPA requirements
- 2.4.3 Describe the principle(s) of operation of heavy duty cooling systems and coolants.
- [1/0] heavy-duty radiators
 - down flow
 - cross flow
 - up flow
 - double pass
 - controlled fans
 - fan drives
 - fan clutches
 - coach oil driven fan hubs
 - heat exchangers
 - air to air
 - intercooler
 - actively pressurized cooling systems
 - coolant properties
 - coolant mixture characteristics
 - coefficient of heat transfer
 - coolant filters
 - chemical balance
 - analysis coolant
 - analysis SCAs
 - coolant pumps
 - thermostat
 - liner cavitation

- properties of coolants
- properties of water
- properties of anti-freeze
- coolant mixture characteristics
- coefficient f heat transfer
- analyzing coolants
- cooling system electrolysis
- chemistry of:
 - EG
 - PG
 - ELC
- coolant test instruments
 - refractometer
 - hydrometer
 - pH analysis
 - electrical conductivity
- chemical balance
- 2.4.4 Perform inspection, testing and diagnostic procedures on diesel engine cooling systems and coolants.
- [0/0.5]
- heat exchangers and cooler performance efficiency
- temperature controlled fans operating cycles
- perform coolant and SCA analysis
- test operations of thermostat
- pressure test radiator
- perform visual and pressure tests on hoses
- radiator cap testing
- coolant analysis
 - pH levels of coolant
 - coolant strengths and condition
 - test coolant SCA level
 - test coolant TDS level
- outline procedure for mixing anti-freeze and water to engine cooling requirements
- outline procedure for adding premix
- outline procedure for ELC recharge

- 2.4.5 Recommend reconditioning or repairs following manufacturers' procedures on diesel engine cooling systems.
- [0/0.5] diagnose coolant related overheating
 - coolant filters
 - service and service intervals
 - flushing cooling systems procedure
 - oil contamination
 - coolant
 - additive packages
 - service intervals
 - cooling system failure analysis
 - liner cavitation failure
 - premix requirements
 - refortifying ELCs

- safety precautions
 - potential lifting hazards
 - hazards of contact with coolant chemicals
 - hazards of coolant vapour inhalation
 - eye, hearing, breathing and skin protection
 - rotating components
 - hazards of spring tension
 - wire and grinding wheels
 - cleaning agents
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: 1293.5

Title: Heavy Duty Lubricating Systems and Oils

Duration: Total Hours: 4 Theory: 3 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5139

General Learning Outcomes

Upon successful completion, the apprentice is able to describe the operating principles of heavy duty lubricating systems and oils and repair typical lubricating circuit problems.

Learning Outcomes and Content

- 2.5.1 Explain the purpose and fundamentals of heavy duty lubricating systems.
- [0.5/0] diesel engine fundamentals
 - heavy duty lubricating oils, synthetic oils
 - significance of selecting correct lubricating oils for engine service
 - service ratings
 - Society of Automotive Engineers (SAE) viscosity ratings
 - American Petroleum Institute (API) grades
- 2.5.2 Identify the functions, construction, composition, types, styles and application of heavy duty lubricating systems.
- [1/0] significance of selecting correct lubricating oils for engine service
 - service ratings
 - Society of Automotive Engineers viscosity ratings
 - American Petroleum Institute grades
 - OEM requirements of engine lubricants
 - lubricating circuits
 - bypass valve
 - relief valve
 - filter types
 - bypass
 - full flow
 - centrifugal

- oil pumps
- heat exchangers
 - bundle type
 - plate type
- temperature management
 - mechanical
 - electronic
- 2.5.3 Describe the principle(s) of operation of heavy duty lubricating systems.
- [1.5/0] lubricating circuits
 - bypass valve
 - relief valve
 - filter types
 - bypass
 - full flow
 - centrifugal
 - oil pumps
 - heat exchangers
 - oil cooler
 - bearings
 - hydrodynamic suspension
 - lubricant as coolant
 - temperature management apparatus
- 2.5.4 Perform inspection, testing and diagnostic procedures on diesel engine lubrication systems.
- [0/0.5] demonstrate bearing leakdown test
 - demonstrate oil pressure tests
 - demonstrate oil cooler test
 - vacuum test bundle
 - pressure test bundle
 - oil condition
 - contaminants

2.5.5 Recommend reconditioning or repairs following manufacturers' procedures on diesel engine lubrication systems.

[0/0.5] - oil analysis

- priming oil pump and lubrication circuit
- outline start-up and engine run-in procedure

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and skin protection
 - rotating components
 - hazards of spring tension
 - wire and grinding wheels
 - cleaning agents
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: 1293.6

Title: Diesel Engine Brakes and Retarders

Duration: Total Hours: 3 Theory: 2 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5139, 5140, 5141, 5152

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair diesel engine brakes and retarders.

Learning Outcomes and Content

- 2.6.1 Explain the function, types and application of internal and external engine brakes.
- [0.5/0] retarder principles
 - cylinder breathing
 - vehicle braking dynamics
 - power absorption equations
- 2.6.2 Identify the principles of operation of internal and external engine brakes and hydraulic retarders.
- [0.5/0] internal compression brakes
 - cycle management
 - switching devices
 - external compression brakes
 - hydraulic retarders
- 2.6.3 Describe, test, diagnose and adjust internal and external engine brakes.
- [1/0] mean effective pressure
 - power absorption
 - internal compression brakes
 - exhaust choke brakes
 - double cycle braking
 - flywheel hydraulic retarders

- 2.6.4 Perform internal and external engine brake removal, installation, and adjustments.
- [0/1] outline installation and removal procedure
 - overhead adjustments
 - programming brake cycles
 - brake generated camshaft failures

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and skin protection
 - rotating components
 - hazards of spring tension
 - wire and grinding wheels
 - cleaning agents
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - o microfiche
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: 1293.7

Title: Diesel Engine Component Failure Analysis

Duration: Total Hours: 6 Theory: 4 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5139

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of failure analysis and implement them on failed diesel engine components.

Learning Outcomes and Content

- 2.7.1 Explain the purpose and fundamentals of diesel engine component failure analysis.
- [1/0] engine theory
 - thermodynamics
 - lubrication circuits
 - cooling systems
 - temperature and stress related failures
- 2.7.2 Identify the functions, construction, composition, types, styles and application of diesel engine component failure analysis.
- [1/0] catastrophic failures
 - stress failures
 - high temperature failures
 - torsional failures
 - compressional failures
 - tensile failures

- 2.7.3 Describe the principle(s) of operation of diesel engine component failure analysis.
- [2/0] catastrophic failures
 - stress failures
 - high temperature failure
 - compressional failures
 - tensile failures
 - diagnosing operator related failures
 - diagnosing technician related failures
 - diagnosing manufacturing/material related failures
- 2.7.4 Perform inspection, testing and diagnostic procedures on diesel engine failed components.
- [0/1] analyze major component failures
 - outline procedure for determining cause of a catastrophic failure
 - analyze sub-component failures
 - match failed components to cause
 - use OEM photography to determine sub-component serviceability
- 2.7.5 Recommend reconditioning or repairs following manufacturers' procedures on diesel engine failed components.
- [0/1] determine serviceability of failed components
 - review the criteria to determine whether components should ne reconditioned or replaced
 - tracking of coincidental patterns
 - analyses of OEM warranty practices

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and skin protection
 - rotating components
 - hazards of spring tension
 - wire and grinding wheels
 - cleaning agents

- communications
 - information accessing
 - practical service bulletins
 - data retention systems
 - o paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: 1293.8

Title: Diesel Engine Diagnostic Procedure and Practices

Duration: Total Hours: 8 Theory: 5 Practical: 3

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles and practices of sequential troubleshooting strategies and symptom based diagnostic routines on heavy duty diesel engines.

Learning Outcomes and Content

- 2.8.1 Explain the purpose and fundamentals of diesel engine diagnostic procedure and practices.
- [1/0] engine theory
 - electricity
 - electronics
 - computers
 - sequential fault flow chart
 - electronic schematics
 - test instrumentation
 - electronic service tools (EST)
- 2.8.2 Identify the principle(s) of diesel engine diagnostic procedure and practices.
- [2/0] troubleshooting hydro mechanically governed engines
 - troubleshooting electronically managed engines
 - distinguishing hydro mechanical and electronic malfunctions on these engines
 - sequential troubleshooting procedures
 - EST snapshot testing
 - EST performance test
 - engine dynamometer
 - chassis dynamometer
 - road test procedures

2.8.3 Describe the principles of symptom based engine diagnosis.

[2/0]

- low power complaints
- engine vibration
- misfire complaint
- low oil pressure
- engine oil consumption
- high crankcase pressure
- component failures
 - pistons
 - turbochargers
 - engine bearings
 - crankshafts
- engine overheating
- hard starting problems
- exhaust smoke analysis
- black smoke
- blue smoke
- white smoke

2.8.4 Perform inspection, testing and diagnostic procedures on diesel engines.

[0/3] outline/perform:

- troubleshooting hydro mechanically governed engines
- troubleshooting electronically managed engines
- distinguishing hydro mechanical and electronic malfunctions on these engines
- cylinder leakage
- cylinder balance
- compression testing
- sequential troubleshooting procedures
- software driven sequential troubleshooting
- EST snapshot testing
- EST performance test
- engine dynamometer
- chassis dynamometer
- road test procedures

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and skin protection
 - rotating components
 - hazards of spring tension
 - wire and grinding wheels
 - cleaning agents
- communications
 - information accessing
 - · practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: 1293.9

Title: Diesel Engine Run-in and Testing

Duration: Total Hours: 3 Theory: 1 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5138, 5139, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to describe how to break-in a new or rebuilt diesel engine and interpret dynamometer test result on diesel engines.

Learning Outcomes and Content

- 2.9.1 Identify the functions, construction, composition, types, styles and application of diesel engine run-in and testing.
- [0.5/0] monitoring instrumentation
 - engine and chassis onboard diagnostics
 - chassis dynamometer
 - engine dynamometer
 - road test
 - microprocessor base test instrumentation
 - SAE J1939 protocols
- 2.9.2 Explain the principle(s) of diesel engine run-in and testing
- [0.5/0] brake power calculations
 - electromotive dynamometers
 - hydro mechanical dynamometers
 - microprocessor based test instrumentation analyzing performance graphs
- 2.9.3 Describe inspection, testing and diagnostic procedures on diesel engines.
- [0/2] outline procedure for mounting diesel engines to an engine dynamometer test bed
 - outline procedure for mounting trucks and coaches to a chassis dynamometer test bed
 - review dynamometer safety procedures
 - outline procedure for run-in testing of diesel engines
 - outline procedure for diagnostic testing of diesel engines
 - analyze download dynamometer test data

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and skin protection
 - rotating components
 - hazards of spring tension
 - wire and grinding wheels
 - cleaning agents
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure	
Theory Testing	Practical Application Testing
60%	40%

Number: S1294

Title: Electricity and Electronics

Duration: Total Hours: 32 Theory: 17 Practical: 15

Prerequisites: T.C. Level 2

Co-requisites: None

3.1 Heavy Duty Charging Circuits

12 Total Hours Theory: 8 hours Practical: 4 hours

3.2 Heavy Duty Electronic Ignition Systems

10 Total Hours Theory: 7 hours Practical: 3 hours

3.3 Electrical Component Reconditioning and Troubleshooting

10 Total Hours Theory: 2 hours Practical: 8 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic guizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Functional truck or bus electrical system

DMMs

Full range electrical subcomponents for disassembly

Alternator test bench

AVR unit and load testing equipment

OEM diagnostic software

Electronic charging system diagnostic tooling

OEM data access including online service information systems (SIS)

Vehicle with spark ignitions

ESTs and CAs

Number: \$1294.1

Title: Heavy Duty Charging Circuits

Duration: Total Hours: 12 Theory: 8 Practical: 4

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5136, 5137, 5140

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair heavy duty charging circuits.

Learning Outcomes and Content

- 3.1.1 Explain the purpose and fundamentals off heavy duty charging circuits.
- [2/0] electronic basics
 - diodes and transistors
 - electromagnetism
 - voltage induction principles
 - inductive reactance of stator
 - battery conditions as affecting internal resistance
 - principles of tracing wiring schematics
 - electrical / electronic symbols
 - Ohm's Law
 - temperature effects
 - factors affecting voltage and amperage output
 - field strength
 - rotor speed
 - inductive reactance
- 3.1.2 Identify the functions, construction, types, and application of heavy duty charging circuits.
- [3/0] brush type alternators
 - rectifier
 - stator
 - delta, wye
 - rotor
 - field winding, poles, slip rings
 - diode trio

- brush assembly
- case
- brushless alternators
- stationary field
- magnetic poles
- transformer multiple voltage system
- remote sensing regulators
- equalizer
- bearings
- pulleys
- drive gears
- drive gear adapters
 - voltage regulators
 - external electronic
 - internal electronic
 - electronic digital
 - charge equalizer
- cooling
 - fans
 - oil
- charge relays (bus and coach)
- 3.1.3 Describe the principle(s) of operation of heavy duty charging circuits.
- [3/0] three-phase
 - rectification
 - full wave
 - half wave
 - induction principles
 - alternating current
 - differences between brush and brush less alternators
 - dual voltage alternator
 - transformer principle
 - remote Sensing Regulators
 - voltage regulator
 - internal and external
 - electronic principles
 - load response
 - charger indicators
 - equalizers
 - low voltage disconnect (LVD) switches

- 3.1.4 Perform inspection, testing and diagnostic procedures on heavy duty charging circuits.
- [0/2] perform charging system visual inspection of
 - belt tension and alignment
 - connections and wiring
 - battery and alternator specifications and application
 - outline recommended charging system-testing sequence
 - perform battery condition tests
 - perform charging circuit resistance voltage drop tests
 - perform charging system current and voltage output tests
 - identify specific charging system faults from test results
 - demonstrate voltage regulator bench tests
 - test electronic noise suppression devices
 - LED fault display
- 3.1.5 Recommend reconditioning or repairs following manufacturers' procedures on heavy duty charging circuits.
- [0/2] verify output capacity to satisfy the specific vehicle electrical load specifications
 - adjust alternator drive belt tension and alignment
 - disassemble, test, reconditioning and reassemble alternators
 - repair oil cooled alternator
 - outline voltage regulator rebuilding procedures
 - performance test repairs on vehicle

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and skin protection
 - battery gas
 - explosion precautions
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1294.2

Title: Heavy Duty Electronic Ignition Systems

Duration: Total Hours: 10 Theory: 7 Practical: 3

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5137, 5140

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair heavy duty ignitions systems and components.

Learning Outcomes and Content

- 3.2.1 Explain the purpose and fundamentals of heavy-duty electronic ignition systems.
- [1/0] electronic ignition systems
 - electronic engine management
 - distributorless ignition
 - electromagnetism, electron theory
 - semi-conductors, capacitance
 - Ohm's law
 - four-stroke cycle and spark timing
 - centrifugal force
 - ignition timing factors
 - engine speed
 - load
 - temperature
 - detonation
- 3.2.2 Identify the functions, construction, types, styles and application of heavyduty electronic ignition systems.
- [2/0] coils
 - primary and secondary windings
 - distributors
 - reluctor and pick-up coil
 - hall effect
 - optical

- spark timing advance mechanisms
 - mechanical
 - vacuum
 - computer controlled
- secondary voltage output circuit
 - high-tension spark plug wires
 - spark plugs
 - coil and plug
- ignition modules
- sensors
 - crankshaft position
 - camshaft position
 - coolant temperature
 - knock sensor
 - manifold absolute pressure
- 3.2.3 Describe the principle(s) of operation of heavy-duty electronic ignition systems.
- [4/0] coils
 - pulse transformer theory
 - capacitive discharge
 - · coil and plug
 - distributors
 - reluctor and pick-up coil
 - hall effect
 - optical
 - spark timing advance mechanisms
 - mechanical
 - vacuum
 - computer controlled
 - speed
 - o load
 - o temperature
 - detonation
 - secondary voltage output circuit
 - high-tension spark plug wires
 - spark plugs
 - ignition modules

- sensors
 - crankshaft position
 - camshaft position
 - coolant temperature
 - knock sensor
 - manifold absolute pressure
- 3.2.4 Perform inspection, testing and diagnostic procedures using an ignition analyzer (scope).
- [0/2] identify and locate electronic ignition system components on vehicles
 - distributor components
 - coils, ignition modules
 - sensors
 - switches
 - wiring
 - ignition timing and spark advance operation
 - ignition coils and high-tension wires
 - diagnose electronic ignition system component condition using recommended testing sequence
- 3.2.5 Recommend reconditioning or repairs following manufacturers' procedures on heavy- duty electronic ignition systems.
- [0/1] replacing spark plugs
 - diagnostic testing sequence
 - coils and coil packs
 - ignition modules
 - sensors
 - wiring and connections
 - distributor components

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and face protection
 - battery gas venting
 - explosion precautions

- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1294.3

Title: Electrical Component Reconditioning

Duration: Total Hours: 10 Theory: 2 Practical: 8

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5136, 5137

General Learning Outcomes

Upon successful completion, the apprentice is able to disassemble, repair, reassemble and diagnose heavy duty electrical components.

Learning Outcomes and Content

- 3.3.1 Explain inspection, testing and diagnostic procedures on heavy-duty electrical components and circuits.
- [1/2] diagnose electrical auxiliary component malfunctions
 - diagnose battery state of charge and condition
 - diagnose cranking circuit malfunctions
 - diagnose charging circuit malfunctions
 - hard flow charts
 - soft flow charts
 - electronic circuit schematics
 - software guided troubleshooting
 - on-line troubleshooting
 - sequential troubleshooting strategies
 - software sequenced troubleshooting
 - proprietary PC software
 - truth table routing
 - default modes
 - audit trails
 - tattletales

- 3.3.2 Identify reconditioning or repairs following manufacturers' procedures on heavy-duty electrical components.
- [1/6] recondition truck electrical auxiliary components
 - reconditioning truck electrical cranking motors
 - recondition truck and coach AC generators

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and face protection
 - battery gas venting
 - explosion precautions
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure	
Theory Testing	Practical Application Testing
70%	30%

Number: S1295

Title: Fuel Systems

Duration: Total Hours: 24 Theory: 18 Practical: 6

Prerequisites: T.C. Level 2

Co-requisites: None

4.1 Hydraulically Actuated, Electronic Unit Injector (HEUI) Systems

6 Total Hours Theory: 5 hours Practical: 1 hour

4.2 Electronic Unit Pump (EUP) Systems

4 Total Hours Theory: 3 hours Practical: 1 hour

4.3 Time Pressure (TP), Electronic Common Rail Fuel Systems

5 Total Hours Theory: 4 hours Practical: 1 hour

4.4 Common Rail Accumulator Fuel Systems

9 Total Hours Theory: 6 hours Practical: 3 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Functional electronically managed diesel engines equipped with HEUI, HPI-TP, EUP, and CR diesel fuel systems

Precision measuring tools

Full range of disassembled HEUIs, HPI-TPs, EUPs and CR-EHIs

Chassis or engine dynamometer

Injector timing and removal equipment

OEM diagnostic software

Fuel system sensor and actuator components for bench testing

OEM data access including online service information systems (SIS)

Diagnostic high pressure diagnostic gauges

ESTs and CAs

Number: \$1295.1

Title: Hydraulically Actuated, Electronic Unit Injector (HEUI)

Systems

Duration: Total Hours: 6 Theory: 5 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5138, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair of Hydraulically Actuated, Electronic Unit Injector (HEUI) Systems.

Learning Outcomes and Content

- 4.1.1 Explain the purpose and fundamentals of HEUI fuel systems.
- [1/0] electronics
 - computers
 - input circuits
 - electronics schematics
 - hydraulics
 - oil pumps
 - fuel sub-systems
- 4.1.2 Identify the functions, construction, types, and application of HEUI fuel systems.
- [2/0] system layout
 - input circuits
 - fuel circuit
 - high-pressure oil circuits
 - stepper pump
 - injection pressure control module
 - injection pressure control regulator
 - HEUI assembly
 - solenoid control

- amplifier / intensifier piston
- plunger and chamber
- pilot/PRIME plungers
- hydraulics nozzles
- engine controller module (ECM)
- 4.1.3 Describe the principle(s) of operation of HEUI fuel systems.
- [2/0] rail fuel flow
 - high-pressure oil management
 - HEUI actuation principles
 - cold start / warm-up strategies
 - emission control strategies
 - injection rate control
 - pilot/PRIME feature
 - oil specifications
- 4.1.4 Perform inspection, testing and diagnostic procedures on HEUI fuel systems.
- [0/0.5] service requirements
 - troubleshooting strategies
 - using diagnostic flow chart
 - cylinder balance testing
 - analyzing actuation voltage
 - interpreting fault codes
 - selecting and using the system appropriate EST
- 4.1.5 Recommend reconditioning or repairs following manufacturers' procedures on HEUI fuel systems.
- [0/0.5] HEUI replacement precautions
 - HEUI replacement procedure
 - failure analysis
 - customer data programming
 - interpreting proprietary terminology and system differences

- safety precautions
 - potential lifting hazards
 - eye, breathing, hearing and hand protection
 - electric shock precautions
 - high pressures / residual pressure
 - polarity precautions
 - · electrostatic discharge precautions
- communications
 - information accessing
 - practical report
 - · technical service bulletins
 - data retention systems
 - o paper trail
 - o microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1295.2

Title: Electronic Unit Pump (EUP) Systems

Duration: Total Hours: 4 Theory: 3 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5138, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair Electronic Unit Pump Diesel Fuel Systems.

Learning Outcomes and Content

- 4.2.1 Explain the purpose and fundamentals of electronic unit pump systems.
- [1/0] electricity
 - electronics
 - computers
 - digital electronics
 - input and output circuits
 - characteristics of cam geometry
- 4.2.2 Identify the functions, construction, and application of electronic unit pump systems
- [1/0] ECMs: chassis and engine/fuel controllers
 - switching apparatus
 - interface modules
 - pump driver units
 - EUP components
 - solenoid cartridge valves
 - tappet, plunger and barrel assemblies
 - charge fuel routing
 - hydraulic nozzle assemblies
 - electrohydraulic injectors (EHIs)
 - high-pressure pipes
 - distinguishing factors between different EUP systems

- 4.2.3 Describe the principle(s) of operation of electronic unit pump systems.
- [1/0] pump driver units
 - actuation voltage characteristics
 - electronic unit pumps
 - control solenoid cartridges
 - injection pumping components
 - hydraulic nozzles
 - electrohydraulic injector (EHIs) control
 - high-pressure pipes
 - effective stroke control
 - pilot injection
 - default modes
 - tattletale / audit trail logging
 - effective stroke duty cycle/pulse width
- 4.2.4 Perform inspection, testing and diagnostic procedures electronic unit pump systems
- [0/0.5] analyze customer data programming
 - analyze proprietary data programming
 - perform sequential troubleshooting using OEM text
 - analyze circuit malfunctions
 - perform an electronic EUP cutout test
 - perform a snapshot test
- 4.2.5 Recommend reconditioning or repairs following manufacturers' procedures on electronic unit pump systems.
- [0/0.5] outline procedure for diagnosing electronic malfunctions
 - outline procedure for diagnosing hydromechanical malfunctions
 - demonstrate proprietary data download procedures
 - outline procedure for removing and replacing EUPs
 - program customer engine and chassis data to an ECM

- safety precautions
 - potential lifting hazards
 - eye, breathing, hearing and hand protection
 - electric shock precautions
 - high pressures / residual pressure
 - polarity precautions
 - electrostatic discharge precautions
- communications
 - information accessing practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1295.3

Title: Time Pressure (TP), Electronic Common Rail Fuel Systems

Duration: Total Hours: 5 Theory: 4 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5138, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair time-pressure (TP), electronic common rail systems.

Learning Outcomes and Content

- 4.3.1 Explain the purpose and fundamentals of Time Pressure (TP), electronic common rail fuel systems.
- [1/0] fuel sub-systems
 - time pressure hydraulic equation
 - dual cam geometry
 - quiescent combustion
- 4.3.2 Identify the functions, construction, and application of Time Pressure (TP), electronic common rail fuel systems.
- [1/0] fuel sub-system
 - HPI-TP Injectors
 - plunger and cup
 - timing chamber
 - timing solenoid
 - metering solenoid
 - cylinder head configuration
 - ECM fuel flow routing
- 4.3.3 Describe the principle(s) of operation of Time Pressure (TP), electronic common rail fuel systems.
- [2/0] common rail, time-pressure theory
 - rail pressure management
 - metering solenoid functions
 - timing solenoid function

- flow controls
- dual camshaft functions
- engine brake management
- injector timing
- effective stroke characteristics

trapped volume spill (TVS) management

- 4.3.4 Perform inspection, testing and diagnostic procedures on Time Pressure (TP), electronic common rail fuel systems.
- [0/0.5] demonstrate adjustment procedure HPI-TP Injectors
 - demonstrate priming procedure
 - demonstrate electronic cylinder cutout procedure
 - troubleshooting strategies
- 4.3.5 Recommend reconditioning or repairs following manufacturers' procedures on Time Pressure (TP), electronic common rail fuel systems.
- [0/0.5] demonstrate engine timing fear procedure
 - demonstrate electronically guided trouble shooting procedures

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - high pressure / skin penetration
 - ventilation
 - explosion hazard of atomized fuel
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1295.4

Title: Common Rail Fuel Systems

Duration: Total Hours: 9 Theory: 6 Practical: 3

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5138, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair of electronically controlled, common rail accumulator, high pressure injection pumps.

Learning Outcomes and Content

- 4.4.1 Explain the purpose and fundamentals of Common Rail, Accumulator Fuel Systems.
- [1/0] fuel sub-systems
 - fuel circuit schematic
 - fueling hydraulic equations
 - fuel sub-system
 - linear proportioning solenoids
 - injector actuation and controls
- 4.4.2 Identify the functions, construction, and application of Common Rail, Accumulator Fuel Systems.
- [2/0] fuel sub-system
 - electrohydraulic Injectors (EHI)
 - solenoid –actuated
 - piezo-actuated
 - fuel rail design
 - Fuel Amplified Common Rail Systems (FACR)
 - intensifier piston
 - amplification ratios
 - high pressure pipes
 - quill/transfer tubes
 - low pressure fuel flow routing
 - high pressure fuel flow routing

- 4.4.3 Describe the principle(s) of operation of Common Rail, Accumulator Fuel Systems.
- [3/0] common rail fuel equations
 - rail pressure management
 - desired pressure/actual pressure
 - rail pressure regulator
 - rail pressure sensors
 - flow controls
 - pump characteristics
 - injection controls
 - solenoid actuators
 - piezo actuators
 - Fuel Amplified Common Rail Systems (FACR)
 - fuel rate shaping
 - multi-pulse injection
- 4.4.4 Perform inspection, testing & diagnostic procedures following manufacturers' recommendations on common rail systems
- [0/3] cylinder balance test
 - static actuator test
 - test data analysis
 - outline procedure for removing/replacing high pressure pipes

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - high pressure / skin penetration
 - ventilation
 - explosion hazard of atomized fuel
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention system
 - paper trail
 - service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure		
Theory Testing	Practical Application Testing	
70%	30%	

Number: S1296

Title: **Vehicle Electronic Management and Emissions Systems**

Duration: Total Hours: 32 Theory: 21 Practical: 11

Prerequisites: T.C. Level 2

Co-requisites: None

5.1 Customer and Proprietary Data Programming

> 6 Total Hours Theory: 3 hours Practical: 3 hours

5.2 Multiplexing

> 6 Total Hours Theory: 4 hours Practical: 2 hours

5.3 Emission controls and testing

> 8 Total Hours Theory: 5 hours Practical: 3 hours

5.4 **Hybrid Drive Systems**

> 8 Total Hours Theory: 6 hours Practical: 2 hours

5.5 Collision avoidance systems

> 4 Total Hours Theory: 3 hours Practical: 1 hour

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam.

Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Functional truck or bus with fully multiplexed network

Access to series or parallel hybrid drive chassis

Functional truck equipped with C-EGR, oxidizing and reduction catalysts, DPF, and urea injection system

Exhaust gas analyzer and opacity measurement equipment

Software to drive DPF regeneration

OEM diagnostic software

Vehicle equipped with a CAS or a CAS simulator (VORAD simulator)

OEM data access including online service information systems (SIS)

Specialty sealed connector assembly and repair tools

ESTs and CAs

Number: \$1296.1

Title: Customer and Proprietary Data Programming

Duration: Total Hours: 6 Theory: 3 Practical: 3

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5136, 5137, 5140, 5142, 5150, 5151

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the difference between customer and proprietary data programming and outline the procedure required to perform vehicle computer programming.

Learning Outcomes and Content

- 5.1.1 Explain the purpose and fundamentals of customer and proprietary data programming.
- [1/0] electronics
 - computers
 - ESTs
 - telecommunications
- 5.1.2 Identify the functions, construction and application of customer and proprietary data programming.
- [1/0] ESTs
 - generic reader / programmers
 - proprietary reader / programmers
 - dash data switches
 - PCs
 - SAE J1939 and J1708 data connectors
 - serial linkages and modules
 - modems
 - hard and soft telecommunications devices

- 5.1.3 Describe the principle(s) of operation of customer and proprietary data programming.
- [1/0] data retention
 - types of programming
 - PROM
 - EEPROM
 - flash programming
 - non-volatile RAM
 - magnetic data retention
 - electronic data retention
 - optical data retention
 - programming instruments
 - programming security
 - programming protocols
 - SAE J1939 codes and protocols
 - mainframe data hubs
 - wireless interface
- 5.1.4 Perform customer and proprietary data programming using the appropriate ESTs and truck chassis or simulators.
- [0/3] download customer data engine parameters
 - download chassis data
 - diagnose engine and chassis conditions from downloaded data
 - convert codes and audit trails
 - verify the need for proprietary reprogramming of an ECM
 - specification reprogramming
 - corrupted retained data
 - proprietary upgrade
 - perform customer data programming to an ECM using an EST on a truck, coach or simulator
 - road speed
 - tire rolling radii programming factors
 - transmission ratio programming factors
 - reprogram a throttle position sensor-operating window
 - download proprietary data to diskettes or ECM
 - reprogram engine / chassis data
 - upload verification files to data hub

- safety precautions
 - potential lifting hazards
 - eye, breathing, hearing and hand protection
 - electric shock precautions
 - high pressures / residual pressure
 - polarity precaution
 - · electrostatic discharge precautions
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1296.2

Title: Multiplexing

Duration: Total Hours: 6 Theory: 4 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5136, 5138, 5140, 5141, 5142,

5150, 5151

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the basics of vehicle electronic system multiplexing and describe how digital communications can reduce the complexity of control circuits.

Learning Outcomes and Content

- 5.2.1 Explain the purpose and fundamentals of vehicle multiplexing communications.
- [1/0] electronics
 - computers
 - digital signals
 - networking
 - binary system
 - information packets
- 5.2.2 Identify the functions, construction and application of vehicle multiplexing systems.
- [1/0] Control area network (CAN) fundamentals
 - SAE J1587/1708 data protocols
 - SAE J1939 data protocols
 - power line carrier (PLC) communications (trailers)
 - communication adapters (CAs)
 - module addresses on the data bus
 - transaction frequency
 - data packet architecture
 - electromagnetic interference (EMI)
 - ladder switches

- silicon controlled rectifier (SCR) switching
- twisted wire pairs
 - Hi bus
 - Lo bus
- terminating resistors
- data connectors
- 5.2.3 Describe the principle(s) of operation of vehicle multiplexing systems.
- [2/0] CAN data protocols and ISO 9141
 - SAE J1587/1708
 - SAE J1939 data protocols
 - clock speeds
 - bandwidth
 - neural network
 - bus topology
 - packet architecture
 - bus negotiation
 - arbitration field
 - data field
 - acknowledgement field
 - information coding
 - ladder switches
- 5.2.4 Navigate the data bus on a truck or coach chassis or simulator accessing MIDs, PIDs, SIDs, and FMIs using the appropriate ESTs.
- [0/2] identify high and low bus twisted wire pairs
 - identify J1708 and J1939 data connectors
 - navigate MIDs, PIDs, and SIDs
 - log and erase fault codes
 - outline repair procedures according to manufacturer procedures
 - download chassis data
 - identify location of MIDs on a chassis

- safety precautions
 - potential lifting hazards
 - eye, breathing, hearing and hand protection
 - electric shock precautions
 - polarity precautions
 - electrostatic discharge precautions
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention system
 - o paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1296.3

Title: Emission Controls and Testing

Duration: Total Hours: 8 Theory: 5 Practical: 3

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5137, 5138, 5140, 5141

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair emission control devices and system on trucks and coaches.

Learning Outcomes and Content

- 5.3.1 Explain the purpose and fundamentals of emission controls and testing.
- [1/0] fuel chemistry
 - engine theory
 - engine breathing
 - engine exhaust systems
 - combustion dynamics
 - electronics
 - engine emissions
 - CO
 - NOx
 - HC
 - Particulate matter
 - SO & SO2
 - carbon footprint
 - greenhouse gases (GHGs)
- 5.3.2 Identify the functions, types, and application of emission controls and testing.
- [1/0] pre-combustion noxious emission control devices
 - boost air management
 - charge air heat exchangers
 - sealed fuel sub-systems

- post-combustion noxious emission control devices
 - diesel particulate filters (DPFs)
 - catalyzed
 - non catalyzed
 - DPF regeneration cycles
 - single stage, oxidizing catalytic converters
 - dual stage, oxidation and reduction catalytic converters
 - NOx adsorption catalysts
 - selective catalytic reduction (SCR)
 - EGR systems
 - crankcase emissions control
- S.I. emission controls
- C.I. emission controls
- closed loop factors in SI engines
- sealed evaporative emissions control
- 5.3.3 Describe the principles of noxious emissions, emission control devices and testing mechanisms.
- [3/0] photochemical smog composition
 - NOx, HC emission
 - evaporative emission controls
 - cylinder combustion temperature management
 - O2 sensors
 - NOx sensors
 - pressure differential sensor
 - closed loop operation
 - EGR principles
 - oxidation catalysts
 - reduction catalysts
 - NOx adsorption catalysts
 - SCR
 - sonic emissions
 - S.I. noxious emissions
 - C.I. noxious emissions
 - lean, stoichiometric and rich burn factors
 - combustion temperature effect on emissions

5.3.4 Perform inspection, testing and diagnostic procedures on emission controls.

[0/2]

- perform exhaust gas analysis on diesel engines
- perform exhaust gas analysis on gasoline engines
- perform smoke analysis tests
- analyze opacity meter test codes
- measure exhaust gas temperature using a pyrometer
- diagnose engine-running conditions using an infrared thermometer
- outline DPF regeneration
- 5.3.5 Recommend reconditioning or repairs following manufacturers' procedures on emission controls.
- [0/1] analyze emission control instruments results and recommend repairs as prescribed in OEM literature

General Practices

safety precautions

- eye, breathing, hearing and hand protection
- rotating shafts, belts and pulleys
- high pressure / residual pressure
- polarity precautions

communications

- opacimeter
- information accessing
- practical report
- technical service bulletins
- data retention systems
 - o service records
 - service information systems
 - o electronic format
- current legislated requirements
- WHMIS

mathematics

• système international d'unités (s.i.) to Imperial conversion

Number: \$1296.4

Title: Hybrid Drive Systems

Duration: Total Hours: 8 Theory: 6 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5136, 5137, 5140, 5152

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the operating principles and perform repairs on hybrid drive (diesel/electric) systems and their control mechanisms.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

5.4.1 Explain the purpose and fundamentals of a hybrid drive systems.

[1/0] - diesel power units

- electric drive motors
- hydraulic motors and accumulators
- hydraulic regeneration
- gear sets
- 5.4.2 Identify the functions, construction, and application of hybrid drive systems.
- [1/0] diesel power units
 - gas turbine power units
 - electric drive motors
 - blended torque transmissions
 - battery banks
 - nickel metal hydride (NiMH)
 - lithium ion (LiOn)
 - inverters
 - ultracapacitors
 - hydraulic regeneration

5.4.3 Describe the principle(s) of operation and advantages of hybrid drive systems

[4/0]

- generator principles
- isochronous governing
- regenerative braking
- hydraulic regeneration
- emissions
- multiplexing
- drive gear trains
- urban transit applications
- less-than-load (LTL) applications
- hybrid electric powertrains
 - series driven
 - parallel driven
- series hydraulic hybrid (SHH)
- parallel hydraulic hybrid (PHH)
- electronic steering assist
- 5.4.4 Recommend reconditioning or repairs following manufacturers procedures on emission controls .

[0/2]

- identify high electrical potential circuits
- distinguish chassis electrical circuits from powertrain electrical circuits
- use wiring schematics to identify high potential electrical components
- outline procedure to isolate neutralize high potential battery banks
- outline procedure to neutralize high potential capacitor banks
- outline procedure required to equalize accumulator and residual pressures in hydraulic circuits

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - rotating components
 - hazards of spring tension
 - hazards of high voltage circuits
 - hazards of high residual pressures in hydraulic circuits
 - wire and grinding wheels
 - cleaning agents

- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - code retrieval
 - audit trails
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1296.5

Title: Collision Avoidance Systems

Duration: Total Hours: 4 Theory: 3 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5137, 5140

General Learning Outcomes

Upon successful completion, the apprentice is able to describe the operating principles of typical collision avoidance systems, identify the system hardware and access stored data in the system.

Learning Outcomes and Content

- 5.5.1 Explain the purpose and fundamentals of truck and coach Collision Avoidance Systems
- [1/0] doppler effect
 - yaw and rollover detection
 - chassis multiplexing
 - MID negotiation on data bus
 - video processing
- 5.5.2 Identify the construction, composition, type, styles and application of truck and coach Collision Avoidance Systems.
- [1/0] microwave sensor
 - radar antenna
 - driver display unit
 - doppler radar based systems
 - video based systems
 - back-up scanning
 - lane guidance systems
 - programmable logic controllers (PLCs)
 - accelerometer systems
 - lane Guidance Systems

- 5.5.3 Describe the principle(s) of operation of truck and coach Collision Avoidance Systems
- [1/0] doppler effect
 - frequency shift analysis
 - microwave
 - data collection and retention
 - lane Guidance Systems
- 5.5.4 Perform the inspection, testing and diagnostic procedures for truck and coach Collision Avoidance Systems
- [0/1] collision analysis profiles
 - access Proximity Data
 - system programming

- safety precautions
 - eye, hearing and skin protection
 - potential lifting hazards
 - circuit protection requirements of handling electronically controlled systems
 - electrostatic discharge precautions
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure	
Theory Testing	Practical Application Testing
70%	30%

Number: S1297

Title: Drive Trains

Duration: Total Hours: 40 Theory: 22 Practical: 18

Prerequisites: T.C. Level 2

Co-requisites: None

6.1 Torque Converters

5 Total Hours Theory: 3 hours Practical: 2 hours

6.2 Automatic Transmissions and Vehicle Retarders

20 Total Hours Theory: 10 hours Practical: 10 hours

6.3 Electronically Controlled Automatic Transmissions

12 Total Hours Theory: 7 hours Practical: 5 hours

6.4 Transfer Case, Drop Box and Power Take-Off Assemblies

3 Total Hours Theory: 2 hours Practical: 1 hour

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Functional truck with an electronically managed automatic transmission

Precision measuring tools

Full range of disassembled automatic transmission components

Transmission overhaul stands

Assortment of failed transmission components for failure analysis

OEM diagnostic software

Hydromechanical and electronic automatic transmissions for disassembly and reassembly

OEM data access including online service information systems (SIS)

Specialty transmission tools

ESTs and CAs

Number: \$1297.1

Title: Torque Converters

Duration: Total Hours: 5 Theory: 3 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5142

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair truck and coach torque converter units.

Learning Outcomes and Content

- 6.1.1 Explain the history, purpose and fundamentals of torque converter assemblies.
- [1/0] torque converters
 - fluid clutch
 - hydraulic force
 - kinetic energy
 - centrifugal force
- 6.1.2 Identify the functions, construction, composition, types, styles and application of torque converter assemblies.
- [1/0] torque converters
 - one-piece
 - multi-piece
 - impeller
 - turbine
 - stator
 - conventional
 - variable pitch
 - overrunning clutch
 - lockup clutch

- 6.1.3 Describe the principle(s) of operation of torque converter assemblies.
- [1/0] torque converters
 - one-piece
 - multi-piece
 - impeller
 - turbine
 - stator
 - conventional
 - variable pitch
 - overrunning clutch
 - lockup clutch
 - vortex flow
 - rotary flow
 - torque multiplication phase
 - coupling phase
 - converter lockup
 - coupling phase
- 6.1.4 Perform inspection, testing and diagnostic procedures on torque converter assemblies.
- [0/1] fluid level check
 - fluid condition
 - visual inspection
 - converter endplay check
 - demonstration of stall test procedure
 - performance testing
- 6.1.5 Recommend reconditioning or repairs following manufacturers' procedures on torque converter assemblies.
- [0/1] outline procedure for checking fluid levels
 - outline recommended fluid change intervals
 - verify fluid type and application
 - converter removal, disassembly, (multi-piece), reassemble (multi-piece) and
 - replacement procedure

- safety precautions
 - potential lifting hazards
 - eye and hand protection
 - precision measuring tool precautions
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1297.2

Title: Automatic Transmissions and Vehicle Retarders

Duration: Total Hours: 20 Theory: 10 Practical: 10

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5137, 5140, 5142

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair automatic transmissions and vehicle retarders to manufacturer's standards.

Learning Outcomes and Content

- 6.2.1 Explain the purpose and fundamentals of automatic transmissions and vehicle retarders.
- [2/0] mechanical advantage
 - laws of Levers
 - torque
 - gear ratios
 - shaft and splines
 - planetary gearing
 - gear train control devices
 - hydraulic control systems
 - power flows
 - thrust loads
 - lubrication system
 - hydraulic fluid and principles
 - retarders and controls
- 6.2.2 Identify the functions, construction, and application of automatic transmissions and vehicle retarders.
- [3/0] planetary gear trains
 - simple
 - compound
 - gear train control devices
 - hydraulic clutches
 - pumps, drives and controls

- valve bodies
 - spool valves
 - pressure regulating devices
 - flow control devices
 - directional control devices
 - shift cushioning devices
- throttle / modulator valves and circuits
- governor valves and circuits
- shift mechanisms
- automatic upshifting and downshifting
- lubrication system
- parking devices
- 6.2.3 Describe the principle(s) of operation of automatic transmissions and vehicle retarders.
- [5/0] planetary gear trains
 - simple
 - compound
 - gear train control devices
 - one way clutched
 - band and servo mechanisms
 - hydraulic clutches
 - pumps, drives ad controls
 - valve bodies
 - spool valves
 - pressure regulating devices
 - flow control devices
 - directional control devices
 - shift cushioning devices
 - throttle / modulation valves and circuits
 - shift mechanisms
 - automatic upshifting and downshifting
 - lubrication system
 - parking devices
 - retarders and controls

- 6.2.4 Perform disassembly, inspection, reassembly, testing and diagnostic procedures on automatic transmissions and vehicle retarders.
- [0/5] disassemble
 - visual inspection
 - reassemble
 - noise analysis
 - temperature analysis
 - performance testing
 - fluid level and condition
 - pressure testing
 - stall testing procedure
- 6.2.5 Recommend reconditioning or repairs following manufacturers' procedures on automatic transmissions and retarders.
- [0/0.5] outline procedure for checking fluid level
 - outline recommended lubrication change intervals and procedures
 - verify lubricant type and application
 - transmission removal, disassembly, reassembly and replacement procedure
 - failure analysis to identify:
 - friction material
 - seals and gaskets and O rings
 - gear and shafts
 - bushings and bearings
 - pump drives and controls
 - valve body and governor test stand

- safety precautions
 - potential lifting hazards
 - eye, hand, breathing, hearing and foot protection
 - lifting precautions of transmissions
 - clamping and holding
 - compressed springs
 - use of air to dry and test components
 - oil pressure
 - hoist and stand use

- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1297.3

Title: Electronically Controlled Automatic Transmissions

Duration: Total Hours: 12 Theory: 7 Practical: 5

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5137, 5140, 5142

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair electronically controlled automatic transmissions.

Learning Outcomes and Content

- 6.3.1 Explain the purpose and fundamentals of electronically controlled automatic transmissions.
- [2/0] shift point control
 - · engine load
 - driver input
 - road speed
 - digital electronics
 - input and output circuits
 - hydraulics
- 6.3.2 Identify the functions, construction, composition, types, styles and application of electronically controlled automatic transmissions.
- [2/0] electronic shift control systems
 - input signals
 - vehicle speed sensor
 - engine speed sensor
 - turbine speed sensor
 - pressure sensor
 - temperature sensor
 - fluid level sensor
 - shift selector

- output actuators
 - latching solenoids
 - non-latching solenoids
 - normally open solenoids
 - normally closed solenoids
 - connectors and harnesses
- ECM
- interface module
- 6.3.3 Describe the principle(s) of operation of electronically controlled automatic transmissions.
- [3/0] input signal mechanisms (sensors)
 - vehicle speed
 - engine speed (load)
 - turbine speed
 - pressure
 - temperature
 - shift selector
 - solenoids
 - output actuators
 - latching solenoids
 - non-latching solenoids
 - pulse width modulation
 - modulated solenoids
 - normally open solenoids
 - normally closed solenoids
 - ECM / ECU
 - electronic shift quality control
 - interface modules
 - customer data reprogramming
 - default modes
 - data link protocols
- 6.3.4 Perform inspection, testing and diagnostic procedures on electronically controlled automatic transmissions.
- [0/2] visual inspection
 - pressure testing
 - fluid level and condition
 - digital multimeter
 - EST
 - sequential troubleshooting strategies

- interpretation of schematics
 - electrical
 - hydraulic
- fault code interpretation
- retrieving and clearing fault codes
 - EST (Electronic Service Tool)
 - shift selector
- 6.3.5 Recommend reconditioning or repairs following manufacturers' procedures on electronically controlled automatic transmissions.
- [0/3] performance testing
 - identify harness and connector failures
 - sensor / actuator replacement
 - potentiometer calibration / adjustment
 - ECM replacement
 - PROM replacement
 - maintenance / repair precautions

- safety precautions
 - potential lifting hazards
 - eye, hand, breathing, hearing and foot protection
 - lifting precautions of transmissions
 - clamping and holding
 - compressed springs
 - use of air to dry and test components
 - oil pressure
 - hoist and stand use
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1297.4

Title: Transfer Case, Drop Box and Power Take-Off Assemblies

Duration: Total Hours: 3 Theory: 2 Practical: 1

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5142

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair transfer case, drop box and power take-off assemblies.

Learning Outcomes and Content

- 6.4.1 Explain the purpose and fundamentals of transfer case, drop box and power take-off assemblies.
- [0.5/0] mechanical advantage
 - laws of levers
 - torque
 - input / output rotational speed
 - gear ratios
 - shafts, splines and gears
 - lubrication
- 6.4.2 Identify the function, construction, composition, types, styles and application of transfer case, drop box and power take-off assemblies.
- [0.5/0] clutching mechanisms
 - case
 - gears
 - shafts
 - bearings and bushings
 - spacers and thrust washer
 - seals and gaskets
 - shifting mechanisms

- Describe the principle(s) of operation of transfer case drop box and power take-off assemblies.
- [1/0] gears
 - clutching mechanisms
 - bearings and bushings
 - shafts and splines
 - thrust control seals and gaskets
 - shift mechanisms
 - power flow
 - lubrication system
 - PTO backlash
- 6.4.4 Perform inspection, testing and diagnostic procedure on transfer case drop box and power take-off assemblies.
- [0/0.5] visual inspection
 - performance test
 - temperature testing
 - thrust measurement
 - fluid level condition
 - verify power flow
- 6.4.5. Recommend reconditioning or repairs following manufacturers' procedures on transfer case, drop box and power take off assemblies.
- [0/0.5] outline procedures for checking lubricant levels
 - outline recommended lubricant change intervals and procedure
 - verify lubricant type and application
 - component and controls / shift mechanism,
 - removal, disassembly, reassembly and replacement procedure
 - failure analysis to identify
 - shock failures
 - fatigue failures
 - torsional failure
 - surface failures

- safety precautions
 - eye, hand, breathing, hearing and foot protection
 - lifting precautions of transmissions
 - · clamping and holding
 - compressed springs
 - use of air to dry and test components
 - oil pressure hoist and stand use
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention system
 - o service records
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure	
Theory Testing	Practical Application Testing
55%	45%

Number: S1298

Title: Steering, Suspension and Brake Systems

Duration: Total Hours: 48 Theory: 25 Practical: 23

Prerequisites: T.C. Level 2

Co-requisites: None

7.1 Pneumatic Circuit Interpretation and Analysis

4 Total Hours Theory: 2 hours Practical: 2 hours

7.2 Brake System Diagnostics

4 Total Hours Theory: 1 hour Practical: 3 hours

7.3 Anti-lock Braking Systems (ABS), Automatic Traction Control (ATC) and Roll and Directional Stability (RDS) Systems

6 Total Hours Theory: 4 hours Practical: 2 hours

7.4 Medium and Heavy Duty Steering Axle Systems

6 Total Hours Theory: 4 hours Practical: 2 hours

7.5 Medium and Heavy Duty Vehicle Alignment

6 Total Hours Theory: 2 hours Practical: 4 hours

7.6 Mechanical Steering Gear

4 Total Hours Theory: 2 hours Practical: 2 hours

7.7 Hydraulic Power Assist Steering Gear

6 Total Hours Theory: 3 hours Practical: 3 hours

7.8 Truck, Coach, Bus and Trailer Frames and Bodies

6 Total Hours Theory: 4 hours Practical: 2 hours

7.9 Truck and Coach Coupling Devices

6 Total Hours Theory: 3 hours Practical: 3 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam.

Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Functional truck or bus equipped with ABS

Precision measuring tools

Full range of disassembled brake and steering system components

Frame measuring equipment

Brake balance diagnostic software and pneumatic schematics in hard or soft formats

Assortment of fifth wheels for disassembly, reassembly, and adjustment

Wheel end equipment

OEM data access including online service information systems (SIS)

Assortment of steering gear for disassembly, reassembly and adjustment.

ESTs and CAs

Number: \$1298.1

Title: Pneumatic Circuit Interpretation and Analysis

Duration: Total Hours: 4 Theory: 2 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5146, 5149, 5150

General Learning Outcomes

Upon successful completion, the apprentice is able to interpret pneumatic schematic symbols and circuits and use schematics to troubleshoot typical vehicle problems.

Learning Outcomes and Content

- 7.1.1 Explain the purpose and fundamentals of pneumatic circuit interpretation and analysis.
- [1/0] fluid power
 - pneumatic schematics
 - brake theory
 - potential energy
- 7.1.2 Identify the functions, types, and application of pneumatic circuit interpretation and analysis.
- [1/0] air control circuits
 - air brake circuits
 - auxiliary component circuits
 - air suspensions
- 7.1.3 Describe interpretation and diagnostic procedures on pneumatic circuits.
- [0/2] interpret pneumatic schematics and symbols
 - locate critical pneumatic system components
 - perform pressure tests on pneumatic circuit components at critical iunctions
 - verify the performance of pneumatic valves
 - outline procedure for checking and repairing leaks
 - outline procedure for fabricating pneumatic lines and hoses

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - hoist, jack and stand use
 - · air pressure protection
 - grease and friction materials
 - · electronic system static electricity precautions
 - bending precautions
- communications
 - information accessing
 - practical service bulletins
 - data retention systems
 - o paper trail
 - o microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1298.2

Title: Brake System Troubleshooting

Duration: Total Hours: 4 Theory: 1 Practical: 3

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5149, 5150, 5152

General Learning Outcomes

Upon successful completion, the apprentice is able to perform air brake troubleshooting using service literature, air brake schematics and test instruments.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

7.2.1 Explain the purpose and fundamentals of brake system troubleshooting.

[0.5/0] - foundation brakes

- stroke length
- automatic slack adjusters
- outline procedure for air compressor, air dryer, air receiver, testing
- test and adjust governors
- test control valves for recommended operation
- brake torque balance
- brake timing
- pneumatic schematics
- statutory inspection safety criteria

7.2.2 Identify the functions and application of brake system troubleshooting.

[0.5/0] - air brake systems

- hydraulic brake systems
- air over hydraulic brake systems

7.2.3 Describe inspection, testing and diagnostic procedures on brake systems.

[0/2]

- use an OEM brake schematic to diagnostic brake system problems
- outline procedure for diagnosing typical brake system malfunctions
- outline the factors required to torque balance brake performance
- troubleshoot brake torque imbalance conditions such as wheel hop
- verify the performance of brake system control valves
- outline the requirements for brake system pneumatic timing
- use gauges to verify pneumatic timing
- outline crack pressure requirements of relay valves
- 7.2.4 Perform reconditioning or repairs following manufacturers' procedures on brake systems.
- [0/1]
- outline procedure requires to recondition on balance a brake system to manufacturer's and statutory standards
- outline requirements for a road test to verify vehicle-braking performance

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - hoist, jack and stand use
 - air pressure protection
 - grease and friction materials
 - electronic system static electricity precautions
 - bending precautions
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - microfiche
 - service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1298.3

Title: Anti-lock Braking Systems (ABS), Automatic Traction

Control (ATC) and Roll and Directional Stability (RDS)

Systems

Duration: Total Hours: 6 Theory: 4 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5137, 5140, 5150

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair ABS, ATC and RDS Systems to manufacturer and statutory standards.

Learning Outcomes and Content

- 7.3.1 Explain the purpose and fundamentals of ABS, ATC and RDS systems
- [1/0] pneumatic brake system fundamentals
 - electrical fundamentals
 - computer fundamentals
- 7.3.2 Identify the functions, construction, types, and application of ABS, ATC and RDS systems as per manufacturers' specifications.
- [1/0] anti-lock brake hardware
 - electronic control modules (ECM)
 - anti-lock modulator controller
 - traction control module
 - wheel sensors
 - fail relays
 - diagnostic displays
 - trailer ABS systems
 - tractor/trailer signaling and warnings
 - accelerometers
 - gyroscopic sensors

7.3.3 Describe the principle(s) of operation of ABS, ATC and RDS systems.

[2/0]

- electronic control module (ECM)
- anti-lock modulator controller
- traction control module
- wheel sensors
- fail relay
- pneumatic timing
- brake balance
- brake phasing
- valve crack pressures
- dynamic braking effect
- load transfer
- pressure protection devices
- brake system management from tractor
- multiplexing
- SAE J1939 requirements
- active suspension / brake / traction control systems
- trailer ABS
- tractor/ trailer communications
- gyroscopic sensors
- yaw evaluation

7.3.4 Perform inspection, testing and diagnostic procedures on ABS, ATC, and RDS systems

[0/1]

- overview current truck and coach ABS systems
- outline dynamic and static testing
- fault code interpretation
- electronic control module (ECM)
- anti-lock modulator controller
- traction control module
- roll and directional tracking sensors
- wheel sensors
- fail relay
- pneumatic timing
 - brake balance
 - brake phasing
 - valve crack pressures
 - dynamic braking effect
 - load transfer
- verify traction control operation
- static discharge precautions
- distinguish between electronic and pneumatic malfunctions

7.3.5 Recommend reconditioning or repairs following manufacturers' procedures on ABS, ATC and RDS systems.

[0/1]

- perform prescribed preventive maintenance checks
- outline procedure for removal and replacement
- ABS / ATC/ RSC modules
- programming options
- Input circuit components
- output circuit components

- safety precautions
 - potential lifting hazards
 - eye and hand protection
 - hoist, jack and stand use
 - air pressure protection
 - grease and friction materials
 - high-pressure auto grease systems
 - electronic system static electricity precautions
- communications
 - information accessing
 - practical report
 - system schematics and symbols
 - service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1298.4

Title: Medium and Heavy Duty Steering Axle Systems

Duration: Total Hours: 6 Theory: 4 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5146, 5147, 5148

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair of ABS and ATC Systems.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 7.4.1 Explain the purpose and fundamentals of medium and heavy-duty steer axle systems.
- [1/0] solid axle
 - twin "I" beam
 - fully independent
 - caster
 - KPI
 - tow
 - vehicle tracking
- 7.4.2 Identify the functions, construction, composition, types, styles and applications of medium and heavy duty steer axle systems.
- [1/0] solid and twin I beam front axles
 - steering knuckles
 - drag links
 - one piece
 - two piece
 - steering arms (Ackerman arms)
 - kingpins
 - o tie rods and tie rod ends
 - pitman arms
 - fully independent
 - control arms
 - center-link

- pitman arm
- idler arms
- ball joints (tension and compression)
- steering arms (Ackerman arms)
- knuckle (spindle)
- tie rods (inner and outer)
- steering control rods (rack and pinion)
- dual steer axles
- coil springs
- steering dampeners
- shock absorbers
- tandem axle alignment
- 7.4.3 Describe the principle(s) of operation of medium and heavy duty steer axle systems.
- [2/0] solid axle
 - twin I beam front axles
 - fully independent
 - dual steer axles
 - steering geometry
 - o Ackerman's principle
 - caster
 - o camber
 - steering axis inclination
 - o kingpin
 - ball joint
- 7.4.4 Perform inspection, testing and diagnostic procedures on medium and heavy-duty steer axle systems.
- [0/1] visual inspection of components
 - wear
 - loose
 - damage
 - defective
 - outline the procedure for front axle king pin replacement.

- 7.4.5 Recommend reconditioning or repairs following manufacturers' procedures on medium and heavy-duty steer axle systems.
- [0/1] outline maintenance and servicing of:
 - solid axle system components
 - twin I beam system components
 - independent suspension components
 - coil springs
 - outline OEM wear limits
 - outline safety check procedures

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - hoists, hacks and stand use
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - o microfiche
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1298.5

Title: Medium and Heavy Duty Vehicle Alignment

Duration: Total Hours: 6 Theory: 2 Practical: 4

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5147.03, 5147.05

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair vehicle alignment components and be able to perform adjustments to manufacturer and statutory standards.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 7.5.1 Explain the purpose and fundamentals of medium and heavy duty vehicle alignments.
- [1/0] camber
 - caster
 - KPI
 - toe-in, neutral toe and toe-out factors
 - steering geometry dynamics
 - steering geometry performance analysis
 - tractor alignment factors
 - tractor-trailer alignment factors
 - coach alignment factors
- 7.5.2 Identify the functions, types, styles and operation of medium and heavy-duty vehicle alignment equipment.
- [1/0] computerized alignment equipment
 - trammel gauge (bar)
 - trailer alignment
 - bazooka

- 7.5.3 Describe inspection, testing, diagnostic and demonstrate alignment procedures.
- [0/3] inspection and adjust critical steering system components
 - identify steering system maladjustment
 - analyze tire wear patterns
 - test steering system wears limits to statutory requirements
 - align medium / heavy duty vehicle
- 7.5.4 Recommend reconditioning or repairs following manufacturers' procedures on medium and heavy-duty vehicles.
- [0/1] describe procedures to replace defective suspension and steering components
 - outline medium duty vehicle alignment procedures
 - outline heavy-duty vehicle alignment procedures
 - outline tractor-trailer combination alignment procedures
 - outline coach alignment procedures

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - hoists, jacks and stand use
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - paper trail
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1298.6

Title: Mechanical Steering Gear

Duration: Total Hours: 4 Theory: 2 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5147

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair mechanical steering gear.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

7.6.1 Explain the history, purpose and fundamentals of mechanical steering gear.

[0.5/0] - fundamentals enhancement

7.6.2 Identify the functions, construction, composition, types, styles and application of mechanical steering gear.

[0.5/0] - manual steering gear

twin cam and lever

- recirculating ball
- pneumatic assist
- control valve
- air cylinder
- 7.6.3 Describe the principle(s) of operation of mechanical steering gear.

[1/0] - manual steering gear

- twin cam and lever
- recirculating ball
- pneumatic assist

- 7.6.4 Perform inspection, testing and diagnostic procedures on mechanical steering gear.
- [0/1] visual checks of steering gear box operation and condition for manual and

pneumatic assist assemblies.

- demonstration of recommended steering angle checks and adjustments
- disassemble, inspect, reassemble and adjust manual steering gear
- 7.6.5 Recommend reconditioning or repairs following manufactures" procedures on mechanical steering gear.
- [0/1] identify and observe component wear points
 - adjust steering gear assemblies, linkages, steering stops and column phasing
 - dismantle, inspect and reassemble manual steering gear boxes.

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - hoists, jacks and stand use
- communications
 - information accessing
 - practical service bulletins
 - data retention systems
 - paper trail
 - microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1298.7

Title: Hydraulic Power Assist Steering Gear

Duration: Total Hours: 6 Theory: 3 Practical: 3

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5147

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair hydraulic power assist steering gear.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 7.7.1 Explain the history, purpose and fundamentals of hydraulic power assist steering gear.
- [1/0] hydraulics
 - hydraulic equations
- 7.7.2 Identify the functions, construction, composition, types, styles and application of hydraulic power assist steering gear.
- [1/0] hydraulic assist
 - semi-integral
 - power cylinder
 - gear assembly
 - integral hydraulic
 - rack and pinion
 - reservoir
 - rotary control valve
 - power cylinder
 - steering gears
 - pumps and reservoirs
 - dual steering axles
 - master gear
 - slave gear
 - linkage arrangement
 - electronically managed steering system

- 7.7.3 Describe the principle(s) of operation of hydraulic power assist steering gear.
- [1/0] hydraulic assist
 - power cylinder
 - rack and pinion systems
 - semi-integral gear assembly
 - integral hydraulic
 - o reservoir
 - rotary control valve
 - o rower cylinder
 - steering arms and linkages
 - pumps and reservoirs
 - dual steering axles
 - master gear
 - slave gear
 - linkage arrangement
 - alignment
 - tracking
 - electronically managed steering systems
- 7.7.4 Perform inspection, testing and diagnostic procedures on hydraulic power assist steering gear.
- [0/2] perform steering gear assembly adjustments
 - hydraulic pump pressure tests
 - hydraulic pump flow rate tests
 - demonstration of pump internal leakage test
 - sequential troubleshooting techniques
 - verify operation of non-adjustable steering gear
- 7.7.5 Recommend reconditioning or repairs following manufacturers' on hydraulic power assist steering gear.
- [0/1] outline dual steering axle operation
 - outline procedure required to replace and set up steering gear
 - outline statutory standards pertaining to steering

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - hoist, jack and stand use
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1298.8

Title: Truck, Coach, Bus and Trailer Frames and Bodies

Duration: Total Hours: 6 Theory: 4 Practical: 2

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5144, 5145, 5146

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair truck, coach, bus and trailer frames and bodies.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 7.8.1 Explain the purpose and fundamentals of frames and bodies.
- [1/0] frame dynamics
 - bridge formula
 - basic metallurgy
- 7.8.2 Identify the functions, construction, composition, types, styles ad application of frames and bodies.
- [1/0] ladder
 - unitized trailer
 - monocoque / unibody coach
 - combination (trailer)
 - telescoping
 - collision damage categories

7.8.3 Describe the principle(s) of operation of frames and bodies.

[2/0] - frame characteristics

- tensional and compressional loading
- neutral fibre
- section modulus
- · material strength factors / yield and tensile strength
- frame materials
 - aluminum alloys
 - tempered aluminum
 - mild steels
 - tempered steels
- bridge formula
- frame oscillation
- resist bend moment (RBM)
- RBM calculations
- collision damage analyses
- attachments
- 7.8.4 Perform inspection and testing procedures on frames and bodies.
- [0/1] project a frame to floor diagram
 - identify common frame misalignment factors
 - diagnose frame failure by types
- 7.8.5 Recommend reconditioning or repairs following manufacturers' procedures on frames.
- [0/1] outline procedure for removing and replacing cross members
 - outline procedure for removing and replacing frame rails
 - outline frame alignment procedure
 - outline procedure for reconditioning coach unibody chassis

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - spring tension control
 - hoist, jack and stand use
 - heating precautions
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1298.9

Title: Truck and Coach Coupling Devices

Duration: Total Hours: 6 Theory: 3 Practical: 3

Prerequisites: T.C. Level 2

Cross Reference to Training Standards: TCT 5146, 5147

General Learning Outcomes

Upon successful completion, the apprentice is able to understand the principles of operation, diagnose and repair of truck and coach coupling systems.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

7.9.1 Explain the purpose and fundamentals of coupling devices.

[0.5/0] - articulation

- traction / tractive vehicle dynamics

7.9.2 Identify the functions, construction, composition, types, styles and applications of coupling devices.

[0.5/0] - fifth wheels

- semi-oscillating
- fully-oscillating
- non-tilt convertible
- compensating
- rigid
- stationary
- sliding
 - locking devices
- no slack
- cast head
- pressed head
- brackets, saddles, pins and bushings
- kingpins
 - SAE ratings
- pintle hooks
- eyes

- ball hitched
- coupler plates
- fastener specifications
- safety chains
- mounting brackets
- mounting location
- trailer landing gear
- 7.9.3 Describe the principle(s) of operation and inspection of coupling devices.
- [1/0] fifth wheels
 - locking principles
 - secondary locks
 - specifications and ratings
 - mounting height and location
 - pintle hooks
 - buffer assembly
 - articulation
 - eyes
 - ball hitches
 - kingpins
 - coupler plates
 - high hitch factors
 - trailer landing gear
- 7.9.4 Perform inspection and testing procedures of coupling devices.
- [0/3] check air controls
 - for leaks
 - operation
 - check coupling devices for
 - locking ability and security
 - wear tolerances
 - correct engagement
 - disassemble, inspect, adjust and reassemble fifth wheel
 - verification of lock engagement
 - indicators of wear
 - lubrication
 - tongue weight
 - welding integrity
 - fasteners
 - chains, hooks and cables
 - performance test overhauled fifth wheels

7.9.5 Recommend reconditioning or repairs following manufacturers' procedures on coupling devices.

[1/0]

- removal and cleaning practices
- measuring practices
- overhaul procedures

- safety precautions
 - potential lifting hazards
 - eye, hearing, breathing and hand protection
 - spring and air pressure reactions
 - fifth wheel locking integrity
- communications
 - information accessing
 - practical report
 - technical service bulletins
 - data retention systems
 - o paper trail
 - o microfiche
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure	
Theory Testing	Practical Application Testing
50%	50%

APPENDIX A: Acronyms List

This listing identifies acronyms found in the following motive power curriculum documents:

Level 1 – Commercial Vehicles and Equipment (Common Core)

Level 2 – Commercial Vehicles and Equipment (Common Core)

Level 3 – Agricultural Equipment Technician

Level 3 – Heavy Duty Equipment Technician

Level 2 - Powered Lift Truck Technician

Level 3 – Powered Lift Truck Technician

Level 2 - Truck and Coach Technician

Level 3 - Truck and Coach Technician

Α	
ABS	anti-lock braking system
AC	alternating current
A/C	air conditioning
AET	Agricultural Equipment Technician
AFC	air fuel control
AGM	absorbed glass mat
API	American Petroleum Institute
ANSI	American National Standards Institute
ATA	American Trucking Association
ATC	automatic traction control
AVR	amp, volt, ohmmeter
AWG	American Wire Gauge
AWS	American Welding Society

В	
ВСМ	body control module
BSP	British Standard Pipe
ВТМ	brushless torque motor
С	
СВ	citizen band
CDI	capacitor discharge ignition
CD-ROM	compact disc read only memory
CFC	chlorofluorocarbons
CI	compression ignited
CMVSS	Canadian Motor Vehicle Safety Standard
CNG	compressed natural gas
CPU	central processing unit
CSA	Canadian Standards Association
CVSA	Canadian Vehicle Standards Association
cws	collision warning systems
D	
DC	direct current
DDC	Detroit Diesel Corporation
DFF	direct fuel feed
DIN	Deutsche Institute fur Normung (German Standards Institute)
DMM	digital multimeter

DOS	Disk Operating System
DOT	Department of Transportation
DPF	diesel particulate filter
E	
ECM	electronic control module
ECU	electronic control unit
EPROM	erasable programmable read only memory
EEPROM	electronically erasable programmable read only memory
EG	ethylene glycol
EGR	exhaust gas recirculation
ELC	extended life coolant
EPA	Environmental Protection Act
EST	electronic service tool
EUI	electronic unit injector
EUP	electronic unit pump
F	
FHSL	Federal Health and Safety Legislation
FMIs	fault mode indicators
FMVSS	Federal Motor Vehicle Safety Standards
FOPS	Falling Object Protection System
FRP	fiberglass reinforced plywood

G	
GCWR	Gross Combined Weight Rating
GFI	gasoline fuel injection
GPS	global positioning satellite
GVW	Gross Vehicle Weight
GVWR	Gross Vehicle Weight Rating
Н	
НС	hydrocarbon
HDET	Heavy Duty Equipment Technician
HEUI	hydraulically actuated electronic unit injector
HCFC	hydrochlorofluorocarbons
HFC	hydrofluorocarbons
HPI-TP	high pressure injector-time pressure (Cummins)
HVAC	heating, ventilation and air conditioning
I	
ID	inside diameter
ISO	International Standards Organization
J	
JIC	Joint Industry Conference
JIS	Japanese Industrial Standard
JIT	just in time
К	
KPI	king pin inclination

L	
LED	light emitting diode
LPG	liquid petroleum gas
LVD	low voltage disconnect
М	
MAP	manifold absolute pressure
MIDs	message identifiers
MIG	metal inert gas
MSDS	material safety data sheet
MUI	mechanical unit injector
MVSA	Motor Vehicle Safety Act (Canadian)
N	
N/A	not applicable
NOP	nozzle opening pressure
NPN	negative positive negative semi-conductor
NPT	National Pipe Thread
NV-RAM	non-volatile random access memory
0	
OD	outside diameter
ODP	ozone depletion prevention
OEM	original equipment manufacturer
OHSA	Occupational Health and Safety Act
oos	out of service criteria

OPS	operator protection system
ORB	o-ring boss
ORFS	o-ring face seal
Р	
PC	personal computer
PCV	positive crankcase ventilation
PFI	port fuel injection
PG	propylene glycol
PHSL	Provincial Health and Safety Legislation
PIDs	parameter identifiers
PLTT	Powered Lift Truck Technician
PNP	positive negative positive semi-conductor
PROM	programmable read only memory
PT	pressure time
РТА	pressure time (injector) A series
PTG-AFC	pressure time governor/air fuel control
PTD	pressure time (injector) B series
PTG	pressure time governor (control pump)
РТО	power take-off
PWM	pulse width modulation
R	
RAM	random access memory
RBM	resist bend moment

ROM	read only memory
ROPS	roll over protection system
R.P.	recommended practices
RPM	revolutions per minute
S	
SAE	Society of Automotive Engineers
SALT	sealed and lubricated tracks
SCA	supplemental coolant additives
SI	spark ignited
s.i.	Système International d'Unités
SIDs	sub-system identifiers
SMAW	shielded metal arc welding
SRS	supplemental restraint systems
STC	step timing control
Т	
ТВІ	throttle body injection
ТСТ	Truck and Coach Technician
TDS	total dissolved solids
TP	time/pressure injector
TPS	throttle position sensor
TQM	total quality management
TMC	Technical and Maintenance Council

V	
VCO	valve closes orifice
VIN	vehicle identification number
W	
WHMIS	Workplace Hazardous Materials Information System
WIF	water in fuel sensors

APPENDIX B: Glossary of Trade Specific Terms

This glossary provides definitions of terms found in the following motive power curriculum documents:

Level 1 – Commercial Vehicles and Equipment (Common Core)

Level 2 – Commercial Vehicles and Equipment (Common Core)

Level 3 – Agricultural Equipment Technician

Level 3 – Heavy Duty Equipment Technician

Level 2 – Powered Lift Truck Technician

Level 3 – Powered Lift Truck Technician

Level 2 – Truck and Coach Technician

Level 3 – Truck and Coach Technician

Α

ABS Anti-lock braking system. Electronically controlled

brakes that monitor vehicle wheel speeds and manage

application forces to prevent wheel lock-up.

AC See alternating current.

A/C Air conditioning.

accumulator A cylinder or device used to store pressure, can

contain a diaphragm and pneumatic pressure. Used in

hydraulic systems.

Ackermann Angle Angle between the planes of the steered wheels of a

vehicle with zero steering angle; a measure of toe-in or

toe-out.

acronym A word formed by the initial letters of other words.

active codes An electronically monitored system circuit, condition, or

component that is malfunctioning and logs an ECM code, which may be displayed or read using an EST.

actuator Any output device controlled by a computer. Also used

in hydraulics as an output device such as a linear or

rotary device (cylinder or motor).

aeration The mixing of gas with a liquid, usually air with oil, fuel,

or coolant.

AFC Air/fuel control.

AFC (Cummins)

A circuit that senses turbo boost sensing and is part of

the fuel management components on a Cummins PTC-

AFC pump.

127

© Skilled Trades Ontario

AFR See air/fuel ratio.

air/fuel ratio The mass ratio of an air-to-fuel mixture; also AFR.

air-to-air aftercooler Heat exchanger that cools the intake air after the

turbocharger before going to the intake manifold, by

using ambient air.

alcohol Any of a group of distillate hydrocarbon liquids

containing at least one hydroxyl group; sometimes

referred to as oxygenates.

aldehydes A class of chemical compounds having the general

formula RCHO, where R is an alkyl (aliphatic) or aryl

(aromatic) radical (SAE J1213 NOV82).

alloy The mixing of a molten base metal with metallic or

nonmetallic elements to alter the metallurgical

characteristics.

alternating current Electric current that reverses cyclically due to reversal

of polarity at the voltage source; AC.

altitude-pressure compensator Any sensor or device that automatically compensates

for changes in altitude.

amboid gear A bevel gear crown and pinion assembly where the

axes are at right angles but the pinion is on a higher

plane than the crown.

American Society for Testing

Materials (ASTM)

Agency that sets industry standards and regulations,

including those for fuel.

ammeter Instrument for measuring current flow.

ampere (A) The unit of measurement for the flow of electric

current. An ampere is defined as the amount of current that one volt can send through one ohm of resistance.

anaerobic sealant Paste-like sealants that cure (harden) without exposure

to air.

analog The use of physical variables, such as voltage or

length, to represent values.

aneroid A device used to sense light pressure conditions. The

term is used to describe manifold boost sensors that limit fueling until there is sufficient boost air to combust it and usually consists of a diaphragm, spring, and fuel-

limiting mechanism.

ANSI The American National Standards Institute.

antifreeze A liquid solution added to water to blend the engine

coolant solution that raises the boiling point and lowers the freezing point. Ethylene glycol (EG), propylene glycol (PG), and extended life coolants (ELC) are

currently used.

antifriction bearing A bearing that uses balls or rollers between a journal

and a bearing surface to decrease friction.

API The American Petroleum Institute.

application software Programs that direct computer processing operations.

Apprentice program Any educational program designed to teach a trade

through a combination of on-the-job training and

classroom study.

Apprentice technician A beginner who is learning under the direction of one

or more experienced certified technicians.

Aqueous Solution A solution in water, eg. a homogeneous mixture of two

or more substances; frequently (but not necessarily) a liquid solution; "he used a solution of peroxide and

water"

Aqueous Urea Injection Is a system that is designed for reducing NOx (Nitrous

Oxide) emissions formed in the presence of high combustion temperatures in internal combustion diesel engines. By injecting urea in the exhaust stream, it causes the NOx to break down into nitrogen and

oxygen.

arcing Bearing or gear failure caused by electric arcing.

articulating piston A two-piece piston with separate crown and skirt

assemblies, linked by the piston wrist pin and afforded a degree of independent movement. The wrist pin is usually full floating or bolted directly to the connecting rod, in which case it is known as a *crosshead piston*.

ASTM American Society for Testing Materials. Standards

rating organization that classifies materials generally

and all fuels.

ATA American Trucking Association. Organization with a

broad spectrum of representation responsible for setting standards in the U.S. trucking industry.

ATA data link An SAE/ATA standard J1584/J1708/J1939, 6-pin

Deutsche connector currently used by all truck and truck engine OEMs to access the on-board ECMs.

ATAAC Air-to-air charge air cooling.

ATDC After top dead centre.

atom The smallest part of a chemical element that can take

part in a chemical reaction; composed of electrons,

protons, and neutrons.

atomization The process of breaking liquid fuel into small droplets

by pumping it at a high pressure through a minute flow

area.

atomized droplets The liquid droplets emitted from an injector nozzle.

audit trail A means of electronically tracking electronically

monitored problems in an engine management system. May be discreet, that is, not read by some diagnostic

ESTs and programs; also known as tattletale.

В

backfire Ignition/combustion of the fuel in an oxy-acetylene

torch in the torch tip causing a popping and squealing

noise.

backlash The clearance or "play" between two parts, such as the

teeth of two gears.

battery A device containing one or more cells that produces

electricity through electrochemical action.

battery capacity The amount of current a battery is capable of

delivering.

battery charging The process of restoring a battery's charge by passing

current through it in a reverse direction (positive to

negative).

battery plate Battery components made of lead peroxide in sponge

form and porous lead.

battery rating Standardized measurement of a battery's ability to

deliver an acceptable level of energy under specified conditions. Standards established by the battery

council international (BCI).

baud Times per second that a data communications signal

changes and permits one bit of data to be transmitted.

baud rate The speed of a data transmission.

Bernoulli's Principle the statement that an increase in the speed of a fluid

produces a decrease in pressure and a decrease in the

speed produces an increase in pressure

beta ratio The beta ratio or rating is used for fine filters and is

determined under laboratory testing. Although not a true measure of how well a filter will do in an operating system, the beta rating is a good indicator of the filter performance. The beta ratio of an operating filter during steady state flow test is simply the count upstream divided by the count downstream of fine test

dust, based on any selected particle size.

binary system A two-digit arithmetic, numeric system commonly used

in computer electronics.

blower A low-pressure air pump used on diesel engines to

increase the amount and pressure of the air coming

into the engine. Sometimes referred to as a

supercharger.

boost pressure A measure of positive air pressure provided by a

supercharger or turbocharger.

boost pressure sensor This sensor measures intake manifold air pressure and

sends a signal to the ECM.

bore The diameter of an engine cylinder. Sometimes used

to refer to the cylinder itself.

boundary lubrication Thin film lubrication characteristics of an oil.

Boyle's Law The absolute pressure of a fixed mass of gas varies

inversely as the volume, provided the temperature

remains constant.

brake power Power developed by an engine measured at the

flywheel measured by a dynamometer or brake.

Factored by torque or RPM.

British thermal unit (BTU) Measurement of the amount of heat required to raise

the temperature of one pound of water by 1 degree F,

at sea level.

broach A boring bit used for final, accurate bore sizing.

BTM Brushless torque motor. Caterpillar rotary proportional

solenoid used for PEEC timing and rack position

control.

burst pressure The pressure which causes rupture. Also, the inside

out differential pressure that causes out-ward structural

failures.

bypass filter A filter assembly plumbed in parallel with the

lubrication circuit, usually capable of high filtering

efficiencies.

bypass valve A diverter valve fitted to full flow filter (series) mounting

pads, designed to reroute lubricant around a plugged

filter element to prevent a major engine failure.

C

cache High speed RAM located between the CPU and main

memory used to increase processing efficiency.

calibration parameters The specific values required when setting performance

to specification.

calipers Comparative measuring instrument used for measuring

outside diameter and inside diameter.

calorific value The heating value of a fuel measured in BTU, calories,

or joules.

cam ground Trunk-type pistons that are machined slightly

eccentrically. Because of the greater mass of material required at the wrist pin boss, this area will expand proportionally more when heated. Cam ground pistons are designed to assume a true circular shape at

are designed to assume a trac siredian

operating temperatures.

capacitance Measure of how much electrical charge can be stored

for a given voltage potential; measured in farads.

capacitor An electrical device that can store an electrical charge

or block AC and pass DC. Also known as condenser.

carbon (C) An element found in various forms including diamonds,

charcoal, and coal. It is the primary constituent element

in hydrocarbon fuels. Atomic #6.

carbon dioxide (CO₂) One of the products of combustion. Also a dry

chemical mixture that is an excellent fire retardant. Compressed into solid form this material is known as dry ice, and remains at a temperature of

109 degrees F.

carbon monoxide (CO) A deadly colourless, odorless gas that is formed when

fuel is not burned completely.

carcinogen Any substance, such as asbestos, and carbon

tetrachloride, that can cause cancer.

cardan joint A universal joint commonly used as a driveshaft

coupler permitting articulation. Two yokes are united by a rigid cross whose races run in a yoke supported

needle bearings or races.

case-harden A process of heating a piece of steel to harden its

surface while the inside remains relatively soft.

catalyst A substance that stimulates, accelerates, or enables a

chemical reaction without itself undergoing any

change.

catalytic converter An exhaust system device that enables oxidation and

reduction reactions; in lean burn truck diesel engines, only oxidation catalytic converters are used at this

moment in time.

cavitation Describes metal erosion caused by the formation and

subsequent collapse of vapor pockets (bubbles) produced by physical pulsing into a liquid such as that of a wet liner against the wall of coolant that surrounds it. Bubble collapse causes high unit pressures and can quickly erode wet liners when the protective properties of the coolant diminish. Also known in hydraulics as a gaseous condition within a liquid stream causing the

rapid implosion of a gaseous bubble.

CCW Counter-clockwise or left hand rotation.

CD Compact disk. Optically encoded, digital data storage.

CD-ROM An optically encoded data disk that is read by a laser in

the same way an audio CD is read and is designed for

read-only data.

centrifugal filter A filter that uses a centrifuge consisting of a rotating

cylinder charged with pressurized fluid and canted jets to drive it; centrifugal filters often have high efficiencies

and are often of the bypass type.

centrifugal force The force acting outward on a rotating body.

centrifuge A device that uses centrifugal propulsion or a

centrifugal force principle of operation.

centripetal force Tendency to move toward a center; such as water

draining from a bathtub.

cetane A colourless liquid (C₁₆H₃₄). Used as a basis to test the

performance characteristics of diesel fuel.

cetane improver A diesel fuel additive designed to increase the *cetane*

number rating or ignition quality. Cyclohexanol nitrate

is a commonly used cetane improver.

cetane number (CN)

The standard rating of a diesel fuel's ignition quality. It

is a comparative rating method that measures the ignition quality of a diesel fuel verses that of a mixture of cretonne (good ignition characteristics). A mixture of 45% cretonne and 55% would have a CN of 45. Diesel fuels refined for use in North America are classified by the ASTM as #1D and #2D and must have a minimum

CN of 40.

CFM Cubic Feet per Minute. Used as a measurement for the

amount of air entering an engine's intake.

Charles' s Law See Gay-Lussac's Law.

CI Compression ignition; an engine in which the fuel/air

mixture is ignited by the heat of compression.

clearance A given space between two parts such as a piston and

cylinder.

clearance volume Volume in an engine cylinder when the piston is at

TDC.

clockwise rotation Rotation is the same as the direction as the movement

of the hands of a clock.

coefficient of friction A rating of a material's ability to generate friction.

Describes the "aggressiveness" of materials in contact

with each other. Affected by temperature and the

presence of lubricants.

Cold crank rating (CCR)

Standard battery rating system that identifies the maximum current drain a fully charged battery can deliver at 0 degrees F or -17 degrees C - measured in cold cranking amps (CCA).

Combustion

The act of burning, oxidation.

Combustion chamber

In most current S.I. and C.I. engines, the engine cylinder and the geometry of the head and piston crown form the combustion chamber. In I.D.I. diesel engines, the combustion chamber is a separate cell connected to, but not integral with, the cylinder. Also, the area above the piston with the piston at TDC. Measured in cubic centimeters.

Combustion cycle

The thermodynamic process of a heat engine cycle through induction, compression, oxidation, and exhaust.

Communication Protocol

SAE has specific protocols for mobile equipment communication, such as J1939 J1587/1708

Compound

- (i) A substance consisting of two or more elements held together by chemical force and not necessarily retaining any of the characteristics of the composite elements; i.e., Water: H₂O:
- (ii) Auxiliary gearbox that "compounds" the main transmission by increasing the available ratios and ranges.

Compression

The process by which a confined fluid is reduced in volume and increased in density with the application of pressure.

Compression ratio

The ratio of the piston swept volume to the total cylinder volume with the piston at BDC - a volumetric ratio and not a pressure ratio.

Concentric

Circles having a common centre.

Conductance

The ability of a material to carry an electrical current.

Conduction

Heat transmission through solid matter, also the transfer of heat from one object to another by being in direct contact.

Conductors

Materials that readily permit the flow of electrons from atom to atom; usually metallic elements that have less than 4 electrons in their outer shells. Connecting rod The rigid mechanical link between the piston wrist pin

and the crankshaft throw.

Constant horsepower Sometimes used to describe a high *torque rise* engine.

Convection A transfer of heat from one object to another through a

liquid. Also heat transfer occasioned by the upward flow of hot air and the downward flow of cool air.

Conventional theory (Of current flow) asserts that current flows from a

positive source to a negative source. Despite the fact that it is fundamentally incorrect, it is nevertheless

widely accepted and used.

Co-requisite A unit of learning that can be taken concurrently with

another subject, but in order to be successful, both

subjects must be completed successfully.

Counterbore Cylindrical enlargement of the cylinder bore at the

block deck to seat a liner flange.

Crankshaft A shaft with offset throws designed to convert the

reciprocating movements of the pistons into torque.

Crank throw The offset part of the crankshaft where the connecting

rods fasten.

Creep Describes the independent movement of two

components clamped by fasteners when they have different coefficients of thermal expansion or have different mass, which means their expansion and

contraction rates do not concur.

Cross flow Describes a four-stroke cycle engine breathing

configuration where intake and exhaust manifolds are located on opposite sides of the cylinder head so gas

flow is across the piston crown.

Crosshead Part of the valve train in an engine that actuates two

valves per cylinder. Permits two valves in the same cylinder to be opened simultaneously by a single

rocker arm.

Crosshead piston An articulating piston with separate crown and skirt

assemblies in which the connecting rod is bolted

directly to the wrist pin.

Crude oil The organic fossil fuel pumped from the ground from

which diesel fuel, gasoline, and many other petroleum

products are refined; raw petroleum.

Current The flow of free electrons through a conductor.

Curriculum hour Is described as the breakdown of time for theory and

practical in-school delivery. It is timed at 50 minutes

per curriculum hour listed in the document.

Cycle time A reoccurring period in which a series of actions take

place in a definite order. Also used in hydraulics as the time it takes for an actuator or function to complete full

extend to full retract: thus a cycle time.

Cylinder block The main frame of any engine to which all the other

components are attached.

Cylinder head A detachable portion of an engine that covers the

upper end of the cylinder bores and forms part of the combustion chamber. Also includes the valves in the

case of overhead valve engines.

Cylinder sleeve A liner or sleeve interposed between the piston and the

cylinder wall or water jacket to provide an easily

replaceable surface for the cylinders.

D

Damper A unit or device used to reduce or eliminate vibration,

oscillation, of a moving part, fluid, etc.

Data Raw (unprocessed) information.

Database A data storage location or program.

Data link The connection point or path for data transmission in

networked devices.

Data link connector Plastic plug-in terminal with two or more electrical

connections used to interface with engine or vehicle's

computers.

DC Direct current.

DCA Diesel coolant additives. A proprietary supplemental

coolant additive.

DI Direct injection. Fuel is injected directly into the engine

cylinder. This is the common means of injecting.

current C.I. engines and used in some gasoline-fueled

engines.

Dial indicator Tool used to precisely measure linear travel.

Diesel cycle A four-stroke cycle similar to the Otto cycle (intake,

compression, expansion, and exhaust strokes) but where ignition of the fuel charge is occasioned by the heat of compression. A true diesel cycle engine is known as a *constant pressure* engine, meaning that fuel is metered into the cylinder at a rate that will produce constant pressure for a number of crank angle degrees.

Digital signal An electronic signal that uses on and off pulses.

Diode A semiconductor device that allows current flow in one

direction but resists it in the other, which acts like an

electrical check valve.

Direct current (DC) Electric current that flows steadily in one direction only.

Displacement The total volume displaced by the cylinders when

moving from BDC to TDC.

Droop An engine governor term denoting a transient speed

variation that occurs when engine loading suddenly

changes.

Droop curve A required hydro-mechanical governor characteristic in

which fueling drops off in an even curve as engine speed increases from the rated power value to high

idle.

medium to trap dirt particles. Most motive power air

filters are of the dry type.

Dry liners Liners that are fitted either with fractional looseness or

fractional interference that dissipate cylinder heat to the cylinder block bore and have no direct contact with

the water jacket.

Ε

Electrohydraulic An electronically switched injector that is opened and injector (EHI) closed by the engine ECM on the basis of fueling logic

closed by the engine ECM on the basis of fueling logic and independent of hydraulic pressure. Used in CR

and EUP engines.

Electrohydraulic nozzle Electronically switched nozzle used in dual actuator

EUI: as with the EHI, opening is ECM managed

independent of hydraulic pressure.

Electrolyte A solution capable of conducting electrical current.

Electromagnetism Describes any magnetic field created by current flow

through a conductor.

Electron A negatively charged component of an atom.

Electron theory The theory that asserts that current flow through a

circuit is by electron movement from a negatively charged point to a positively charged one. See

conventional theory.

Electronic control unit (ECU) Refers to the computer and integral switching

apparatus in an electronically controlled system. Some

engine OEMs use this term rather than the more

commonly used ECM.

Electronic engine management Computerized engine control.

Electronically controlled unit

injector

Mechanically actuated, electronically controlled unit injector that combines pumping, electronic fuel metering, and injecting elements in a single unit.

Emissions Any release of harmful materials into the environment.

Gases produced from exhaust, crankcase, and fuel

tanks and their contribution to smog.

Endplay Amount of lengthwise movement between two parts

due to clearance.

Energy Any capacity for doing work.

Ethylene glycol A liquid chemical used in engine coolant. See

antifreeze.

Exhaust scrubber An exhaust emission device used to clean particulate

matter from engine exhaust. Used predominately in off road equipment for use in underground mining and

enclosed buildings.

Expansion ratio Ratio of cylinder volume at the moment the exhaust

port or valves open to clearance volume; usually less

than compression ratio.

F

Fatigue Material failure or deterioration due to repetitive stress

loading or usage.

Ferrous material Metal containing metal or steel.

Fiber optics The transmission of laser light waves through thin

stands of fiber. Used to digitally pulse data more cheaply and at much higher speeds than copper wire.

Fire point The temperature at which a flammable material or

liquid vaporizes at a rate sufficient to burn

continuously.

Flammable Any substance that can be combusted.

Flashback A highly dangerous condition that can occur in

operating oxyacetylene equipment in which the flame may travel behind the mixing chamber in the torch and explode the acetylene tank using the system oxygen. Most current oxy-acetylene torches are equipped with

flashback arresters.

Fluid power The term used to describe both *hydraulics* and

pneumatics.

Flywheel A large heavy wheel that forms the base for the starter

ring gear and in which energy is absorbed and stored by means of momentum. Also provides a mounting surface for the torque converter or clutch assembly.

Force The action of one body attempting to change the state

of motion of another. The application of force does not

necessarily result in any work accomplished.

Four-stroke cycle engine An engine design where a power pulse occurs every

other revolution of the crankshaft. These strokes are (1) intake stroke (2) compression (3) power or

expansion stroke; and (4) exhaust stroke.

Friction The resistance an object or fluid encounters in moving

over or though another.

Full-floating Used to describe components that permit more than

the usual amount of movement-for instance a *full-floating piston pin* is retained in the pin boss, but permits independent movement of both the piston and

the rod eye.

Full-floating axle A drive axle design where the axle shafts provide

wheel torque only and bear no part of the vehicle load.

G

Gay-Lussac's Law The law that at constant pressure the volume of a fixed

mass or quantity of gas varies directly with the absolute temperature; a close approximation. Also

known as Charles's Law.

General Learning Outcomes Learning outcomes represent culminating

demonstrations of learning and achievement.

Outcomes are not simply a listing of discrete skills, nor broad statements of knowledge and comprehension. Outcomes describe performances that demonstrate that significant learning has been achieved and

applied.

General Practices This section captures concepts and topics that must be

integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be

accounted for in the learning content.

Governor A component that manages engine fueling on the basis

of fuel demand (accelerator) and engine RPM; may be

hydromechanical or electronic.

Grade markings Lines placed on the heads of some bolts to indicate

tensile strength.

Gross Horsepower The brake horsepower of an engine with optimum

settings and without allowing for power absorbed by

the engine-driven accessories.

Gross Torque The maximum torque produced when measured at the

engine's crankshaft. Does not allow for torque consumed by the engine-driven accessories.

Н

Hall Effect A method of accurately sensing rotational speed and

digitally signaling it. A rotating metallic shutter alternately blocks and opens a magnetic field from a

semiconductor sensor.

Hazardous Waste Any chemical or material that has one or more

characteristics that make it hazardous to health, life,

and/or the environment.

Heat A form of energy associated with the motion of atoms

or molecules and capable of being transmitted by

conduction, convection, and radiation.

Helix A spiral groove or scroll. The helical cut recesses in

some injection pumping plungers that are used to

meter fuel delivery. Plural: helices.

Hg manometer A mercury (Hg) filled manometer.

High Idle Speed The highest no load speed of an engine.

H₂O Manometer A water-filled manometer.

Hooke's Law The law that the stress of a solid is directly proportional

to the strain applied to it.

Horsepower (hp) Measurement of an engine's ability to perform work.

One horsepower is defined as the ability to move

33,000 pounds one foot in one minute.

Hunting Rhythmic fluctuation of engine RPM usually caused by

unbalanced cylinder fueling.

Hydraulic electronic unit injector

(HEUI)

Unit injector featuring a hydraulically-actuated injection

pumping, with an electronically controlled injector.

Combines fuel metering and injecting elements into a

single unit.

Hydraulics The science and practice of confining and pressurizing

liquids in circuits to provide motive power.

Hydrocarbon Describes substances primarily composed of elemental

carbon and hydrogen. Fossil fuels and alcohols are

both hydrocarbon fuels.

Hydrodynamic suspension The principle used to float a rotating shaft on a bed of

constantly changing, pressurized lubricant.

Hydrodynamical engine

management

All engines managed without computers.

Hydrometer An instrument designed to measure the specific gravity

of liquids, usually battery electrolyte and coolant mixtures. Not recommended for measuring either in truck engine applications where a refractometer is the

appropriate instrument due to greater accuracy.

Hypoid gear A bevel gear crown and pinion assembly where the

axes are at right angles but the pinion is on a lower

plane than the crown.

Hysteresis	(i) In hydromechanical governor terminology, a response lag.
	(ii) Molecular friction caused by the lag between the formation of magnetic flux behind the magnetomotive force that creates it.
ľ	
Impedance	The combination of resistance and reactance in an AC circuit.
Indicated horsepower	Gross power produced in the engine cylinders often arrived at by calculation and always greater than <i>brake power</i> because it does not factor in pumping and friction losses.
Indirect injection (IDI)	Describes any of a number of methods of injecting fuel to an engine outside of the cylinder. This may be to an intake tract in the intake manifold or to a cell adjacent to the cylinder such as a pre-combustion chamber.
Industry Committee	A committee of industry members who are representative of the province and help to guide the MTCU about apprenticeship issues.
Inertia	In physics, it describes the tendency of a body at rest or in motion to continue that state unless it is changed by an external force.
Inline block	An engine that has all of its cylinders aligned in a straight row.

Insulator

Integral

Isochronous governor

Materials that either prevent or inhibit the flow of electrons: usually nonmetallic substances that contain more than four electrons in their outer shell.

Whole or combined with another component to act as a single unit.

A zero droop governor or one that accommodates no change in RPM on the engine it manages as engine load varies. In electronically managed truck engines, the term is sometimes used to describe engine operation in PTO mode.

J

Jounce Literally "bump"-used to describe the most compressed

condition of a suspension spring.

Journal The part of an axle or shaft that actually contacts the

bearing.

Jumper pipe A term used to describe the pipes that connect the

charge and return galleries with DDC MUIs or with

each other in multicylinder heads.

K

Kinetic energy Any energy associated with motion.

Kingpin inclination Inclination angle of the steering axis to a vertical plane.

Kirchhoff's 1st Law States that the current flowing into a point or

component in an electrical circuit must equal the

current flowing out of it.

Kirchhoff's 2nd Law States that the voltage will drop in exact proportion to

the resistance in a circuit component and that the sum of the voltage drops must equal the voltage applied to the circuit; also known as Kirchhoff's Law of voltage

drop.

L

Lambda sensor An exhaust gas sensor used on electronically

managed, SI gasoline-fueled engines to signal the

ECM the oxygen content in the exhaust gas.

Laminar flow A condition where the fluid particles move in

continuous parallel paths; streamline flow.

Lead acid battery Standard vehicle battery consisting of lead acid cells

in series. Twelve volt batteries have become standard and they can be used in multiples in parallel or series

for heavy duty applications.

Learning content The learning activities required for the learner to

achieve the Learning Outcomes. A comprehensive list

of activities to guide the trainer.

Learning outcome Learning outcomes are discrete statements that

describe the elements leading to attainment of the

general learning outcome.

L-head engine An in-line engine configuration where the intake and

exhaust valve ports are located adjacent to the cylinder in the block. Seldom used in current engines.

Liner protrusion The amount the liner protrudes above the deck of the

block, thus allowing retention when the head is

properly torqued.

Logic (i) The science of reasoning.

(ii) Arithmetic and data comparison protocols of a

microprocessor.

M

Magnetism The phenomenon that includes the physical attraction

for iron observed in lodestone and associated with electric current flow. It is characterized by fields of force, which can exert a mechanical and electrical influence on anything within the boundaries of

that field.

Manometer A tubular, U-shaped column mounted on a calibration

scale. The tube is water or mercury-filled to balance at 0 on the scale and the instrument is used to measure light pressure or vacuum conditions in fluid circuits.

Mechanical efficiency A measure of how effectively *indicated power* is

converted into brake power; factors in pumping and

friction losses.

Mechanical Unit Injector (MUI) Cam-actuated, governor-controlled unit injectors used

by DDC and Caterpillar.

Micrometer A precision instrument for measuring either internal,

external, or depth dimensions to within thousands or

ten thousands of an inch or millimeter.

Micron One millionth of a meter or .000039 inch. The term

used to rate the size of filters for liquids, such as

engine oil or hydraulic fluids.

Muffler An *engine silencer* that uses sound absorption and

resonation principles to alter the frequency of engine

noise.

Multimeter A test instrument capable of reading volts, amps, and

ohms.

Multi-orifii nozzle A typical hydraulic injector nozzle whose function it is

to switch and atomize the fuel injected to an engine cylinder. Consists of a nozzle body machined with the orifii, a nozzle valve, and a spring. Used in most DI diesel engines using port helix injection pumps, MUIs,

EUIs, and HEUIs.

Multiplexing A method of using one communications path to carry

two or more signals simultaneously.

N

Nitrogen dioxide One of the oxides of nitrogen produced in vehicle

engines and a significant contributor in the formation

of photochemical smog.

Non-ferrous metal Metals and alloys that contain little or no iron.

Non-volatile RAM NVRAM-read-write RAM device capable of data

retention in cells in a vehicle module after the ignition

circuit is opened; also known as KAM

Normal rated power
The highest power specified for continuous operation

of an engine.

0

O. Reg.631/94 section 3 Is an Ontario regulation for regulations as they apply

to overhead cranes.

OEM Original equipment manufacturer.

Ohm A unit for quantifying electrical resistance in a circuit.

Ohmmeter An instrument for measuring resistance in an electric

component or circuit.

Ohm's Law The formula used to calculate electrical circuit

performance. It asserts that it requires 1 v of potential to pump 1 A of current through a circuit resistance of

1 ohm.

Opacity meter A light extinction means of testing exhaust gas

particulate and liquid emission that rates density of exhaust smoke based on the percentage of emitted light that does not reach the sensor, so the higher the percentage reading, the more dense the exhaust

smoke.

Orifice A hole or aperture.

Orifii Plural of orifice.

Oscilloscope An instrument designed to graphically display

electrical waveforms on a CRT or other display

medium.

Otto cycle The four stroke, spark ignited cycle, patented by

Nicolas Otto in 1876 and consisting of induction,

compression, power and exhaust strokes.

Overhead camshaft An engine which locates the valve actuating

camshaft(s) in the cylinder head to either directly or indirectly actuate the valves and in some diesel

applications, the unit injectors.

Oxidation The act of oxidizing a material; can mean combusting

or burning a substance.

Oxides of nitrogen (NOx)

An undesirable compound of nitrogen and oxygen in

exhaust gases. Usually produced when combustion

chamber temperatures are excessively high.

Oxy-acetylene A commonly used cutting, heating, and welding

process that uses pure compressed oxygen in

conjunction with acetylene fuel.

P

Packet Bit architecture of a multiplex message

Parallel port valve configuration Engine cylinder valve arrangement that locates

multiple valves parallel to crank centreline permitting equal gas flow through each (assuming identical lift).

Particulate trap A canister in series with the exhaust piping containing

a filtering medium to entrap diesel HC exhaust particulates and in some instances oxidize them.

Pascal's Law A principle of fluids that states that when pressure is

applied to a confined fluid, it is transferred

undiminished throughout the fluid.

PC networks Any of a variety of small personal computers designed

for full function in isolation from other units but which

may be used to network with other systems.

Piezoelectric Principle Certain crystals become electrically charged when

exposed to pressure, the voltage produced increasing proportionally with pressure rise. Quartz and Rochelle salt crystals have these properties. Combustion pressure sensors may both use the Piezoelectric

Principle.

Pintle nozzle A type of hydraulic injector nozzle used in some

IDI automobile, small bore diesel engines until

recently.

Plenum chamber A chamber or cavity in which a fluid is held at a

pressure above atmospheric or above system mean

pressure.

Pneumatics Branch of fluid power physics dealing with pressure

and gas dynamics.

Poppet nozzle Forward opening injector nozzle valve used on older

Caterpillar IDI systems.

Port-helix metering Consists of a pumping plunger and barrel assembly

designed to regulate fuel delivery.

Potentiometer A three-terminal variable resistor or voltage divider

used to vary the voltage potential of a circuit. Commonly used as a throttle position sensor.

Power The rate of accomplishing work; it is necessarily

factored by time.

Practical The hands-on element of learning in the curriculum

document. Apprentice activities develop skills to achieve completion of psychomotor learning

outcomes.

Preloading Process of adjusting a bearing so that it has a mild

pressure placed upon it, beyond zero endplay.

Prerequisite Learning that must be achieved prior to taking a given

subject.

Pressure Force exerted per unit of area.

Pulse width modulation The shaping of pulses and waveforms for purposes of

digital signaling. Acronym PWM is often used.

Pyrometer A thermocouple type, high temperature sensing

device used to signal exhaust temperature. Consists of two dissimilar wires (pure iron and constantan) joined at the hot end with a millivoltmeter at the read end. Increase in temperature will cause a small current to flow, which is read at the voltmeter as a

temperature value.

Q

Quenching Process of dipping a heated object into water, oil, or

other substance to quickly reduce its temperature.

Quiescent Combustion Non-turbulent flame propagation characteristic of slow

running diesel engines that are direct injected.

R

Radial A line at right angles to a shaft, cylinder, etc.,

Centerline.

RAM Random access memory. Electronically retained

"main memory."

Rated power The highest power specified for continuous operation.

Rated speed The RPM at which an engine produces peak power.

Rebound Reactive response of a spring, the opposite of jounce.

Reluctor Term describing a number of devices that use

magnetism and motion to produce an AC voltage-a

pick-up coil.

Reportable Subject (i) A clustering or grouping of related or like learning

outcomes.

(ii) A standalone learning unit with a distinct start and

end.

(iii) A course or module.

Reserve Capacity The amount of time a battery can produce an

acceptable current when not charged by the

alternator.

Rheostat A two terminal, variable resistor.

-
•

SAE Society of Automotive Engineers.

SAE horsepower A structured formula used to calculate brake

horsepower data that can be used for comparison

purposes.

Scoring Scratch/gouge damage to a surface finish.

Semiconductor A substance, such as silicon, that acts as a conductor

or insulator, depending on its operating condition and

application.

Semi-floating axle A drive axle design in which the axle shaft imparts

drive to the wheel and supports the vehicle weight.

Sensor A term that covers a wide range of command and

monitoring input (ECM) signal devices.

Shunt winding A wire coil that forms an alternate path through which

electrical current can flow.

s.i. système international d'unités. A measure in metric

units.

Silicon A non metallic element found naturally in silica,

silicone dioxide in the form of quartz.

Silicon-controlled rectifier Function similarly to a bipolar transistor with a fourth

semiconductor layer; used to switch DC.

Smart term Used to describe components or subsystems with

processing capability or direct-controlled by an ECM.

Examples: smart cruise/ smart injector.

Spark ignition (SI)

Any gasoline-fueled, spark-ignited engine usually

using an Otto cycle principle.

Specific gravity A relative weight of a given volume of a specific

material as compared to an equal volume of water.

Spiral gear A winding helical protrusion or thread machined to a

shaft, as in a worm gear.

Static electricity Accumulated electrical charge not flowing in a circuit.

Stoichiometric Ratio The exact ratio of reactants participating in a reaction

required to complete the reaction. Most often used in the context of explaining the mass of air required to

completely combust a fuel.

Sulfur An element present in most crude petroleums, but

refined out of most current highway fuels. During combustion, it is oxidized to sulfur dioxide, and

classified as a noxious emission.

Sulfur dioxide The compound that is formed when sulfur is oxidized

that is the primary contributor to sulfurous type smog. Vehicles contribute little to sulfurous smog problems

due to the use of low sulfur fuels.

Supercharger Technically any device capable of providing manifold

boost, but in practice used to refer to gear-driven

blowers such as the Rootes blower.

Supplemental Restraint System

(SRS)

An emergency inflatable air bag system designed to

enhance crash safety.

Swept Volume The volume displaced in a cylinder as a piston moves

from BDC to TDC.

Synthetic Oils Petroleum based oils that have been chemically

compounded by polymerization and other processes.

T

TDC Top dead centre of an engine.

Tensile strength Widely used term denoting the required unit stress to

cause material separation. In ferrous alloys, tensile strength usually exceeds yield strength by about 10%.

Measured in force per unit area, psi.

Theory The theoretical hours listed in the curriculum

document that represent learning in the cognitive

domain, the thinking portion of the training.

Thermal Efficiency Ratio of brake power to that of the calorific value (heat

energy potential) of a material failure caused by

engine performance.

Thermistor A commonly used temperature sensor that is supplied

with a reference voltage and by using a temperature sensitive variable resistor, signals back to the ECM

portion of it.

Thrust faces A term used to describe loading of surface area

generally but most often of pistons. When the piston is subject to cylinder gas pressure there is a tendency for it to cock (pivot off a vertical centerline) and load

the contact faces off its axis on the pin.

Torque Twisting effort or force. Torque does not necessarily

result in accomplishing work.

Torque rise The increase in torque potential designed to occur in a

diesel engine as it is lugged down from the rated power RPM to the peak torque RPM, during which the power curve remains relatively flat. High torque rise engines are sometimes described as constant

horsepower engines.

Training Standards Training standards are created by the MTCU with the

Industry Committee and are intended to be used by the apprentice, instructors, and companies as a "blueprint" for on-the-job training, or as a prerequisite

for government certification.

Transducer A device that coverts energy from one power form to

another for instance, a physical pressure value to an

electrical pressure value.

Trunk piston A single piece piston usually constructed of aluminum

alloy.

Turbocharger A turbine device that utilizes exhaust pressure to

increase the air pressure going into the cylinders. Used particularly in reference to movement of air in

the cylinder and combustion chamber.

Turbulence A violent irregular movement or agitation of a fluid or

gas. Violent swirling motion. Fuel injection provided some turbulence. Additional turbulence is provided by

the design features of the combustion space.

Turbulent Flow A condition where the fluid particles move in random

paths rather than in continuous parallel paths.

Two-stroke cycle An engine that requires one complete revolution of the

crankshaft to fire each piston once. An engine requiring only one complete revolution of the crankshaft to complete the cycle of events.

U

Unit injector A diesel fuel injector which receives fuel at charging

pressure and performs the functions of metering, creating injection pressure values and atomizing fuel-usually directly to the engine cylinder. Mechanically or electronically controlled, mechanically or hydraulically

actuated.

Universal joint A flexible joint that permits changes in driving angles

between a driving and driven shaft.

Urea The chief solid component of mammalian urine;

synthesized from ammonia and carbon dioxide and used as fertilizer and in animal feed and in plastics

٧

Valve timing Crank angle locations in the cycle when the valves are

open and closed.

Valve train

The sum of the components responsible for actuating

a valve, extending from the cam profile to the valve

itself.

V-engine Engine configuration in which the cylinders are

arranged so that their axes form a V. Described by the

angle, most commonly, 45, 60, and 90 degrees.

Viscosity Denotes the fluidity of a liquid.

Viscosity Index A measure of a liquid's fluidity at a specific

temperature diminishes as temperature drops and

vice versa.

Viscous damper An engine vibration damper consisting of disc shaped

housing containing a fluid medium (silicon gel) and a solid inertia ring; uses fluid friction to dampen torsional

oscillation.

Volatility The ability of a liquid to evaporate. Gasoline has

greater volatility than diesel fuel.

Voltmeter Instrument for testing charge differential or voltage in

a circuit.

Volumetric efficiency Engine breathing efficiency. Extent to which end

gases are purged from an engine cylinder, usually expressed as a percentage of new charge to cylinder volume. A ratio of mass not volume. Seldom 100% in naturally aspirated engines, can be greater than 100%

in boosted engines.

Volute A snail-shaped diminishing sectional area such as

used in turbocharger geometry.

W

Wastegate A valve that vents excess exhaust gas to limit the

amount of boost delivered by a turbocharger.

Watt's Law Formula for computing unknown power, voltage, or

current in a circuit by using two known factors to find

the unknown value.

Wet liners Cylinder block liners that have direct contact with the

water jacket and therefore must support cylinder combustion pressures and seal the coolant to which

they are exposed.

Wheatstone bridge A galvanometer that bridges an electrical circuit to

give a resistance reading.

Υ

Yield strength The stress loading required to permanently deform a

material automotive construction materials, especially

steels, and are classified by yield strength rating.

Z

Zenor diode Specialty diode designed to conduct with a reverse

bias current after a specific voltage value is reached.



skilledtradesontario.ca



Truck and Transport Mechanic