



ONTARIO COLLEGE OF TRADES

ORDRE DES MÉTIERS DE L'ONTARIO

Apprenticeship
Curriculum Standard

Agricultural Equipment
Technician

Level 3

Trade Code: 425A

Date: 2010

Please Note: Apprenticeship Training and Curriculum Standards were developed by the Ministry of Training, Colleges and Universities (MTCU). As of April 8th, 2013, the Ontario College of Trades (College) has become responsible for the development and maintenance of these standards. The College is carrying over existing standards without any changes.

However, because the Apprenticeship Training and Curriculum Standards documents were developed under either the *Trades Qualification and Apprenticeship Act* (TQAA) or the *Apprenticeship and Certification Act, 1998* (ACA), the definitions contained in these documents may no longer be accurate and may not be reflective of the *Ontario College of Trades and Apprenticeship Act, 2009* (OCTAA) as the new trades legislation in the province. The College will update these definitions in the future.

Meanwhile, please refer to the College's website (<http://www.collegeoftrades.ca>) for the most accurate and up-to-date information about the College. For information on OCTAA and its regulations, please visit: <http://www.collegeoftrades.ca/about/legislation-and-regulations>

TABLE OF CONTENTS

Introduction	1
Program Summary of Reportable Subjects	4
S1262 Trade Practices.....	5
S1262.1 Shielded Metal Arc Welding.....	6
S1262.2 Metal Inert Gas (MIG) Welding	9
S1263 Fluid Power Systems	12
S1263.1 Hydraulic Principles	14
S1263.2 Hydraulic Actuators.....	16
S1263.3 Hydraulic Accumulators and Accessories	19
S1263.4 Hydraulic Schematics and Circuit Applications	22
S1263.5 Hydraulic System Circuit and Diagnosis	25
S1264 Engine Systems.....	28
S1264.1 Engine Short Block Assembly.....	30
S1264.2 Engine Short Block Reconditioning.....	33
S1264.3 Engine Component Diagnosis	35
S1265 Electrical/Electronic Systems.....	38
S1265.1 Charging Systems	40
S1265.2 Computerized Management Systems.....	44
S1265.3 Electrical Diagnosis	47
S1265.4 Ignition Theory.....	49
S1266 Fuel Systems	51
S1266.1 Diesel Fuel Injection Partial-Authority Engine Management Systems	53
S1266.2 Diesel Fuel Injection Full-Authority Engine Management Systems.....	56
S1266.3 Diesel Engine Emission Systems	60
S1266.4 Gasoline Fuel Systems	62
S1267 Drive Train Systems.....	64
S1267.1 Hydrostatic Drive Systems.....	66
S1267.2 Continuously Variable Ratio Transmission (CVT) Systems	69
S1267.3 Belt and Chain Drive Systems	71
S1267.4 Suspension Systems	73
S1268.0 Air Conditioning Systems.....	75
S1268.1 Air Conditioning Systems.....	76
Acronyms	78
Glossary	84

Introduction

The Agricultural Equipment Technician Level 3 curriculum has been developed in keeping with the prescribed Ministry of Training, Colleges and Universities (MTCU) Training Standards. The curriculum layout used provides an opportunity to cross-reference the in-school learning outcomes and content to the specific workplace Training Standards.

For easy reference, a time allocation has been included for each reportable subject, along with the Theory/Practical breakdown for the delivery of the Learning Content. More detailed time allocations for the instructor have been provided for each topic area to assure consistency for each apprentice intake.

The continual introduction of innovative techniques and more complex equipment is resulting in increasing demands for tradespersons who are not only skilled in the practical aspects of the trade, but who also have a sound theoretical knowledge of the inspecting, diagnosing, repair, and servicing requirements. The curriculum has been developed to provide this theoretical knowledge and to offer some practical applications to complement the on-the-job work experiences of the Agricultural Equipment apprentices.

The objective of the curriculum, therefore, is to provide a basis for:

- a) Sound theoretical training that meet the challenges presented by the increasingly more complex equipment designs and testing techniques.
- b) A reinforcement of fundamental skills of the trade through the exposure to practical applications.
- c) Developing in the apprentices high standards of craftsmanship, problem-solving skills, and personal pride in their trade.
- d) Developing desirable work attitudes and a keen sense of responsibility, particularly concerning public and personal safety.

The curriculum has been designed to give the instructor every reasonable opportunity for flexibility and innovation without deviating to any significant degree from the subject requirements, as determined by the Industry Committees and as prescribed in the Regulations for the Trades. Since the scope of the prescribed curriculum is quite extensive, the apprentices must be expected to reinforce the acquired knowledge through regular independent out-of-classroom assignments. The curriculum has been presented in a chronological sequence in keeping with sound teaching methodologies. However, the actual application of the sequence may differ somewhat between colleges because of scheduling, staffing, and facilities utilization.

The curriculum includes specific references to the Ministry of Training, Colleges and Universities Apprenticeship Training Standards. While these references to various performance objectives in the Training Standards have been linked to the respective in-school outcomes, employers should not assume complete coverage to a journey person level. The in-school delivery focuses primarily on the knowledge required to master the respective objectives outlined in the Training Standards. Employers, therefore, are expected to complete the training of these respective objectives by applying the prescribed in-school knowledge to the required practical learning experienced in the work setting.

To ensure that apprentices will be able to successfully demonstrate the learning outcomes according to performance criteria, specific times have been allocated in the respective areas to allow for some applications enhancement. It is of utmost importance that all application assignments relate to prescribed experiences only. Time constraints will not permit engaging apprentices in tasks of limited learning benefit that are unrelated to the curriculum outcomes. In the Learning Content section, whenever an assigned operation for an applied test or repair procedure indicates that a demonstration should be performed, there is only enough time allocated for the instructor to perform the activity.

Regular evaluations of the apprentices' learning achievements must be performed in both theory and practical applications throughout the program to ensure consistency with learning outcome expectations. Testing of apprentice knowledge and skills will take place during the allotted delivery hours for each unit. In addition to providing an evaluation of apprentice competency, the review of test question answers is considered to be a valuable learning opportunity.

In all practical activities, the apprentices will observe the Occupational Health and Safety Act and the applicable regulations including use of personal protective equipment. Institutional regulations and policies may also apply.

Participation by Stakeholders

A consortium of six colleges of applied arts and technology, working in collaboration with the Ministry of Training, Colleges and Universities and industry stakeholders, participated in the development of this document. The development and subsequent revisions were based on the training standards that were previously revised by the MTCU in consultation with industry advisory groups. The development was completed using a process and format approved by MTCU.

Participating Colleges

- Cambrian College of Applied Arts and Technology (Project Lead)
- Algonquin College of Applied Arts and Technology
- Centennial College of Applied Arts and Technology
- Fanshawe College of Applied Arts and Technology (AET Level 3 Lead)
- Mohawk College of Applied Arts and Technology
- Sault College of Applied Arts and Technology

Industry Representatives:

Equipment World Ltd
Sudbury Truck & Trailer Ltd
Toromont CAT Ltd
Nortrax Ltd
Xstrata Nickel Ltd
McGavin Farm Equipment Ltd.

Elmira Farm Service Ltd
Liftow Inc.
Vale Inco Ltd
Volvo Canada Ltd
Atlas Copco Construction & Mining Canada Ltd

The first step in the development process was to assemble a Project Steering Committee (PSC), consisting of both industry representatives and apprenticeship in-school deliverers. The PSC initiated the plan for the project development that followed. The PSC established six working teams, each responsible for the development of in-school apprenticeship curriculum documents for the specific motive power trades listed below:

- Level 1 common to Agricultural Equipment, Heavy Duty Equipment, Powered Lift Truck, and Truck and Coach
- Level 2 common to Agricultural Equipment and Heavy Duty Equipment
- Level 3 specific to Agricultural Equipment
- Level 3 specific to Heavy Duty Equipment
- Level 2 and 3 specific to Powered Lift Truck
- Level 2 and 3 specific to Truck and Coach

The six teams worked with advisory groups during the development of the curriculum. The advisory groups were industry representatives who ensured content validity. During various stages of the process, the PSC and participating industry advisory groups evaluated the draft curriculum documents and provided feedback and recommendations for revisions.

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Program Summary of Reportable Subjects – Level 3

Number	Reportable Subjects	Hours Total	Hours Theory	Hours Practical
S1262	Trade Practice	16	2	14
S1263	Fluid Power Systems	48	24	24
S1264	Engine Systems	32	16	16
S1265	Electrical/Electronic Systems	48	25	23
S1266	Fuel Systems	32	28	4
S1267	Drive Train and Suspension Systems	40	24	16
S1268	Air Conditioning Systems	24	16	8
	Total	240	135	105

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Number: **S1262**

Reportable Subject: **Trades Practices**

Duration: Total 16 hours Theory 2 hours Practical 14 hours

Prerequisites: CVAE level 2

Co-requisites: None

1.1 Shielded Metal Arc Welding

8 Total Hours Theory: 1 hour Practical: 7 hours

1.2 Metal Inert Gas (MIG) Welding

8 Total Hours Theory: 1 hour Practical: 7 hours

Evaluation Structure: Assignments related to theory and appropriate application skills
Proctored final exam
Periodic quizzes

Mark Distribution:

Theory Testing	Practical Application Testing
20%	80%

Instructional and Delivery Strategies:
Lecture and assignment work

Reference Materials:
O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Shielded Metal Arc Welder	Chipping hammers
Metal Inert Gas Welder	Hand grinders
Selection of filler rods and consumables	Personal Protective Equipment specific to welding

1.1.3 Describe the principles of operation of shielding metal arc welding equipment.

- [0/0.5]
- **equipment settings**
 - **transformers**
 - **rectifiers**
 - **stationary and portable units**
 - **closed circuit voltage**
 - **open circuit voltage**

1.1.4 Perform inspection and diagnostic procedures following manufacturers' recommendations for shielded metal arc welds.

- [0/0.5]
- **describe and diagnose defective welds**
 - porosity
 - lack of penetration
 - excessive heat
 - contamination
 - **identify causes of defective welds**

1.1.5 Identify maintenance procedures for shielded metal arc welding equipment following manufacturers' recommendations.

- [0/0.5]
- **welding cables**
 - **holding devices**
 - **power sources**
 - **protective equipment**

1.1.6 Perform the assigned shielded metal arc welding procedures following manufacturers' recommendations and safe work practices.

- [0/5.5]
- **perform machine adjustments and welds**
 - **perform single and multi pass butt and fillet welds in flat position**
 - **perform single pass butt and fillet welds in the vertical position**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye, face, hand, foot, and clothing protection
 - fire prevention
 - ventilation
 - cut and burn treatments
 - flammable container welding precautions
 - electrical shock prevention
 - vehicle electronic protection
 - butane lighters
 - flash protection
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

1.2.3 Describe the principles of operation and set-up of metal inert gas (MIG) welding equipment.

- [0/1]
- **gun angle and travel**
 - **wire drive**
 - pressure
 - speed
 - groove design
 - **contact tip**
 - cleanliness
 - gas flow
 - wire speed
 - **voltage setting**
 - metal thickness and type
 - **shielding gas**
 - flow rate

1.2.4 Perform inspection and diagnostic procedures of metal inert gas (MIG) welding operations.

- [0/1]
- **inspect and diagnose weld defects**
 - spatter
 - porosity
 - lack of penetration
 - excessive heat
 - wire speed
 - too fast
 - too slow
 - shielding gas
 - selection
 - flow rate

1.2.5 Perform assigned operations for metal inert gas (MIG) welding procedures following manufacturers' recommendations and safe work practices.

- [0/4.5]
- **weld deposits on lap and "T" joints**
 - **perform adjustments to:**
 - voltage
 - wire speed
 - gas flow
 - electrode protrusion

1.2.6 Describe maintenance procedures for metal inert gas (MIG) welding equipment following manufacturers' recommendations.

- [0.5/0]
- **drive roll pressure**
 - **cable conduit cleanliness**
 - **contact tip condition**
 - **gas nozzle condition**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye, face, hand, foot, and clothing protection
 - fire prevention
 - ventilation
 - cut and burn treatments
 - flammable container welding precautions
 - electrical shock protection
 - vehicle electronic protection
 - flash protection
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Number:	S1263
Reportable Subject:	Fluid Power Systems
Duration:	Total 48 hours Theory 24 hours Practical 24 hours
Prerequisites:	CVAE Level 2
Co-requisites:	None

2.1 Hydraulic Principles

4 Total Hours Theory: 4 hours Practical: 0 hours

2.2 Hydraulic Actuators

10 Total Hours Theory: 6 hours Practical: 4 hours

2.3 Hydraulic Accumulators and Accessories

4 Total Hours Theory: 2 hours Practical: 2 hours

2.4 Hydraulic Schematics and Circuit Applications

6 Total Hours Theory: 4 hours Practical: 2 hours

2.5 Hydraulic System Circuits and Diagnosis

24 Total Hours Theory: 8 hours Practical: 16 hours

Evaluation Structure: Assignments related to theory and appropriate application skills
Proctored final exam
Periodic quizzes

Mark Distribution:

Theory Testing	Practical Application Testing
50%	50%

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Instructional and Delivery Strategies:
Lecture and assignment work

Reference Materials:
O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Agricultural tractor with open centre hydraulic system	Hydraulic flow rate tester for each tractor
Agricultural tractor with closed centre hydraulic system (pressure compensated)	Pressure testing equipment: mechanical gauges, electronic gauges
Agricultural tractor with closed centre hydraulic system (pressure and flow compensated)	Hydraulic cylinders and motors
Axial piston pumps	

S1263.1 Hydraulic Principles

Duration: Total 4 hours Theory 4 hours Practical 0 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5922.00, 5927.00

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to interpret hydraulic system schematics following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

2.1.1 Explain the fundamental enhancement information of hydraulic circuits and schematics.

- [0.5/0] - **graphic symbols**
- **hydraulic circuit layouts**
- **pictorial drawings**
- **diagrams**
- **schematics**
- **Society of Automotive Engineers (SAE)**
- **International Standards Organization (ISO)**
- **American National Standards Institute (ANSI)**

2.1.2 Identify hydraulic component on diagrams and schematics.

- [0.5/0] - **component relationships**
- **graphic symbols**

2.1.3 Describe the oil flow circuit path through various hydraulic system diagrams and schematics.

- [1.5/0]
- **open centre systems**
 - series connections
 - series-parallel connections
 - **closed centre systems**
 - fixed displacement pump
 - variable displacement pump
 - **interpret graphic symbols as applied to system circuit schematics**

2.1.4 Perform calculations for hydraulic circuit applications.

- [1.5/0]
- **pressure**
 - **force**
 - **area**
 - **delivery**
 - **cycle times**
 - **power**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards—WHMIS
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1263.2 Hydraulic Actuators

Duration: Total 10 hours Theory 6 hours Practical 4 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5922.00

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to recommend repair procedures for hydraulic actuators following manufacturers' recommended procedures.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

2.2.1 Explain the purpose and fundamentals of hydraulic actuators.

[1.5/0] - **fundamentals enhancement**

- displacement
- horsepower
- flow rate
- aeration
- pressure and force
- cavitation
- friction
- graphic symbols
- contamination and importance of cleanliness
- torque
- torque rates
- rod speed
- shaft speed

2.2.2 Identify the construction features of hydraulic actuators.

[1.5/0] - **motors**

- gear
- balance and unbalanced vane
- compensating valves
- variable displacement piston
- radial piston
- axial piston

- **cylinders**
 - single acting
 - double acting
 - series telescoping
 - regenerating

2.2.3 Describe the principles of operation of hydraulic actuators.

- [3/0]
- **motors**
 - high speed low torque
 - low speed high torque
 - gear
 - vane
 - piston
 - balanced and unbalanced
 - **cylinders**
 - single acting
 - double acting
 - series telescoping

2.2.4 Perform inspection, testing, and diagnostic procedures following manufacturers' recommendations for hydraulic actuators.

- [0/3]
- **demonstrate the inspection and testing of hydraulic motors**
 - **outline the recommended diagnostic procedures for determining faults in hydraulic motors and cylinders**
 - **examine and analyze failed hydraulic motor and cylinder components**

2.2.5 Recommend reconditioning or repairs following manufacturers' recommendations for hydraulic actuators.

- [0/1]
- **outline the recommended procedures to remove and replace hydraulic motors and cylinders**
 - **dismantle and reassemble hydraulic actuators**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards—WHMIS
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1263.3 Hydraulic Accumulators and Accessories

Duration: Total 4 hours Theory 2 hours Practical 2 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5922.00

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to recommend repairs for hydraulic accumulators and accessories following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

2.3.1 Explain the purpose and fundamentals of hydraulic accumulators and accessories.

- [0.5/0] - **accumulator safety precautions**
- **accumulator types**
 - pneumatic (gas charged)
 - spring loaded
 - weighted
- **pressure boosters**
- **switches**
- **gauges**
- **sensors**
 - pressure
 - flow
 - temperature
- **graphic symbols**

2.3.2 Identify the construction features of hydraulic accumulators and accessory components.

- [0.5/0] - **accumulators**
 - pneumatic (gas charged)
 - spring loaded
 - weighted
- **pressure boosters**
- **switches**

- **sensors**
 - pressure
 - flow
 - temperature

2.3.3 Describe the principles of operation of hydraulic accumulators and accessories.

- [1/0]
- **accumulators**
 - pneumatic (gas charged)
 - spring loaded
 - weighted
 - **pressure boosters**
 - **switches**
 - **sensors**
 - pressure
 - flow
 - temperature

2.3.4 Perform inspection, testing, and diagnostic procedures following manufacturers' recommendations for hydraulic accumulators and accessories.

- [0/1]
- **demonstrate the testing procedures for internal and external leakage of accumulators**
 - **examine defective component parts and relate to primary causes for failure or wear**
 - **demonstrate recommended tests for boosters, pressure switches, gauges, and sensors**

2.3.5 Recommend reconditioning or repairs following manufacturers' recommendations for hydraulic accumulators and accessories.

- [0/1]
- **outline the recommended safety procedures to service accumulators**
 - **identify location of boosters, pressure switches, gauges, and sensors on hydraulic systems**
 - **outline the recommended repair procedures for boosters, pressure switches, gauges, and sensors**
 - **perform a demonstration of recommended safe charging, adjusting, and repair procedures for accumulators**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - chemical hazards—WHMIS
 - high pressure concerns for skin penetration
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1263.4 Hydraulic Schematics and Circuit Applications

Duration: Total 6 hours Theory 4 hours Practical 2 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5922.00, 5927.08, 5927.09, 5927.10, 5927.11, 5927.12, 5927.13, 5927.14, 5927.15, 5927.16

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to evaluate circuit design and compare with manufacturers' schematics.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

2.4.1 Explain the purpose and fundamentals of hydraulic circuits.

- [1/0] - **open centre systems**
- series connections
 - parallel connections
 - series-parallel connections
 - power beyond
 - flow dividers
- **closed centre systems**
- fixed displacement pump and accumulators
 - variable displacement pump
 - pressure compensated
 - power beyond
 - pressure and flow compensated
- **special flow systems**
- demand
 - summation
 - pressure compensated
 - flow compensated

2.4.2 Identify the construction features of hydraulic system circuits.

- [1/0]
- **open centre systems**
 - series connections
 - parallel connections
 - series-parallel connections
 - power beyond
 - flow dividers
 - **closed centre systems**
 - fixed displacement pump and accumulators
 - variable displacement pump
 - pressure compensated
 - power beyond
 - pressure flow compensated
 - **special flow systems**
 - demand
 - summation
 - pressure compensated

2.4.3 Describe the principles of operation of hydraulic systems for circuits.

- [1/0]
- **open centre systems**
 - series connections
 - parallel connections
 - series-parallel connections
 - power beyond
 - flow dividers
 - **closed centre systems**
 - fixed displacement pump and accumulators
 - variable displacement pump
 - pressure compensated
 - power beyond
 - pressure flow compensated
 - **special flow systems**
 - demand
 - summation
 - pressure compensated

2.4.4 Perform a hydraulic system comparison to the manufacturers' schematic representation.

- [0/2]
- **identify component locations**
 - **test points**
 - **conductor routing**
 - **sensor locations**

2.4.5 Recommend diagnostic procedures following manufacturers' recommendations for system assessment.

- [1/0]
- **outline the steps to diagnose circuit condition**
 - **interpret factors of flow and pressure that affect circuit operation and compare to manufacturers' specifications**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards
- **tools and equipment**
 - special tools
 - holding fixtures
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1263.5 Hydraulic System Circuits and Diagnosis

Duration: Total 15 hours Theory 8 hours Practical 7 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5922.00

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to diagnose a hydraulic system and recommend repairs following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

2.5.1 Explain the fundamentals of diagnosing hydraulic systems.

- [1/0] - **examine and interpret manufacturers' diagnostic troubleshooting charts for hydraulic systems**
 - **examine and interpret manufacturers' schematics**

2.5.2 Identify types of failures as related to the manufacturers' recommended performance criteria for hydraulic systems.

- [2/0] - **cavitation**
 - **aeration**
 - **contamination**
 - **oil starvation**
 - **overheating**
 - **overloading**

2.5.3 Describe the procedures to inspect and test a hydraulic system.

- [2/0] - **step-by-step procedures of the troubleshooting charts related to hydraulic systems**
 • flow tests
 • pressure tests
 • bypass tests
 • cycle times

2.5.4 Perform hydraulic system diagnostic procedures as recommended by the manufacturer.

[1.5/ 5] - **step-by-step diagnostic procedures related to both open and closed centre hydraulic systems**

- flow tests
- pressure tests
- bypass tests
- cycle times

2.5.5 Recommend reconditioning or repairs following the manufacturers' recommended procedures for hydraulic systems.

[1.5/2] - **perform a demonstration of failure analysis as related to the following components:**

- pumps
 - piston
 - vane
 - gear
- control valves
 - pressure
 - flow
 - directional
- actuators
 - linear
 - rotary
- conductors
 - adapters

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards--WHMIS

- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Number: **S1264**

Reportable Subject: **ENGINE SYSTEMS**

Duration: Total 32 hours Theory 16 hours Practical 16 hours

Prerequisites: CVAE Level 2

Co-requisites: None

3.1 Engine Short Block Assembly

8 Total Hours Theory: 3 hours Practical: 5 hours

3.2 Engine Short Block Reconditioning

12 Total Hours Theory: 6 hours Practical: 6 hours

3.3 Engine Component Diagnosis

12 Total Hours Theory: 7 hours Practical: 5 hours

Evaluation Structure: Assignments related to theory and appropriate application skills
Proctored final exam
Periodic quizzes

Mark Distribution:

Theory Testing	Practical Application Testing
50%	50%

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Instructional and Delivery Strategies:
Lecture and assignment work

Reference Materials:
O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Complete engines (parent block)	Piston ring installation tool
Precision measuring tools	Piston installation tool
Cylinder protrusion measuring tool	Sleeve puller
Cylinder counterbore measuring tool	Seal removal/ installation tools
Cylinder bore measuring tools	Engine timing tools
Complete engines (wet sleeves)	Power-take off type dynamometer
Magnetic crack detection equipment	Agricultural tractor (minimum size of 100 horsepower)
Torque wrenches	Basic hand tools

S1264.1 Engine Short Block Assembly

Duration: Total 8 hours Theory 3 hours Practical 5 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5923.11, 5923.12, 5923.13

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to describe the testing and servicing procedures of an engine short block assembly following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

3.1.1 Explain the fundamentals of the engine short block assembly.

[0.5/0] - **fundamentals enhancement**

- bore
- stroke
- engine displacement
- fatigue failures and stress areas
- engine efficiency
- calculations
 - torque rise
- overview of block types
 - sectional
 - sleeved
 - parent/Enbloc

3.1.2 Identify the construction features, types, styles, and application of the engine short block and sub-assembly components.

[1/0] - **cylinder block**

- **wet versus dry sleeve engines**
- **sleeve materials**
- **connecting rod to piston attaching methods**
- **identify designs of connecting rod parting surfaces**
- **piston construction and design features and their relation to operating conditions**
 - one-piece
 - articulating

- **crankshaft and bearings**
- **covers, gaskets, and seals**

3.1.3 Describe the principles of operation of the engine short block and sub-assemblies.

- [1/0]
- **counter balancing devices**
 - **piston rings**
 - **piston and connecting rod assemblies**
 - one-piece
 - articulating
 - **piston construction and design features and their relation to operating conditions**
 - one-piece
 - articulating
 - **crankshaft and bearings**
 - **seals and gaskets**

3.1.4 Perform inspection and testing procedures following manufacturers' recommendations for engine short block and sub-assembly components.

- [0.5/3.5]
- **demonstrate non-destructive tests using magnaflux, dye penetrant, and magnetic-particle methods**
 - crankshaft
 - pistons
 - sleeve
 - cylinder block
 - **rod side clearance checks**
 - **ring side clearance and end gap checks**
 - **piston pin caps (plugs)**
 - vacuum test
 - **crankshaft checks:**
 - end play
 - bearing clearances and fit
 - surface condition

3.1.5 Recommend reconditioning or repair procedures following manufacturers' recommendations for the engine short block assembly and sub-assemblies.

- [0/1.5] - **clean the engine block**
- oil passages
 - coolant passages
 - external surfaces
- **clean piston and connecting rod assemblies**
- cleaning agents
 - carbon removal

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye, hearing, breathing, and hand protection
 - rotating components
 - wire and grinding wheels
 - cleaning agents
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1264.2 Engine Short Block Reconditioning

Duration: Total 12 hours Theory 6 hours Practical 6 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5923.12, 5923.13

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to describe the testing and servicing procedures for engine short block reconditioning following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

3.2.1 Explain the fundamentals of engine short block reconditioning.

- [1.5/0] - **purpose, function, types, styles, and applications**
- **fundamentals enhancement**
 - **explain the significance and procedures for:**
 - piston pin fits and tolerances, including press fit, burnishing and honing
 - cylinder ridge removal, de-glazing, honing, and boring
 - cylinder sleeve removal, fits, tolerances, and installation
 - cylinder block counter bore and sleeve protrusion
 - precision measuring devices

3.2.2 Identify the construction features of cylinder sleeve reconditioning, removal, and replacement equipment.

- [1.5/0] - **engine repair equipment**
- ridge remover, de-glazer, hone
 - counter-bore reconditioner

3.2.3 Describe the principles of operation of the equipment for cylinder sleeve reconditioning, removal, and replacement.

- [1/0] - **cylinder service equipment**
- ridge removal, de-glazing, honing, sleeve pulling and installing, counter boring

3.2.4 Perform inspection and testing procedures following manufacturers' recommendations for engine short block components.

- [2/6] - **block distortion and gasket surface checks**
- **crankshaft checks**
 - bearing clearance
 - **piston/cylinder measuring for:**
 - taper, out-of-round, size
 - piston to cylinder fit
 - **remove sleeve**
 - check counterbore
 - **sleeve tests for:**
 - protrusion

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - rotating hone precautions
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1264.3 Engine Component Diagnosis

Duration: Total 12 hours Theory 7 hours Practical 5 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5923.11

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to demonstrate the diagnostic procedures used for engine and component failure analysis following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

3.3.1 Explain the fundamentals of engine and component diagnosis.

- [3/0] - **identify diagnostic procedures to determine primary and secondary causes of component failures**
- **explain the diagnostic procedures for:**
 - power loss
 - noises
 - oil consumption
 - exhaust smoke
 - **explain the significance of proper system servicing**
 - cooling system service
 - lubrication system service

3.3.2 Identify and demonstrate engine performance tests following manufacturers' recommended procedures and safe work practices.

- [2/3] - **perform dynamometer load tests:**
- fuel consumption
 - torque, power
 - operating temperatures
 - intake pressures
 - exhaust pressures
 - crankcase pressures
 - torque rise profile

3.3.3 Perform engine component failure analysis and assigned operations following the manufacturers' recommended procedures.

- [2/2] - **engine component failure analysis for:**
- blocks
 - warpage
 - cracks
 - corrosion
 - wear
 - crankshafts/camshafts
 - breakage
 - bending
 - lack of lube
 - wear/scoring
 - cracks
 - sleeves
 - cavitation erosion
 - corrosion
 - wear/scoring
 - cracks
 - pistons, rings, pins
 - wear/scoring
 - cracks
 - overheating
 - seizure
 - connecting rods
 - bending/twisting
 - bore distortions
 - cracks
 - stretch
 - fastener failures
 - bearings and seals
 - wear /scoring
 - cracks
 - overheating
 - seizure
 - valves and valve train components
 - wear/scoring
 - stretch
 - cracks
 - overheating
 - seizure
 - corrosion
 - turbochargers and blowers
 - overheating
 - contamination
 - scoring /seizure
 - breakage

- **diagnostic tests to determine failures**
 - cooling system components
 - lubrication system components
 - engine oil

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - hot coolant and lubricant
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Number: **S1265**

Reportable Subject: **ELECTRICAL/ELECTRONIC SYSTEMS**

Duration: Total 48 hours Theory 25 hours Practical 23 hours

Prerequisites: CVAE Level 2

Co-requisites: None

4.1 Charging Systems

23 Total Hours Theory: 12 hours Practical: 11 hours

4.2 Computerized Management Systems

10 Total Hours Theory: 6 hours Practical: 4 hours

4.3 Electrical Diagnosis

12 Total Hours Theory: 4 hours Practical: 8 hours

4.4 Ignition Theory

3 Total Hours Theory: 3 hours Practical: 0 hours

Evaluation Structure: Assignments related to theory and appropriate application skills
Proctored final exam
Periodic quizzes

Mark Distribution:

Theory Testing	Practical Application Testing
50%	50%

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Instructional and Delivery Strategies:
Lecture and assignment work

Reference Materials:
O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Heavy duty alternators	Alternator test stand
Heavy duty carbon pile	High Impedance multi-meters
Agricultural tractor (with electronic control modules)	Electronic service tool (OEM type programming, not a generic scan tool) capable of connection to the listed tractor

S1265.1 Charging Systems

Duration: Total 23 hours Theory 12 hours Practical 11 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5921.0, 5921.11

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to inspect, test, and repair charging systems following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

4.1.1 Explain purpose and fundamentals of charging systems.

- [2/0] - **current flow**
- **diodes**
- **electromagnetism**
- **voltage induction**
- **inductive reactance of stator**
- **battery conditions as affecting internal resistance**
- **principles of tracing wiring schematics**
- **electrical/electronic symbols**
- **Ohm's law**
- **temperature effects**
- **factors affecting voltage and amperage output**
 - field strength
 - rotor speed
- **inductor reactance**

4.1.2 Identify the types and construction features of charging system components.

- [2/0]
- **brush-type alternators**
 - rectifier
 - stator
 - delta
 - wye
 - rotor
 - field winding
 - poles
 - slip rings
 - diode trio
 - brush assembly
 - case
 - bearings and pulleys
 - **brushless alternators**
 - stationary field
 - magnetic poles
 - stator
 - rectifier
 - transformer 12/24 volt system
 - **voltage regulators**
 - external electronic
 - internal electronic
 - electronic digital

4.1.3 Describe the principles of operation of charging systems.

- [6/0]
- **brush-type alternators**
 - rectifier
 - full-bridge
 - half-bridge
 - induction principles
 - electromagnetism
 - induction
 - inductive reactance
 - alternating current
 - three-phase
 - **brushless alternators**
 - **dual voltage alternator**
 - transformer principle
 - **voltage regulator**
 - electronic principles
 - load response

4.1.4 Perform inspection and diagnostic procedures following manufacturers' recommendations for charging systems.

- [1/5]
- **charging system visual inspection**
 - belt tension and alignment
 - connections and wiring
 - battery and alternator specifications and application
 - **outline recommended charging system testing sequence**
 - **battery condition tests**
 - **charging circuit resistance voltage drop tests**
 - **charging system current and voltage output tests**
 - **identify specific charging system faults from test results**
 - **alternator bench testing for output current and voltage**
 - **perform voltage regulator bench tests**
 - **identify electronic noise suppression devices**
 - **alternator component tests**

4.1.5 Recommend reconditioning or repair procedures following manufacturers' recommendations for charging systems.

- [1/6]
- **verify output capacity to satisfy the specific vehicle electrical load specifications**
 - **perform adjusting procedures of alternator drive belt tension and alignment**
 - **disassemble and reassemble alternators**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye, hearing, breathing, and hand protection
 - accidental grounding of rings, jewellery, tools
 - equipment connection precautions
 - open circuit voltage precautions

- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1265.2 Computerized Management Systems

Duration: Total 10 hours Theory 6 hours Practical 4 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5921.11

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to test and service Electronic Control Modules (ECMs) following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

4.2.1 Explain the fundamentals of Electronic Control Modules (ECMs).

- [1/0] - **analog/digital signals**
 - **binary systems**
 - **logic gates**
 - **multiplexing**
 - **fibre optics**

4.2.2 Identify the types and construction features of Electronic Control Modules (ECMs).

- [1/0] - **input devices**
 - **central processing unit**
 - **data storage**
 • Random Access Memory (RAM)
 • Read Only Memory (ROM)
 • Programmable Read Only Memory (PROM)
 • Erasable Programmable Read Only Memory (EPROM)
 • Electrically Erasable Programmable Read Only Memory (EEPROM)
 - **driver circuits**
 • output voltage
 • monitoring circuits

4.2.3 Describe the principles of operation of Electronic Control Modules (ECMs).

- [3/0]
- **analog to digital converters**
 - **signal filtration**
 - **central processing unit (CPU)**
 - **processing cycle**
 - **logic sequencing**
 - **data storage**
 - **driver circuits**

4.2.4 Perform inspection, testing, and diagnostic procedures for computerized management systems.

- [0/4]
- **fault code identification**
 - **demonstration of reader/programmer diagnostic tests**
 - **electronic service tool (EST)diagnostic tests**
 - **demonstration of oscilloscope tests**
 - **diagnostic codes extraction**
 - **demonstration of sensor input tests**
 - **demonstration of output device tests**

4.2.5 Recommend reconditioning or repairs following manufacturers' recommendations for Electronic Control Modules (ECMs).

- [1/0]
- **identify static electricity and induction interference prevention**
 - **outline Electronic Control Module replacement procedures**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - electrostatic discharge

- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1265.3 Electrical Diagnosis

Duration: Total 12 hours Theory 4 hours Practical 8 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5921.05

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to diagnose and recommend repairs of electrical circuits following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

4.3.1 Explain the fundamentals of electrical circuit diagnosis.

- [1/0] - **visual inspection**
- corrosion
 - overheating
 - broken
 - odour
- **verify meter integrity**
- accuracy
 - meter connections
 - meter fuse testing
 - calibration
- **schematic and circuit relationships**

4.3.2 Identify types of circuit failures.

- [2/0] - **opens**
- **shorts**
- **grounds**
- **high resistance**

4.3.3 Perform inspecting, testing, and diagnostic procedures following manufacturers' recommendations for electrical circuit failures.

- [1/8]
- **visual inspection procedures**
 - **meter testing procedures**
 - **interpret schematics and identify system failures**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye, hearing, breathing, and face protection
 - battery gas precautions
 - explosion precautions
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1265.4 Ignition Theory

Duration: Total 3 hours Theory 3 hours Practical 0 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5921.01, 5921.02, 5921.03, 5921.04, 5921.05, 5921.06, 5921.07

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to describe the construction features and operation of ignition systems following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

4.4.1 Explain the fundamentals of ignition systems.

[0.5/0] - **fundamentals enhancement**

- electromagnetism
- mutual induction
- capacitance
- **ignition timing factors**
 - engine speed
 - engine load
 - engine temperature
 - fuel quality and mixture

4.4.2 Identify the construction features of ignition system components.

[1/0] - **battery point-type ignitions**

- coil
- condenser
- points
- distributor, cap, and rotor
- high tension wires
- spark plug
- **electronic ignition**
 - timing control
 - pick-up coil and reluctor

4.4.3 Describe the principles of operation of ignition systems.

- [1.5/0] - **battery point-type ignitions**
- spark advance
 - television and radio suppressive cables
- **electronic ignition**
- capacitive discharge

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye, hearing, breathing, and face protection
 - battery gas precautions
 - explosion precautions
 - high voltage precautions
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Number: **S1266**

Reportable Subject: **FUEL SYSTEMS**

Duration: Total 32 hours Theory 28 hours Practical 4 hours

Prerequisites: CVAE Level 2

Co-requisites: None

5.1 – Diesel Fuel Injection Partial-Authority Engine Management Systems

8 Total Hours Theory: 7 hours Practical: 1 hour

5.2 – Diesel Fuel Injection Full-Authority Engine Management Systems

18 Total Hours Theory: 16 hours Practical: 2 hours

5.3 – Diesel Engine Emission Systems

4 Total Hours Theory: 3 hours Practical: 1 hour

5.4 – Gasoline Fuel Systems

2 Total Hours Theory: 2 hours Practical: 0 hours

Evaluation Structure: Assignments related to theory and appropriate application skills
Proctored final exam
Periodic quizzes

Mark Distribution:

Theory Testing	Practical Application Testing
90%	10%

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Instructional and Delivery Strategies:
Lecture and assignment work

Reference Materials:
O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Running engine equipped with partial authority fuel management system	Electronic service tool to connect to the listed pieces of equipment (OEM type)
Agricultural tractor equipped with full authority fuel management system	Fuel system components:

S1266.1 Diesel Fuel Injection Partial Authority Engine Management Systems

Duration: Total 8 hours Theory 7 hours Practical 1 hour

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5926.08, 5926.09, 5926.10, 5926.13

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to inspect, test, and recommend repairs of diesel fuel injection partial-authority engine management systems following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

5.1.1 Explain the fundamentals of diesel fuel injection partial-authority engine management systems.

- [1/0] - **diesel fuel injection system adapted to electronic engine controls**
- inline system (Pump, Line, Nozzle(PLN)) electronic engine management controls
 - distributor diesel fuel injection system adapted to electronic engine controls
 - inlet metering pumps
 - sleeve metering pumps
 - **components**
 - transducers
 - thermistors
 - negative/positive coefficient
 - potentiometers
 - magnetic pulse generators
 - engine timing requirements
 - static
 - electronic advance

5.1.2 Identify the construction features of inline and distributor diesel fuel injection partial-authority engine management system components.

- [2/0]
- **sensors**
 - engine RPM
 - throttle position
 - coolant temperature
 - fuel temperature
 - lubricating oil pressure
 - rack position
 - **actuators**
 - linear magnet
 - timing and metering control solenoids
 - emergency shut down
 - **electronic control module**
 - driver circuit
 - voltage stabilization
 - data link
 - **hydraulic injectors**
 - hydraulic nozzle holders
 - pintle nozzles
 - multi-orifii nozzles
 - **high pressure pipes**
 - **fuel manifolds**

5.1.3 Describe the principles of operation of inline and distributor diesel fuel injection engine management systems and control devices.

- [3/0]
- **inline (PLN) system**
 - sensors
 - electronic control module
 - actuators
 - data link
 - **distributor system**
 - inlet metering
 - sensors
 - electronic control module
 - actuators
 - data link
 - sleeve metering
 - sensors
 - electronic control module
 - actuators
 - data link

5.1.4 Demonstrate inspection and testing procedures following manufacturers' recommendations for diesel fuel injection systems and control devices.

- [0/1]
- **identify components and their location**
 - **demonstrate the recommended tests on system input sensors and output devices**
 - **demonstrate the electronic service tool (EST)diagnostics on the inline systems**

5.1.5 Recommend reconditioning or repair procedures following manufacturers' recommendations for inline (PLN) and distributor type diesel fuel injection systems.

- [1/0]
- **outline the recommended repair procedures for inline and distributor fuel injection systems**
 - electronic connections
 - wiring harness
 - connector repairs
 - circuit resistance tests
 - pump removal and replacement procedures

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - proper polarity connections
 - high pressure
 - rotating shafts, belts and pulleys
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1266.2 Diesel Fuel Injection Full-Authority Engine Management Systems

Duration: Total 18 hours Theory 16 hours Practical 2 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5926.08, 5926.09, 5926.10, 5926.13

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to inspect, test, and recommend repairs of diesel fuel injection full-authority engine management systems following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

5.2.1 Explain the fundamentals of diesel fuel injection full-authority engine management systems.

- [1/0] - **applications**
- **types**
- **strategy**
- **emission legislation**

5.2.2 Identify the construction features of full-authority electronic control diesel fuel injection systems and components.

- [4/0] - **sensors**
- vehicle speed
 - throttle position
 - engine temperature
 - fuel temperature
 - lubricating oil pressure
 - coolant level
 - coolant temperature
 - ambient air temperature
 - ambient air pressure
 - boost pressure
 - engine position
 - crankshaft position
 - camshaft position

- **electronic unit injectors**
 - pulse width
 - poppet control valve
 - circuit protection
- **hydraulic electronic unit injector (HEUI)**
 - high pressure pump
 - pressure regulator
 - pressure sensor
 - unit injector
 - oil reservoir
- **high pressure common rail**
 - high pressure pump
 - pressure regulator
 - pressure sensor
 - injector
- **injector drivers**
- **status switches**
 - clutch
 - brake
 - power take-off
 - transmission
- **electronic control module**
 - protection shut down
 - limp home mode
 - backup microprocessor

5.2.3 Describe the principles of operation of full-authority electronic control diesel fuel injection systems and components.

- [9/0]
- **sensors**
 - **electronic unit injectors**
 - pulse width
 - pulse profile
 - poppet control valve
 - effective stroke control
 - time control
 - **hydraulic electronic unit injector (HEUI)**
 - high pressure pump
 - pressure regulator
 - pressure sensor
 - unit injector
 - oil reservoir

- **high pressure common rail**
 - high pressure pump
 - pressure regulator
 - pressure sensor
 - injector
- **injector drivers**
 - switching characteristics
 - spiked actuation
 - injector response time
 - high voltage safety risks
- **electronic control module**
 - protection shut down
 - limp home mode
 - backup microprocessor
 - injector driver
 - cooling
 - power derate mode
 - data management
 - programming
 - power bulge

5.2.4 Demonstrate inspection and diagnostic procedures following manufacturers' recommendations for full-authority electronically controlled diesel fuel injection systems.

- [1/2]
- **identify components and locations**
 - **demonstrate the electronic service tool (EST)diagnostics**
 - **demonstrate reprogramming and uploading processes using an electronic service tool (EST)**
 - **demonstrate electronic diagnosis with multimeter testing**

5.2.5 Recommend reconditioning or repair procedures following manufacturers' recommendations for full-authority engine management systems.

- [1/0]
- **describe the connector seal assembly procedures**
 - **outline the checking procedures for electrical ground connection integrity**
 - **outline boost starting procedures**
 - machine to machine
 - battery
 - charger

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye protection, spontaneous combustion
 - CSA approved equipment for emptying tanks and storing fuel
 - priming and starting procedures, starting fluids applications
 - hazards of solvents
 - high pressure fuel lines
 - emergency shutdown procedures
 - high pressure injector spray precautions
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1266.3 Diesel Engine Emission Systems

Duration: Total 4 hours Theory 3 hours Practical 1 hour

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5924

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to interpret the exhaust emission test results produced by diesel engines following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

5.3.1 Explain the fundamentals of diesel engine emission systems.

- [2.5/0] - **properties**
- carbon monoxide
 - hydrocarbons
 - oxides of nitrogen
- **particulates**
- carbon dioxide
 - sulphur dioxide
 - aldehydes
- **catalysts**
- oxidation
- **federal regulations**
- **emissions standards**
- **aneroids**
- **altitude compensators**
- **sensors on emission controls**
- **turbochargers**
- waste gate
 - Variable Geometry (VGT)
- **Exhaust Gas Recirculation (EGR)**
- **Diesel Particulate Filter (DPF)**
- **aqueous urea injection systems**

5.3.2 Demonstrate diagnostic procedures following manufacturers' recommendations for diesel engine emission systems.

- [0.5/1] - **identify components and locations**
- **demonstrate diagnostic procedures for emission control devices**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye protection, spontaneous combustion
 - CSA approved equipment for emptying tanks and storing fuel
 - priming and starting procedures, starting fluids applications
 - hazards of solvents
 - high pressure fuel lines
 - emergency shutdown procedures
 - high pressure injector spray precautions
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1266.4 Gasoline Fuel Systems

Duration: Total 2 hours Theory 2 hours Practical 0 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5925.01, 5925.02, 5925.03, 5925.04, 5926.01, 5926.05, 5926.06, 5926.07

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to describe the construction features and operation of gasoline fuel systems following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

5.4.1 Explain the purpose and fundamentals of gasoline fuel systems.

- [0.5/0] - **oxidation of hydrocarbon fuel**
 - **engine manifold vacuum**
 - **venturi vacuum**
 - **air fuel ratios**

5.4.2 Identify the construction features of gasoline fuel system components.

- [0.5/0] - **carburettor**
 • float circuit
 • main metering circuit
 • idle circuit
 • choke circuit
 - **throttle body**
 • sensors
 • electronic control module
 • outputs

5.4.3 Describe the principles of operation of gasoline fuel systems.

- [1/0]
- **carburetor**
 - float circuit
 - main metering circuit
 - idle circuit
 - choke circuit
 - **throttle body**
 - sensors
 - electronic control module
 - outputs

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye protection, spontaneous combustion
 - CSA approved equipment for emptying tanks and storing fuel
 - priming and starting procedures, starting fluids applications
 - hazards of solvents
 - high pressure fuel lines
 - emergency shutdown procedures
 - high pressure injector spray precautions
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Number: **S1267**

Reportable Subject: **DRIVE TRAIN SYSTEMS**

Duration: Total 40 hours Theory 24 hours Practical 16 hours

Prerequisites: CVAE Level 2

Co-requisites: None

6.1 Hydrostatic Drive Systems

30 Total Hours Theory: 14 hours Practical: 16hours

6.2 Variable Ratio Transmission Systems

4 Total Hours Theory: 4 hours Practical: 0 hours

6.3 Belt and Chain Drive Systems

3 Total Hours Theory: 3 hours Practical: 0 hours

6.4 Suspension Systems

3 Total Hours Theory: 3 hours Practical: 0 hours

Evaluation Structure: Assignments related to theory and appropriate application skills
Proctored final exam
Periodic quizzes

Mark Distribution:

Theory Testing	Practical Application Testing
60%	40%

Instructional and Delivery Strategies:
Lecture and assignment work

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Reference Materials:
O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Precision measuring tools	Basic hand tools
Appropriate pressure test equipment	Combine or self propelled forage harvester for system testing
Hydrostatic drive motors (from agricultural equipment)	Hydrostatic drive pumps (from agricultural equipment)

S1267.1 Hydrostatic Drive Systems

Duration: Total 30 hours Theory 14 hours Practical 16 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5927.0, 5927.14, 5927.15, 5927.16

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to recommend repairs of hydrostatic drive systems following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

6.1.1 Explain the purpose and fundamentals of hydrostatic drives.

- [2/0] - **application**
- traction drives
 - non-traction drives
- **types**
- open loop circuits
 - closed loop circuits
- **fundamentals**
- lubricant types
 - hydraulic pressures and output force
 - coolers and circuits
- **torque multiplication**
- **hydrodynamic versus hydrostatic drive systems**
- **charge pump**
- **charge pump circuits**

6.1.2 Identify the types and construction features of hydrostatic drive components.

- [1/0] - **hydrostatic drives**
- variable displacement pumps
 - fixed displacement pumps
 - variable displacement motors
 - fixed displacement motors

- **controls**
 - flow limiting
 - flow dividing
 - manual displacement control valves
 - electronic displacement control valves
 - hydraulic displacement control valves
- **charge pump**
- **charge pump circuits**
- **coolers and circuits**

6.1.3 Describe the principles of operation of hydrostatic drives.

- [11/0]
- **hydrostatic drives**
 - variable displacement pumps
 - variable displacement motors
 - fixed displacement pumps
 - fixed displacement motors
 - **operation of drive systems in neutral, forward, and reverse**
 - **controls**
 - flow limiting
 - flow dividing
 - manual displacement control valves
 - electronic displacement control valves
 - hydraulic displacement control valves
 - **charge pumps**
 - **charge pump circuits**
 - **coolers and circuits**

6.1.4 Perform the inspection, testing, and diagnostic procedures following manufacturers' recommendations for hydrostatic drives.

- [0/8]
- **test pressures of various hydrostatic drive systems**
 - **examine and measure hydrostatic drive motor and pump components**
 - **verify recommended operating functions of hydrostatic drive controls**
 - **outline methods and procedures to diagnose and determine causes of abnormal noises, directional control problems, and malfunctions in hydrostatic drive systems**
 - **verify recommended operating temperatures of hydrostatic drives**
 - cooler restrictions
 - filter restrictions

6.1.5 Recommend reconditioning or repairs following manufacturers' recommendations for hydrostatic drives.

- [0/8]
- **demonstrate the adjustments for hydrostatic drive systems**
 - **explain the recommended oil levels and grade**
 - **outline recommended removal and replacement procedures for hydrostatic motors, pumps, and coolers**
 - **demonstrate the disassembly and reassembly procedures for hydrostatic drive systems**
 - **describe the removal and replacement procedures of hydrostatic drive systems**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards – WHIMIS
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1267.2 Continuously Variable Ratio Transmission (CVT) Systems

Duration: 4 Total Hours Theory: 4 hours Practical: 0 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5927.08, 5927.09, 5927.10, 5927.11, 5927.12, 5927.13

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to describe the construction features and operation of continuously variable ratio transmission systems following manufacturers' recommendations

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

6.2.1 Explain the purpose and fundamentals of continuously variable ratio transmission (CVT) systems.

- [0.5/0] - **efficiency of drive systems**
 - **calculating speed**
 • reduction
 • over drive

6.2.2 Identify the construction features of continuously variable ratio transmission (CVT) system components.

- [1/0] - **planetary gear sets**
 - **countershaft gear sets**
 - **variable sheave/ chain**
 - **hydrostatic pumps**
 - **hydrostatic motors**
 - **control circuits**

6.2.3 Describe the principles of operation of continuously variable ratio transmission (CVT) systems.

- [2/0]
- **planetary gear sets**
 - **countershaft gear sets**
 - **variable sheave/ chain**
 - **hydrostatic pumps**
 - **hydrostatic motors**
 - **control circuits**

6.2.4 Identify operational modes following manufacturers' recommendations for continuously variable ratio transmission (CVT) systems.

- [0.5/0]
- **at road travel speeds**
 - **at ground engaging speeds**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards – WHIMIS
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1267.3 Belt and Chain Drive Systems

Duration: Total 3 hours Theory 3 hours Practical 0 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5937.00

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to inspect, test, and adjust belt and chain drive systems following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

6.3.1 Explain the purpose and fundamentals of belt and chain drive systems.

- [0.5/0] - **efficiency of drive systems**
- **calculating speed**
 - reduction
 - over drive
 - **chain rating**
 - **belt rating**
 - **drive protection**

6.3.2 Identify the construction features of belt and chain drive system components.

- [1/0] - **pulleys**
- **variable speed sheaves**
 - **idlers**
 - **belt drives**
 - fractional horsepower
 - v-belt
 - multigroove
 - tooth
 - flat
 - **sprockets**
 - **idlers**
 - **chain**
 - roller
 - o-ring
 - **slip clutches**

6.3.3 Describe the principles of operation of belt and chain drive systems.

- [1/0]
- **pulleys**
 - **variable speed sheaves**
 - **idlers**
 - **belts**
 - **sprockets**
 - **chain**
 - **slip clutches**

6.3.4 Identify inspection and adjustment procedures following manufacturers' recommendations for belt and chain drive systems.

- [0.5/0]
- **pulley and sprocket alignment**
 - **pulley and sprocket wear**
 - **belt and chain wear**
 - **tension adjustment**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards – WHIMIS
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

S1267.4 Suspension Systems

Duration: Total 3 hours Theory 3 hours Practical 0 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5932.00

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to explain the operation of suspension systems following manufacturers' recommendations.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

6.4.1 Explain the fundamentals of suspension systems.

- [0.5/0] - **sprung and unsprung weight**
 - **centre of gravity/inertia**
 - **characteristics of suspension material**
 - **spring steel**
 - **synthetic rubber**

6.4.2 Identify the construction features of suspension system components.

- [1/0] - **walking beams**
 - **rubber blocks**
 - **hydraulic shocks**
 - **level sensors**
 - **control circuits**

6.4.3 Describe the principles of operation of suspension systems.

- [1.5/0] - **walking beams**
 - **rubber blocks**
 - **hydraulic shocks**
 - **level sensors**
 - **control circuits**

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye and skin protection
 - equipment lifting and supports
 - high pressure concerns
 - pinch points (articulating)
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHIMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

AGRICULTURAL EQUIPMENT TECHNICIAN – LEVEL 3

Number: **S1268**

Reportable Subject: **AIR CONDITIONING SYSTEMS**

Duration: Total 24 hours Theory 16 hours Practical 8 hours

Prerequisites: CVAE Level 2

Co-requisites: None

7.1.1 Air Conditioning Systems

24 Total Hours Theory: 16 hours Practical: 8 hours

Evaluation Structure: Assignments related to theory and appropriate application skills
Proctored final exam
Periodic quizzes

Mark Distribution:

Theory Testing	Practical Application Testing
70%	30%

Instructional and Delivery Strategies:
Lecture and assignment work

Reference Materials:
O.E.M. Equipment Documentation

Recommended Minimum Equipment:

Air conditioning reclaiming/ charging equipment	Dye type leak detection equipment
Nitrogen pressure testing equipment	Refrigerant type identifier
Manifold gauge set	Air conditioner components
Infra-red temperature measurement tool	Thermometer
Agricultural tractor with functional air conditioning system	

S1268.1 Air Conditioning Systems

Duration: Total 9 hours Theory 7 hours Practical 2 hours

Prerequisites: CVAE Level 2

Cross-Reference to Training Standard:

AET 5934.00, 5934.01, 5934.02, 5934.03, 5934.04, 5934.05, 5934.06, 5934.07

GENERAL LEARNING OUTCOME

Upon successful completion the apprentice is able to describe climatic control system testing and repair procedures following manufacturers' recommendations, government regulations, and safe work practices.

LEARNING OUTCOMES AND CONTENT

Upon successful completion, the apprentice is able to:

7.1.1 Explain the purpose and fundamentals of air conditioning systems.

- [3/0] - **gas laws, temperatures, pressure, and volume**
 - **thermal expansion and contraction**
 - **temperature and humidity relationship**
 - **effects of humidity and sources of heat in the operators station**
 - **properties of R12, R134A and other refrigerants**
 • lubricants
 • flushing materials
 - **refrigerant cycle**
 - **refrigerant circuit**
 • thermal expansion valve type (TXV)
 • orifice tube type (O-Tube)

7.1.2 Identify the functions, construction features, composition, types, and application of air conditioning system components.

- [4/0] - **condenser fan**
 • direct mechanical drive
 • variable speed mechanical drive
 • electric motor drive
 • condensor/ radiator shrouding

- **compressor clutch circuit**
 - manual controls
 - automatic controls
 - pressure switches/sensors
 - thermostatic switches
 - de-icing switches
 - thermal fuses
- **evaporator circuit**
- **blower motor circuit**
- **heater circuit**
- **air mixture door circuits**
- **air plenums**
- **air filtration**
 - outside air
 - recirculation air
 - chemical removal (activated charcoal, etc)
- **controller circuits**

7.1.3 Describe the principles of operation of air conditioning systems.

- [3/0]
- **compressor clutch circuit**
 - **blower motor circuit**
 - **automatic control circuit**
 - **switches and valves**

7.1.4 Demonstrate inspection, testing, and diagnostic procedures following manufacturers' recommendations for air conditioning system

- [6/8]
- **identify the requirement of an Ozone Depletion Prevention (ODP) certification**
 - **verify the operation of the air conditioning system circuits using appropriate test equipment**
 - **Identify problems in air conditioning systems using the appropriate test equipment**
 - **outline the most common failures in the:**
 - refrigerant systems
 - control systems

GENERAL PRACTICES

This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the Learning Content.

- **safety precautions**
 - eye, hand, and skin protection
 - control of hazardous material/solvents
 - ventilation of work areas
 - lifting/hoisting procedures
 - fire hazard prevention
 - environmental concerns
- **communications**
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- **mathematics**
 - système international d'unités (s.i.) to Imperial conversion

Acronyms:

This listing identifies acronyms found in the following motive power curriculum documents:

Level 1 – Commercial Vehicles and Equipment (Common Core)
Level 2 – Commercial Vehicles and Equipment (Common Core)
Level 3 – Agricultural Equipment Technician
Level 3 – Heavy Duty Equipment Technician
Level 2 – Powered Lift Truck Technician
Level 3 – Powered Lift Truck Technician
Level 2 – Truck and Coach Technician
Level 3 – Truck and Coach Technician

A

ABS	anti-lock braking system
AC	alternating current
A/C	air conditioning
AET	Agricultural Equipment Technician
AFC	air fuel control
AGM	absorbed glass mat
API	American Petroleum Institute
ANSI	American National Standards Institute
ATA	American Trucking Association
ATC	automatic traction control
AVR	amp, volt, ohmmeter
AWG	American Wire Gauge
AWS	American Welding Society

B

BCM	body control module
BSP	British Standard Pipe
BTM	brushless torque motor

C

CB	citizen band
CDI	capacitor discharge ignition
CD-ROM	compact disc read only memory
CFC	chlorofluorocarbons
CI	compression ignited
CMVSS	Canadian Motor Vehicle Safety Standard
CNG	compressed natural gas
CPU	central processing unit
CSA	Canadian Standards Association
CVSA	Canadian Vehicle Standards Association
CVT	Continuously variable ratio transmission

CWS collision warning systems

D

DC direct current
DDC Detroit Diesel Corporation
DFF direct fuel feed
DIN Deutsche Institute fur Normung (German Standards Institute)
DMM digital multimeter
DOS Disk Operating System
DOT Department of Transportation
DPF diesel particulate filter

E

ECM electronic control module
ECU electronic control unit
EPROM erasable programmable read only memory
EEPROM electronically erasable programmable read only memory
EG ethylene glycol
EGR exhaust gas recirculation
ELC extended life coolant
EPA Environmental Protection Act
EST electronic service tool
EUI electronic unit injector
EUP electronic unit pump

F

FHSL Federal Health and Safety Legislation
FMIs fault mode indicators
FMVSS Federal Motor Vehicle Safety Standards
FOPS Falling Object Protection System
FRP fiberglass reinforced plywood

G

GCWR Gross Combined Weight Rating
GFI gasoline fuel injection
GPS global positioning satellite
GVW Gross Vehicle Weight
GVWR Gross Vehicle Weight Rating

H

HC hydrocarbon
HDET Heavy Duty Equipment Technician
HEUI hydraulically actuated electronic unit injector
HCFC hydro chlorofluorocarbons
HFC hydro fluorocarbons
HPI-TP high pressure injector-time pressure (Cummins)
HVAC heating, ventilation and air conditioning

I

ID inside diameter
ISO International Standards Organization

J

JIC Joint Industry Conference
JIS Japanese Industrial Standard
JIT just in time

K

KPI king pin inclination

L

LED light emitting diode
LPG liquid petroleum gas
LVD low voltage disconnect

M

MAP manifold absolute pressure
MIDs message identifiers
MIG metal inert gas
MSDS material safety data sheet
MUI mechanical unit injector
MVSA Motor Vehicle Safety Act (Canadian)

N

N/A not applicable
NOP nozzle opening pressure
NPN negative positive negative semi-conductor
NPT National Pipe Thread
NV-RAM non-volatile random access memory

O

OD outside diameter
ODP ozone depletion prevention
OEM original equipment manufacturer
OHSA Occupational Health and Safety Act
OOS out of service criteria
OPS operator protection system
ORB o-ring boss
ORFS o-ring face seal

P

PC	personal computer
PCV	positive crankcase ventilation
PFI	port fuel injection
PG	propylene glycol
PHSL	Provincial Health and Safety Legislation
PIDs	parameter identifiers
PLN	Pump, Line, Nozzle (diesel fuel injection system)
PLTT	Powered Lift Truck Technician
PNP	positive negative positive semi-conductor
PROM	programmable read only memory
PT	pressure time
PTA	pressure time (injector) A series
PTG-AFC	pressure time governor/air fuel control
PTD	pressure time (injector) B series
PTG	pressure time governor (control pump)
PTO	power take-off
PWM	pulse width modulation

R

RAM	random access memory
RBM	resist bend moment
ROM	read only memory
ROPS	roll over protection system
R.P.	recommended practices
RPM	revolutions per minute

S

SAE	Society of Automotive Engineers
SALT	sealed and lubricated tracks
SCA	supplemental coolant additives
SI	spark ignited
s.i.	Système International d'Unités
SIDs	sub-system identifier
SMAW	shielded metal arc welding
SRS	supplemental restraint systems
STC	step timing control

T

TBI	throttle body injection
TCT	Truck and Coach Technician
TDS	total dissolved solids
TP	time/pressure injector
TPS	throttle position sensor
TQM	total quality management
TMC	Technical and Maintenance Council

V

VCO valve closes orifice
VIN vehicle identification number

W

WHMIS Workplace Hazardous Materials Information System
WIF water in fuel sensors

Glossary:

This glossary provides definitions of terms found in the following motive power curriculum documents:

Level 1 – Commercial Vehicles and Equipment (Common Core)

Level 2 – Commercial Vehicles and Equipment (Common Core)

Level 3 – Agricultural Equipment Technician

Level 3 – Heavy Duty Equipment Technician

Level 2 – Powered Lift Truck Technician

Level 3 – Powered Lift Truck Technician

Level 2 – Truck and Coach Technician

Level 3 – Truck and Coach Technician

A

ABS	Anti-lock braking system. Electronically controlled brakes that monitor vehicle wheel speeds and manage application forces to prevent wheel lock-up.
AC	See <i>alternating current</i> .
A/C	Air conditioning.
accumulator	A cylinder or device used to store pressure, can contain a diaphragm and pneumatic pressure. Used in hydraulic systems.
Ackermann Angle	Angle between the planes of the steered wheels of a vehicle with zero steering angle; a measure of toe-in or toe-out.
acronym	A word formed by the initial letters of other words.
active codes	An electronically monitored system circuit, condition, or component that is malfunctioning and logs an ECM code, which may be displayed or read using an EST.
actuator	Any output device controlled by a computer. Also used in hydraulics as an output device such as a linear or rotary device (cylinder or motor).
aeration	The mixing of gas with a liquid, usually air with oil, fuel, or coolant.
AFC	Air/fuel control.
AFC (Cummins)	A circuit that senses turbo boost sensing and is part of the fuel management components on a Cummins PTC-AFC pump.
AFR	See <i>air/fuel ratio</i> .
air/fuel ratio	The mass ratio of an air-to-fuel mixture; also AFR.
air-to-air aftercooler	Heat exchanger that cools the intake air after the turbocharger before going to the intake manifold, by using ambient air.

alcohol	Any of a group of distillate hydrocarbon liquids containing at least one hydroxyl group; sometimes referred to as oxygenates.
aldehydes	A class of chemical compounds having the general formula RCHO, where R is an alkyl (aliphatic) or aryl (aromatic) radical (SAE J1213 NOV82).
alloy	The mixing of a molten base metal with metallic or non-metallic elements to alter the metallurgical characteristics.
alternating current	Electric current that reverses cyclically due to reversal of polarity at the voltage source; AC.
altitude-pressure compensator	Any sensor or device that automatically compensates for changes in altitude.
Amboid gear	A bevel gear crown and pinion assembly where the axes are at right angles but the pinion is on a higher plane than the crown.
ANSI	The American National Standards Institute.
American Society for Testing Materials (ASTM)	Agency that sets industry standards and regulations, including those for fuel.
ammeter	Instrument for measuring current flow.
ampere (A)	The unit of measurement for the flow of electric current. An ampere is defined as the amount of current that one volt can send through one ohm of resistance.
analog	The use of physical variables, such as voltage or length, to represent values.
anaerobic sealant	Paste-like sealants that cure (harden) without exposure to air.
aneroid	A device used to sense light pressure conditions. The term is used to describe manifold boost sensors that limit fueling until there is sufficient boost air to combust it and usually consists of a diaphragm, spring, and fuel-limiting mechanism.
antifreeze	A liquid solution added to water to blend the engine coolant solution that raises the boiling point and lowers the freezing point. Ethylene glycol (EG), propylene glycol (PG), and extended life coolants (ELC) are currently used.
antifriction bearing	A bearing that uses balls or rollers between a journal and a bearing surface to decrease friction.
API	The American Petroleum Institute.
application software	Programs that direct computer processing operations.
Apprentice program	Any educational program designed to teach a trade through a combination of on-the-job training and classroom study.

Apprentice technician	A beginner who is learning under the direction of one or more experienced certified technicians.
Aqueous Solution	a solution in water, e.g. a homogeneous mixture of two or more substances; frequently (but not necessarily) a liquid solution; "he used a solution of peroxide and water"
Aqueous Urea Injection	Is a system that is designed for reducing NO _x (Nitrous Oxide) emissions formed in the presence of high combustion temperatures in internal combustion diesel engines. By injecting urea in the exhaust stream, it causes the NO _x to break down into nitrogen and oxygen.
arcing	Bearing or gear failure caused by electric arcing.
articulating piston	A two-piece piston with separate crown and skirt assemblies, linked by the piston wrist pin and afforded a degree of independent movement. The wrist pin is usually full floating or bolted directly to the connecting rod, in which case it is known as a <i>crosshead piston</i> .
ASTM	American Society for Testing Materials. Standards rating organization that classifies materials generally and all fuels.
ATA	American Trucking Association. Organization with a broad spectrum of representation responsible for setting standards in the U.S. trucking industry.
ATA data link	An SAE/ATA standard J1584/J1708/J1939, 6-pin Deutsche connector currently used by all truck and truck engine OEMs to access the on-board ECMs.
ATAAC	Air-to-air charge air cooling.
ATDC	After top dead centre.
atom	The smallest part of a chemical element that can take part in a chemical reaction; composed of electrons, protons, and neutrons.
atomization	The process of breaking liquid fuel into small droplets by pumping it at a high pressure through a minute flow area.
atomized droplets	The liquid droplets emitted from an injector nozzle.
audit trail	A means of electronically tracking electronically monitored problems in an engine management system. May be discreet, that is, not read by some diagnostic ESTs and programs; also known as <i>tattle tale</i> .
 B	
backfire	Ignition/combustion of the fuel in an oxy-acetylene torch in the torch tip causing a popping and squealing noise.
backlash	The clearance or "play" between two parts, such as the teeth of two gears.
battery	A device containing one or more cells that produces electricity through electrochemical action.

battery capacity	The amount of current a battery is capable of delivering.
battery charging	The process of restoring a battery's charge by passing current through it in a reverse direction (positive to negative).
battery plate	Battery components made of lead peroxide in sponge form and porous lead.
battery rating	Standardized measurement of a battery's ability to deliver an acceptable level of energy under specified conditions. Standards established by the battery council international (BCI).
baud	Times per second that a data communications signal changes and permits one bit of data to be transmitted.
baud rate	The speed of a data transmission.
Bernoulli's Principle	the statement that an increase in the speed of a fluid produces a decrease in pressure and a decrease in the speed produces an increase in pressure
beta ratio	The beta ratio or rating is used for fine filters and is determined under laboratory testing. Although not a true measure of how well a filter will do in an operating system, the beta rating is a good indicator of the filter performance. The beta ratio of an operating filter during steady state flow test is simply the count upstream divided by the count downstream of fine test dust, based on any selected particle size.
binary system	A two-digit arithmetic, numeric system commonly used in computer electronics.
blower	A low-pressure air pump used on diesel engines to increase the amount and pressure of the air coming into the engine. Sometimes referred to as a <i>supercharger</i> .
boost pressure sensor	This sensor measures intake manifold air pressure and sends a signal to the ECM.
boost pressure	A measure of positive air pressure provided by a supercharger or turbocharger.
bore	The diameter of an engine cylinder. Sometimes used to refer to the cylinder itself.
boundary lubrication	Thin film lubrication characteristics of an oil.
Boyle's Law	The absolute pressure of a fixed mass of gas varies inversely as the volume, provided the temperature remains constant.
brake power	Power developed by an engine measured at the flywheel measured by a dynamometer or <i>brake</i> . Factored by <i>torque</i> or RPM.
British thermal unit (BTU)	Measurement of the amount of heat required to raise the temperature of one pound of water by 1 degree F, at sea level.
broach	A boring bit used for final, accurate bore sizing.

BTM	Brushless torque motor. Caterpillar rotary proportional solenoid used for PEEC timing and rack position control.
bypass filter	A filter assembly plumbed in parallel with the lubrication circuit, usually capable of high filtering efficiencies.
bypass valve	A diverter valve fitted to full flow filter (series) mounting pads, designed to reroute lubricant around a plugged filter element to prevent a major engine failure.
burst pressure	The pressure which causes rupture. Also, the inside out differential pressure that causes out-ward structural failures.
C	
cache	High speed RAM located between the CPU and main memory used to increase processing efficiency.
calorific value	The heating value of a fuel measured in BTU, calories, or joules.
calibration parameters	The specific values required when setting performance to specification.
calipers	Comparative measuring instrument used for measuring outside diameter and inside diameter.
cam ground	Trunk-type pistons that are machined slightly eccentrically. Because of the greater mass of material required at the wrist pin boss, this area will expand proportionally more when heated. Cam ground pistons are designed to assume a true circular shape at operating temperatures.
capacitance	Measure of how much electrical charge can be stored for a given voltage potential; measured in farads.
capacitor	An electrical device that can store an electrical charge or block AC and pass DC. Also known as <i>condenser</i> .
carbon (C)	An element found in various forms including diamonds, charcoal, and coal. It is the primary constituent element in hydrocarbon fuels. Atomic #6.
carbon dioxide (CO ₂)	One of the products of combustion. Also a dry chemical mixture that is an excellent fire retardant. Compressed into solid form this material is known as dry ice, and remains at a temperature of 109 degrees F.
carbon monoxide (CO)	A deadly colorless, odorless gas that is formed when fuel is not burned completely.
carcinogen	Any substance, such as asbestos, and carbon tetrachloride, that can cause cancer.

cardan joint	A universal joint commonly used as a driveshaft coupler permitting articulation. Two yokes are united by a rigid cross whose races run in a yoke supported needle bearings or races.
case-harden	A process of heating a piece of steel to harden its surface while the inside remains relatively soft.
catalyst	A substance that stimulates, accelerates, or enables a chemical reaction without itself undergoing any change.
catalytic converter	An exhaust system device that enables oxidation and reduction reactions; in lean burn truck diesel engines, only oxidation catalytic converters are used at this moment in time.
cavitation	Describes metal erosion caused by the formation and subsequent collapse of vapor pockets (bubbles) produced by physical pulsing into a liquid such as that of a wet liner against the wall of coolant that surrounds it. Bubble collapse causes high unit pressures and can quickly erode wet liners when the protective properties of the coolant diminish. Also known in hydraulics as a gaseous condition within a liquid stream causing the rapid implosion of a gaseous bubble.
CCW	Counter-clockwise or left hand rotation.
CD	Compact disk. Optically encoded, digital data storage.
CD-ROM	An optically encoded data disk that is read by a laser in the same way an audio CD is read and is designed for read-only data.
centrifugal filter	A filter that uses a centrifuge consisting of a rotating cylinder charged with pressurized fluid and canted jets to drive it; centrifugal filters often have high efficiencies and are often of the <i>bypass</i> type.
centrifugal force	The force acting outward on a rotating body.
centrifuge	A device that uses centrifugal propulsion or a centrifugal force principle of operation.
centripetal force	Tendency to move toward a center; such as water draining from a bathtub.
cetane	A colourless liquid (C ₁₆ H ₃₄). Used as a basis to test the performance characteristics of diesel fuel.
cetane improver	A diesel fuel additive designed to increase the <i>cetane number</i> rating or ignition quality. Cyclohexanol nitrate is a commonly used cetane improver.

cetane number (CN)	The standard rating of a diesel fuel's ignition quality. It is a comparative rating method that measures the ignition quality of a diesel fuel verses that of a mixture of cretonne (good ignition characteristics). A mixture of 45% cretonne and 55% would have a CN of 45. Diesel fuels refined for use in North America are classified by the ASTM as #1D and #2D and must have a minimum CN of 40.
CFM	Cubic Feet per Minute. Used as a measurement for the amount of air entering an engine's intake.
Charles' s Law	See Gay-Lussac's Law.
CI	Compression ignition; an engine in which the fuel/air mixture is ignited by the heat of compression.
clearance	A given space between two parts such as a piston and cylinder.
clearance volume	Volume in an engine cylinder when the piston is at TDC.
clockwise rotation	Rotation is the same as the direction as the movement of the hands of a clock.
coefficient of friction	A rating of a material's ability to generate friction. Describes the "aggressiveness" of materials in contact with each other. Affected by temperature and the presence of lubricants.
Cold crank rating (CCR)	Standard battery rating system that identifies the maximum current drain a fully charged battery can deliver at 0 degrees F or -17 degrees C - measured in cold cranking amps (CCA).
Combustion	The act of burning, <i>oxidation</i> .
Combustion chamber	In most current S.I. and C.I. engines, the engine cylinder and the geometry of the head and piston crown form the combustion chamber. In I.D.I. diesel engines, the combustion chamber is a separate cell connected to, but not integral with, the cylinder. Also, the area above the piston with the piston at TDC. Measured in cubic centimeters.
Combustion cycle	The thermodynamic process of a heat engine cycle through induction, compression, oxidation, and exhaust.
Compound	<ul style="list-style-type: none"> (i) A substance consisting of two or more elements held together by chemical force and not necessarily retaining any of the characteristics of the composite elements; i.e., Water: H₂O: (ii) Auxiliary gearbox that "compounds" the main transmission by increasing the available ratios and ranges.
Compression	The process by which a confined fluid is reduced in volume and increased in density with the application of pressure.

Compression ratio	The ratio of the piston swept volume to the total cylinder volume with the piston at BDC - a volumetric ratio and not a pressure ratio.
Communication Protocol	SAE has specific protocols for mobile equipment communication, such as J1939 J1587/1708
Concentric	Circles having a common centre.
Conductance	The ability of a material to carry an electrical current.
Conductors	Materials that readily permit the flow of electrons from atom to atom; usually metallic elements that have less than 4 electrons in their outer shells.
Conduction	Heat transmission through solid matter, also the transfer of heat from one object to another by being in direct contact.
Connecting rod	The rigid mechanical link between the piston wrist pin and the crankshaft throw.
Constant horsepower	Sometimes used to describe a high <i>torque rise</i> engine.
Co-requisite	A unit of learning that can be taken concurrently with another subject, but in order to be successful, both subjects must be completed successfully.
Conventional theory	(Of current flow) asserts that current flows from a positive source to a negative source. Despite the fact that it is fundamentally incorrect, it is nevertheless widely accepted and used.
Convection	A transfer of heat from one object to another through a liquid. Also heat transfer occasioned by the upward flow of hot air and the downward flow of cool air.
Counterbore	Cylindrical enlargement of the cylinder bore at the block deck to seat a liner flange.
Crankshaft	A shaft with offset throws designed to convert the reciprocating movements of the pistons into torque.
Crank throw	The offset part of the crankshaft where the connecting rods fasten.
Creep	Describes the independent movement of two components clamped by fasteners when they have different coefficients of thermal expansion or have different mass, which means their expansion and contraction rates do not concur.
Cross flow	Describes a four-stroke cycle engine breathing configuration where intake and exhaust manifolds are located on opposite sides of the cylinder head so gas flow is across the piston crown.
Crosshead	Part of the valve train in an engine that actuates two valves per cylinder. Permits two valves in the same cylinder to be opened simultaneously by a single rocker arm.

Crosshead piston	An articulating piston with separate crown and skirt assemblies in which the connecting rod is bolted directly to the wrist pin.
Crude oil	The organic fossil fuel pumped from the ground from which diesel fuel, gasoline, and many other petroleum products are refined; raw petroleum.
Current	The flow of free electrons through a conductor.
Curriculum hour	Is described as the breakdown of time for theory and practical in-school delivery. It is timed at 50 minutes per curriculum hour listed in the document.
Cycle time	A reoccurring period in which a series of actions take place in a definite order. Also used in hydraulics as the time it takes for an actuator or function to complete full extend to full retract: thus a cycle time.
Cylinder block	The main frame of any engine to which all the other components are attached.
Cylinder head	A detachable portion of an engine that covers the upper end of the cylinder bores and forms part of the combustion chamber. Also includes the valves in the case of overhead valve engines.
Cylinder sleeve	A liner or sleeve interposed between the piston and the cylinder wall or water jacket to provide an easily replaceable surface for the cylinders.
D	
Damper	A unit or device used to reduce or eliminate vibration, oscillation, of a moving part, fluid, etc.
Data	Raw (unprocessed) information.
Database	A data storage location or program.
Data link	The connection point or path for data transmission in networked devices.
Data link connector	Plastic plug-in terminal with two or more electrical connections used to interface with engine or vehicle's computers.
DC	Direct current.
DCA	Diesel coolant additives. A proprietary supplemental coolant additive.
DI	Direct injection. Fuel is injected directly into the engine cylinder. This is the common means of injecting, current C.I. engines and used in some gasoline-fueled engines.
Dial indicator	Tool used to precisely measure linear travel.

Diesel cycle	A four-stroke cycle similar to the Otto cycle (intake, compression, expansion, and exhaust strokes) but where ignition of the fuel charge is occasioned by the heat of compression. A true diesel cycle engine is known as a <i>constant pressure</i> engine, meaning that fuel is metered into the cylinder at a rate that will produce constant pressure for a number of crank angle degrees.
Digital signal	An electronic signal that uses on and off pulses.
Diode	A semiconductor device that allows current flow in one direction but resists it in the other, which acts like an electrical check valve.
Displacement	The total volume displaced by the cylinders when moving from BDC to TDC.
Direct current (DC)	Electric current that flows steadily in one direction only.
Droop	An engine governor term denoting a transient speed variation that occurs when engine loading suddenly changes.
Droop curve	A required hydro-mechanical governor characteristic in which fueling drops off in an even curve as engine speed increases from the rated power value to high idle.
Dry air filter	A filter element that requires no oil or other liquid medium to trap dirt particles. Most motive power air filters are of the dry type.
Dry liners	Liners that are fitted either with fractional looseness or fractional interference that dissipate cylinder heat to the cylinder block bore and have no direct contact with the water jacket.
E	
Electromagnetism	Describes any magnetic field created by current flow through a conductor.
Electron	A negatively charged component of an atom.
Electrolyte	A solution capable of conducting electrical current.
Electron theory	The theory that asserts that current flow through a circuit is by electron movement from a negatively charged point to a positively charged one. See <i>conventional theory</i> .
Electronic engine management	Computerized engine control.
Electronic control unit (ECU)	Refers to the computer and integral switching apparatus in an electronically controlled system. Some engine OEMs use this term rather than the more commonly used ECM.

Electronically controlled unit injector Emissions	Mechanically actuated, electronically controlled unit injector that combines pumping, electronic fuel metering, and injecting elements in a single unit. Any release of harmful materials into the environment. Gases produced from exhaust, crankcase, and fuel tanks and their contribution to smog.
End play	Amount of lengthwise movement between two parts due to clearance.
Energy	Any capacity for doing work.
Ethylene glycol	A liquid chemical used in engine coolant. See <i>antifreeze</i> .
Exhaust scrubber	An exhaust emission device used to clean particulate matter from engine exhaust. Used predominately in off road equipment for use in underground mining and enclosed buildings.
Expansion ratio	Ratio of cylinder volume at the moment the exhaust port or valves open to clearance volume; usually less than compression ratio.
F	
Fatigue	Material failure or deterioration due to repetitive stress loading or usage.
Ferrous material	Metal containing iron or steel.
Fiber optics	The transmission of laser light waves through thin strands of fiber. Used to digitally pulse data more cheaply and at much higher speeds than copper wire.
Fire point	The temperature at which a flammable material or liquid vaporizes at a rate sufficient to burn continuously.
Flammable	Any substance that can be combusted.
Flashback	A highly dangerous condition that can occur in operating oxy-acetylene equipment in which the flame may travel behind the mixing chamber in the torch and explode the acetylene tank using the system oxygen. Most current oxy-acetylene torches are equipped with flashback arresters.
Fluid power	The term used to describe both <i>hydraulics</i> and <i>pneumatics</i> .
Flywheel	A large heavy wheel that forms the base for the starter ring gear and in which energy is absorbed and stored by means of momentum. Also provides a mounting surface for the torque converter or clutch assembly.
Force	The action of one body attempting to change the state of motion of another. The application of force does not necessarily result in any work accomplished.
Friction	The resistance an object or fluid encounters in moving over or through another.

Four-stroke cycle engine	An engine design where a power pulse occurs every other revolution of the crankshaft. These strokes are (1) intake stroke (2) compression (3) power or expansion stroke; and (4) exhaust stroke.
Full-floating	Used to describe components that permit more than the usual amount of movement-for instance a <i>full-floating piston pin</i> is retained in the pin boss, but permits independent movement of both the piston and the rod eye.
Full floating axle	A drive axle design where the axle shafts provide wheel torque only and bear no part of the vehicle load.

G

Gay-Lussac's Law	The law that at constant pressure the volume of a fixed mass or quantity of gas varies directly with the absolute temperature; a close approximation. Also known as Charles's Law.
General Learning Outcomes	Learning outcomes represent culminating demonstrations of learning and achievement. Outcomes are not simply a listing of discrete skills, nor broad statements of knowledge and comprehension. Outcomes describe performances that demonstrate that significant learning has been achieved and applied.
General Practices	This section captures concepts and topics that must be integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be accounted for in the learning content.
Governor	A component that manages engine fueling on the basis of fuel demand (accelerator) and engine RPM; may be hydro-mechanical or electronic.
Grade markings	Lines placed on the heads of some bolts to indicate tensile strength.
Gross Horsepower	The brake horsepower of an engine with optimum settings and without allowing for power absorbed by the engine-driven accessories.
Gross Torque	The maximum torque produced when measured at the engine's crankshaft. Does not allow for torque consumed by the engine-driven accessories.

H

Hall Effect	A method of accurately sensing rotational speed and digitally signaling it. A rotating metallic shutter alternately blocks and opens a magnetic field from a semiconductor sensor.
-------------	--

Hazardous Waste	Any chemical or material that has one or more characteristics that make it hazardous to health, life, and/or the environment.
Heat	A form of energy associated with the motion of atoms or molecules and capable of being transmitted by conduction, convection, and radiation.
Helix	A spiral groove or scroll. The helical cut recesses in some injection pumping plungers that are used to meter fuel delivery. Plural: <i>helices</i> .
Hg manometer	A mercury (Hg) filled manometer.
High Idle Speed	The highest no load speed of an engine.
Hooke's Law	The law that the stress of a solid is directly proportional to the strain applied to it.
Horsepower (hp)	Measurement of an engine's ability to perform work. One horsepower is defined as the ability to move 33,000 pounds one foot in one minute.
H ₂ O Manometer	A water-filled manometer.
Hunting	Rhythmic fluctuation of engine RPM usually caused by unbalanced cylinder fueling.
Hydraulics	The science and practice of confining and pressurizing liquids in circuits to provide motive power.
Hydrodynamic suspension	The principle used to float a rotating shaft on a bed of constantly changing, pressurized lubricant.
Hydraulic electronic unit injector (HEUI)	Unit injector featuring a hydraulically-actuated injection pumping, with an electronically controlled injector. Combines fuel metering and injecting elements into a single unit.
Hydrocarbon	Describes substances primarily composed of elemental carbon and hydrogen. Fossil fuels and alcohols are both hydrocarbon fuels.
Hydrodynamic engine management	All engines managed without computers.
Hydrometer	An instrument designed to measure the specific gravity of liquids, usually battery electrolyte and coolant mixtures. Not recommended for measuring either in truck engine applications where a refractometer is the appropriate instrument due to greater accuracy.
Hypoid gear	A bevel gear crown and pinion assembly where the axes are at right angles but the pinion is on a lower plane than the crown.
Hysteresis	(i) In hydro-mechanical governor terminology, a response lag. (ii) Molecular friction caused by the lag between the formation of magnetic flux behind the magneto motive force that creates it.

I

Impedance	The combination of resistance and reactance in an AC circuit.
Indirect injection (IDI)	Describes any of a number of methods of injecting fuel to an engine outside of the cylinder. This may be to an intake tract in the intake manifold or to a cell adjacent to the cylinder such as a pre-combustion chamber.
Indicated horsepower	Gross power produced in the engine cylinders often arrived at by calculation and always greater than <i>brake power</i> because it does not factor in pumping and friction losses.
Industry Committee	A committee of industry members who are representative of the province and help to guide the MTCU about apprenticeship issues.
Inertia	In physics, it describes the tendency of a body at rest or in motion to continue that state unless it is changed by an external force.
Inline block	An engine that has all of its cylinders aligned in a straight row.
Insulator	Materials that either prevent or inhibit the flow of electrons: usually nonmetallic substances that contain more than four electrons in their outer shell.
Integral	Whole or combined with another component to act as a single unit.
Isochronous governor	A zero droop governor or one that accommodates no change in RPM on the engine it manages as engine load varies. In electronically managed truck engines, the term is sometimes used to describe engine operation in PTO mode.

J

Jounce	Literally "bump"-used to describe the most compressed condition of a suspension spring.
Journal	The part of an axle or shaft that actually contacts the bearing.
Jumper pipe	A term used to describe the pipes that connect the charge and return galleries with DDC MUIs or with each other in multi-cylinder heads.

K

Kinetic energy	Any energy associated with motion.
Kingpin inclination	Inclination angle of the steering axis to a vertical plane.
Kirchhoff's 1 st Law	States that the current flowing into a point or component in an electrical circuit must equal the current flowing out of it.

Kirchhoff's 2nd Law States that the voltage will drop in exact proportion to the resistance in a circuit component and that the sum of the voltage drops must equal the voltage applied to the circuit; also known as Kirchhoff's Law of voltage drop.

L

Lambda sensor An exhaust gas sensor used on electronically managed, SI gasoline-fueled engines to signal the ECM the oxygen content in the exhaust gas.

Laminar flow A condition where the fluid particles move in continuous parallel paths; streamline flow.

Lead acid battery Standard vehicle battery consisting of lead acid cells in series. Twelve volt batteries have become standard and they can be used in multiples in parallel or series for heavy duty applications.

L-head engine An in-line engine configuration where the intake and exhaust valve ports are located adjacent to the cylinder in the block. Seldom used in current engines.

Learning outcome Learning outcomes are discrete statements that describe the elements leading to attainment of the general learning outcome.

Learning content The learning activities required for the learner to achieve the Learning Outcomes. A comprehensive list of activities to guide the trainer.

Liner protrusion The amount the liner protrudes above the deck of the block, thus allowing retention when the head is properly torqued.

Logic (i) The science of reasoning.
(ii) Arithmetic and data comparison protocols of a microprocessor.

M

Magnetism The phenomenon that includes the physical attraction for iron observed in lodestone and associated with electric current flow. It is characterized by fields of force, which can exert a mechanical and electrical influence on anything within the boundaries of that field.

Manometer A tubular, U-shaped column mounted on a calibration scale. The tube is water or mercury-filled to balance at 0 on the scale and the instrument is used to measure light pressure or vacuum conditions in fluid circuits.

Mechanical efficiency A measure of how effectively *indicated power* is converted into *brake power*; factors in pumping and friction losses.

Micrometer	A precision instrument for measuring either internal, external, or depth dimensions to within thousands or ten thousands of an inch or millimeter.
Micron	One millionth of a meter or .000039 inch. The term used to rate the size of filters for liquids, such as engine oil or hydraulic fluids.
Muffler	An <i>engine silencer</i> that uses sound absorption and resonance principles to alter the frequency of engine noise.
Mechanical Unit Injector (MUI)	Cam-actuated, governor-controlled unit injectors used by DDC and Caterpillar.
Multimeter	A test instrument capable of reading volts, amps, and ohms.
Multi-orifii nozzle	A typical hydraulic injector nozzle whose function it is to switch and atomize the fuel injected to an engine cylinder. Consists of a nozzle body machined with the orifii, a nozzle valve, and a spring. Used in most DI diesel engines using port helix injection pumps, MUIs, EUIs, and HEUIs.
Multiplexing	A method of using one communications path to carry two or more signals simultaneously.
N	
Nitrogen dioxide	One of the oxides of nitrogen produced in vehicle engines and a significant contributor in the formation of photochemical smog.
Non-ferrous metal	Metals and alloys that contain little or no iron.
Non-volatile RAM	NVRAM-read-write RAM device capable of data retention in cells in a vehicle module after the ignition circuit is opened; also known as KAM
Normal rated power	The highest power specified for continuous operation of an engine.
O	
O. Reg.631/94 section 3	Is an Ontario regulation for regulations as they apply to overhead cranes.
OEM	Original equipment manufacturer.
Ohm	A unit for quantifying electrical resistance in a circuit.
Ohm's Law	The formula used to calculate electrical circuit performance. It asserts that it requires 1 v of potential to pump 1 A of current through a circuit resistance of 1 ohm.
Ohmmeter	An instrument for measuring resistance in an electric component or circuit.

Opacity meter	A light extinction means of testing exhaust gas particulate and liquid emission that rates density of exhaust smoke based on the percentage of emitted light that does not reach the sensor, so the higher the percentage reading, the more dense the exhaust smoke.
Orifice	A hole or aperture.
Orifii	Plural of orifice.
Oscilloscope	An instrument designed to graphically display electrical waveforms on a CRT or other display medium.
Otto cycle	The four stroke, spark ignited cycle, patented by Nicolas Otto in 1876 and consisting of induction, compression, power and exhaust strokes.
Overhead camshaft	An engine which locates the valve actuating camshaft(s) in the cylinder head to either directly or indirectly actuate the valves and in some diesel applications, the unit injectors.
Oxy-acetylene	A commonly used cutting, heating, and welding process that uses pure compressed oxygen in conjunction with acetylene fuel.
Oxidation	The act of oxidizing a material; can mean combusting or burning a substance.
Oxides of nitrogen (NOx)	An undesirable compound of nitrogen and oxygen in exhaust gases. Usually produced when combustion chamber temperatures are excessively high.
P	
Parallel port valve configuration	Engine cylinder valve arrangement that locates multiple valves parallel to crank centreline permitting equal gas flow through each (assuming identical lift).
Particulate trap	A canister in series with the exhaust piping containing a filtering medium to entrap diesel HC exhaust particulates and in some instances oxidize them.
Pascal's Law	A principle of fluids that states that when pressure is applied to a confined fluid, it is transferred undiminished throughout the fluid.
PC networks	Any of a variety of small personal computers designed for full function in isolation from other units but which may be used to network with other systems.
Piezoelectric Principle	Certain crystals become electrically charged when exposed to pressure, the voltage produced increasing proportionally with pressure rise. Quartz and Rochelle salt crystals have these properties. Combustion pressure sensors may both use the <i>Piezoelectric Principle</i> .

Pintle nozzle	A type of hydraulic injector nozzle used in some IDI automobile, small bore diesel engines until recently.
Plenum chamber	A chamber or cavity in which a fluid is held at a pressure above atmospheric or above system mean pressure.
Pneumatics	Branch of fluid power physics dealing with pressure and gas dynamics.
Poppet nozzle	Forward opening injector nozzle valve used on older Caterpillar IDI systems.
Port-helix metering	Consists of a pumping plunger and barrel assembly designed to regulate fuel delivery.
Potentiometer	A three-terminal variable resistor or voltage divider used to vary the voltage potential of a circuit. Commonly used as a throttle position sensor.
Power	The rate of accomplishing work; it is necessarily factored by time.
Practical	The hands-on element of learning in the curriculum document. Apprentice activities develop skills to achieve completion of psychomotor learning outcomes.
Preloading	Process of adjusting a bearing so that it has a mild pressure placed upon it, beyond zero endplay.
Prerequisite	Learning that must be achieved prior to taking a given subject.
Pressure	Force exerted per unit of area.
Pulse width modulation	The shaping of pulses and waveforms for purposes of digital signaling. Acronym PWM is often used.
Pyrometer	A thermocouple type, high temperature sensing device used to signal exhaust temperature. Consists of two dissimilar wires (pure iron and constantan) joined at the hot end with a millivoltmeter at the read end. Increase in temperature will cause a small current to flow, which is read at the voltmeter as a temperature value.
Q	
Quenching	Process of dipping a heated object into water, oil, or other substance to quickly reduce its temperature.
Quiescent Combustion	Non-turbulent flame propagation characteristic of slow running diesel engines that are direct injected.
R	
Radial	A line at right angles to a shaft, cylinder, etc., Centerline.
RAM	Random access memory. Electronically retained "main memory."
Rated power	The highest power specified for continuous operation.
Rated speed	The RPM at which an engine produces peak power.

Reluctor	Term describing a number of devices that use magnetism and motion to produce an AC voltage-a pick-up coil.
Rebound	Reactive response of a spring, the opposite of jounce.
Reportable Subject	(i) A clustering or grouping of related or like learning outcomes. (ii) A standalone learning unit with a distinct start and end. (iii) A course or module.
Reserve Capacity	The amount of time a battery can produce an acceptable current when not charged by the alternator.
Rheostat	A two terminal, variable resistor.
S	
SAE	Society of Automotive Engineers.
SAE horsepower	A structured formula used to calculate brake horsepower data that can be used for comparison purposes.
Scoring	Scratch/gouge damage to a surface finish.
Semiconductor	A substance, such as silicon, that acts as a conductor or insulator, depending on its operating condition and application.
Semi-floating axle	A drive axle design in which the axle shaft imparts drive to the wheel and supports the vehicle weight.
Sensor	A term that covers a wide range of command and monitoring input (ECM) signal devices.
Shunt winding	A wire coil that forms an alternate path through which electrical current can flow.
s.i.	systeme international d'unités. A measure in metric units.
Silicon	A non metallic element found naturally in silica, silicone dioxide in the form of quartz.
Silicon-controlled rectifier	Function similarly to a bipolar transistor with a fourth semiconductor layer; used to switch DC.
Spark ignition (SI)	Any gasoline-fueled, spark-ignited engine usually using an Otto cycle principle.
Specific gravity	A relative weight of a given volume of a specific material as compared to an equal volume of water.
Spiral gear	A winding helical protrusion or thread machined to a shaft, as in a worm gear.
Static electricity	Accumulated electrical charge not flowing in a circuit.
Stoichiometric Ratio	The exact ratio of reactants participating in a reaction required to complete the reaction. Most often used in the context of explaining the mass of air required to completely combust a fuel.

Supercharger	Technically any device capable of providing manifold boost, but in practice used to refer to gear-driven blowers such as the Roots blower.
Sulfur	An element present in most crude petroleums, but refined out of most current highway fuels. During combustion, it is oxidized to sulfur dioxide, and classified as a noxious emission.
Sulfur dioxide	The compound that is formed when sulfur is oxidized that is the primary contributor to sulfurous type smog. Vehicles contribute little to sulfurous smog problems due to the use of low sulfur fuels.
Supplemental Restraint System (SRS)	An emergency inflatable air bag system designed to enhance crash safety.
Swept Volume	The volume displaced in a cylinder as a piston moves from BDC to TDC.
Synthetic Oils	Petroleum based oils that have been chemically compounded by polymerization and other processes.
T	
TDC	Top dead centre of an engine.
Tensile strength	Widely used term denoting the required unit stress to cause material separation. In ferrous alloys, tensile strength usually exceeds yield strength by about 10%. Measured in force per unit area, psi.
Theory	The theoretical hours listed in the curriculum document that represent learning in the cognitive domain, the thinking portion of the training.
Thermal Efficiency	Ratio of brake power to that of the calorific value (heat energy potential) of a material failure caused by engine performance.
Thermistor	A commonly used temperature sensor that is supplied with a reference voltage and by using a temperature sensitive variable resistor, signals back to the ECM portion of it.
Thrust faces	A term used to describe loading of surface area generally but most often of pistons. When the piston is subject to cylinder gas pressure there is a tendency for it to cock (pivot off a vertical centerline) and load the contact faces off its axis on the pin.
Torque	Twisting effort or force. Torque does not necessarily result in accomplishing work.

Torque rise	The increase in torque potential designed to occur in a diesel engine as it is lugged down from the rated power RPM to the peak torque RPM, during which the power curve remains relatively flat. High torque rise engines are sometimes described as constant horsepower engines.
Training Standards	Training standards are created by the MTCU with the Industry Committee and are intended to be used by the apprentice, instructors, and companies as a "blueprint" for on-the-job training, or as a prerequisite for government certification.
Transducer	A device that converts energy from one power form to another for instance, a physical pressure value to an electrical pressure value.
Trunk piston	A single piece piston usually constructed of aluminum alloy.
Turbocharger	A turbine device that utilizes exhaust pressure to increase the air pressure going into the cylinders. Used particularly in reference to movement of air in the cylinder and combustion chamber.
Turbulence	A violent irregular movement or agitation of a fluid or gas. Violent swirling motion. Fuel injection provided some turbulence. Additional turbulence is provided by the design features of the combustion space.
Turbulent Flow	A condition where the fluid particles move in random paths rather than in continuous parallel paths.
Two-stroke cycle	An engine that requires one complete revolution of the crankshaft to fire each piston once. An engine requiring only one complete revolution of the crankshaft to complete the cycle of events.
U	
Unit injector	A diesel fuel injector which receives fuel at charging pressure and performs the functions of metering, creating injection pressure values and atomizing fuel—usually directly to the engine cylinder. Mechanically or electronically controlled, mechanically or hydraulically actuated.
Universal joint	A flexible joint that permits changes in driving angles between a driving and driven shaft.
Urea	the chief solid component of mammalian urine; synthesized from ammonia and carbon dioxide and used as fertilizer and in animal feed and in plastics

V

Valve timing	Crank angle locations in the cycle when the valves are open and closed.
Valve train	The sum of the components responsible for actuating a valve, extending from the cam profile to the valve itself.
V-engine	Engine configuration in which the cylinders are arranged so that their axes form a V. Described by the angle, most commonly, 45, 60, and 90 degrees.
Volatility	The ability of a liquid to evaporate. Gasoline has greater volatility than diesel fuel.
Volute	A snail-shaped diminishing sectional area such as used in turbocharger geometry.
Viscosity	Denotes the fluidity of a liquid.
Viscosity Index	A measure of a liquid's fluidity at a specific temperature-diminishes as temperature drops and vice versa.
Viscous damper	An engine vibration damper consisting of disc shaped housing containing a fluid medium (silicon gel) and a solid inertia ring; uses fluid friction to dampen torsional oscillation.
Voltmeter	Instrument for testing charge differential or voltage in a circuit.
Volumetric efficiency	Engine breathing efficiency. Extent to which end gases are purged from an engine cylinder, usually expressed as a percentage of new charge to cylinder volume. A ratio of mass not volume. Seldom 100% in naturally aspirated engines, can be greater than 100% in boosted engines.

W

Wastegate	A valve that vents excess exhaust gas to limit the amount of boost delivered by a turbocharger.
Watt's Law	Formula for computing unknown power, voltage, or current in a circuit by using two known factors to find the unknown value.
Wet liners	Cylinder block liners that have direct contact with the water jacket and therefore must support cylinder combustion pressures and seal the coolant to which they are exposed.
Wheatstone bridge	A galvanometer that bridges an electrical circuit to give a resistance reading.

Y

Yield strength	The stress loading required to permanently deform a material-automotive construction materials, especially steels, are classified by yield strength rating.
----------------	---

Z

Zenor diode

Specialty diode designed to conduct with a reverse bias current after a specific voltage value is reached.